

PUBLIC HEALTH REPORTS

VOL. 41

OCTOBER 15, 1923

NO. 42

DEATH RATE FROM TUBERCULOSIS DECREASING

Lower death rates from tuberculosis (all forms) were registered in 1924 than in 1900, for each age period for both sexes, in the Registration States of 1900, as shown by figures recently issued by the Department of Commerce. The amount of this decline in death rates ranged from 73 per cent for females under 1 year of age to 37 per cent for females aged 15 to 19 years. Specific rates per 100,000 population at each age period are given in the accompanying table.

This decline in tuberculosis death rates is not limited to the United States. Similar declines are recorded in the death rates of England and Wales. A comparison of the 1924 death rates from tuberculosis (all forms) for England and Wales with the corresponding 1924 rates for the United States Registration States of 1900 reveals lower rates in the United States for each age period up to age 55 for each sex. The greatest per cent difference up to age 55 was for males aged 5 to 9 years, the respective rates for the two countries being 37 for England and Wales and 15 for the United States, the latter rate being 59 per cent lower than the rate for England and Wales. The least per cent difference up to age 55 was for females aged 20 to 24, the respective rates for the two countries being 153 for England and Wales and 146 for the United States, the latter rate being 19 per cent lower than the rate for England and Wales. Comparisons of the tuberculosis death rates for the two countries for ages above 55 show much lower rates in England and Wales than in this country, so much lower in fact that apparently the only explanation is a tendency in England and Wales to certify at the older ages bronchitis as the cause of death instead of tuberculosis.

Death rates for tuberculosis, by sex and age groups, in the registration States of 1900

Age period	Death rate for tuberculosis (all forms) per 100,000 population in the registration States of 1900							
	1900		1910		1920		1924	
	Male	Female	Male	Female	Male	Female	Male	Female
All ages—								
Adjusted rate.....	194.4	182.8	173.5	141.2	114.5	101.7	89.7	77.2
Crude rate.....	201.9	188.5	184.0	146.2	121.8	103.7	95.4	78.0
Under 1 year.....	349.5	294.8	250.9	249.3	152.0	127.8	94.4	78.7
1 to 4 years.....	109.0	98.0	109.6	95.5	66.7	56.2	42.6	40.2
5 to 9 years.....	31.1	33.5	29.2	33.4	22.4	21.5	14.8	15.0
10 to 14 years.....	27.4	55.0	25.3	46.3	18.3	33.5	14.9	21.7
15 to 19 years.....	124.1	177.7	111.1	133.0	70.0	131.6	63.4	111.6
20 to 24 years.....	249.7	265.8	190.9	204.0	137.9	179.4	123.0	145.7
25 to 29 years.....	286.6	312.4	224.8	219.6	151.2	164.5	118.1	124.0
30 to 34 years.....	298.3	282.0	263.0	208.9	163.3	138.0	121.5	104.7
35 to 44 years.....	279.8	230.3	284.0	182.5	171.4	120.5	133.5	82.5
45 to 54 years.....	257.0	175.0	263.0	137.8	179.3	89.8	137.9	68.0
55 to 64 years.....	269.1	180.2	251.8	138.2	170.2	91.5	145.9	69.6
65 to 74 years.....	284.1	232.8	227.0	166.2	163.4	103.4	135.7	88.5
75 years and over.....	276.0	267.6	183.0	168.1	122.7	103.2	90.8	78.2

*Comparison of tuberculosis death rates for the United States and England and Wales
for 1924*

Age period	Death rate for tuberculosis (all forms) per 100,000 estimated population in 1924—			
	The United States: Registration States of 1920		England and Wales ¹	
	Male	Female	Male	Female
All ages—				
Adjusted rate.....	92.1	86.9	115.6	93.4
Crude rate.....	95.6	87.1	120.2	92.6
Under 1 year.....	86.8	74.7	114.2	94.3
1 to 4 years.....	36.9	32.6	103.6	88.3
5 to 9 years.....	12.7	13.9	36.5	36.7
10 to 14 years.....	14.6	23.8	32.0	53.5
15 to 19 years.....	63.2	112.7	82.3	127.3
20 to 24 years.....	127.0	167.8	151.2	152.6
25 to 29 years.....	131.4	142.5	150.4	136.3
30 to 34 years.....	129.8	118.4	148.6	117.8
35 to 44 years.....	134.1	97.0	170.4	80.3
45 to 54 years.....	133.6	82.2	172.4	76.0
55 to 64 years.....	144.9	84.2	143.6	65.7
65 to 74 years.....	165.1	115.7	102.2	54.4
75 years and over.....	136.2	120.9	88.5	34.4

¹ From Statistical Review for 1924, compiled by Registrar General of England and Wales.

PUBLIC HEALTH ENGINEERING ABSTRACTS

Housing Methods and Death Rate Variations Correlate. *The Nation's Health*, Vol. 8, No. 6, June 15, 1926, pp. 425-426. (Abstract by A. L. Dopmeyer.)

In this short article are analyzed the results of a study by Dr. A. K. Chalmers (*Proc. Roy. Soc. Med.*, March, 1926, pp. 13-22) to determine the probable effects on the health of the community produced by living in tenements as compared to cottages. The comparison is made between England and Scotland, the general practice of the people of England in the past having been to live in cottages, and that of the people of Scotland to live in tenements.

According to Doctor Chalmers, dwellers in tenements in Scotland show a much higher death rate, particularly from communicable diseases, than people living in cottages in England; in fact, Scotland shows a higher death rate for each sex at all ages. A table shows comparative death rates between Scotland and England, and a specific comparison is made between Manchester, a "city of cottages," and Glasgow for the years between 1914-1922.

Incidentally, England is said to be attempting to relieve its housing shortage by building tenements and Scotland by building cottages, in each case, the method of housing of which the nation knows least.

Pollution of Water Supplies By Wastes from Canneries and Dairies in Iowa. J. H. Buchanan, Associate Professor of Sanitation Chemistry, Iowa State College, Ames, Iowa. *Journal American*

Water Works Association, Vol. 15, No. 5, May, 1926, pp. 527-530. (Abstract by Sol Pincus.)

The stream-pollution problem of Iowa has become serious owing to the centralization of manufacturing plants producing organic wastes, particularly in the corn-canning industry and in the dairy industry. It is pointed out that the corn-canning and creamery wastes differ from domestic sewage, as the fermentation of considerable quantities of carbohydrates in the former wastes results in very markedly increasing the acidity of the streams. Instances are given in which the corn-canning waste effected an increase of acidity in the stream of nearly one hundred fold. With the creamery wastes the effect of increase of acidity is also encountered, as well as a great increase in organic matter.

The increase in acidity would be an important factor in the suitability of a stream for public water-supply purposes, on account of the corrosive nature of the acid water and the difficulty that would be experienced in the chemical process of purification.

Schenectady Sewage-Treatment Plant Markets Its Sewage Sludge. Anon. *Health News*, New York State Health Department, Vol. 3, No. 22, May 31, 1926. p. 86. (Abstract by Isador W. Mendelsohn.)

In little over a year 2,500 cubic yards of dried Imhoff tank sludge from the Schenectady (N. Y.) sewage-disposal plant has been sold to the farmers of the county at 10 to 25 cents per load at the plant. The farmers cart the material in trucks and farm wagons, the average haul being 6 miles, the longest 14. All types of crops were benefited and equal success was reported on both sandy and clayey soils.

The plan for selling the sludge is very interesting and can be adapted to other places. It included (1) advertisement of the fertilizer value of the sludge by the local farm bureau association in the local press and the farm bureau periodical; (2) form letters mailed by the bureau to its members; (3) exhibits at meetings of market gardeners; (4) spread of results of analysis of sludge samples by Cornell University among farmers.

COURT DECISIONS RELATING TO PUBLIC HEALTH

City, not county, held liable for expense of free vaccination.—(Michigan Supreme Court; *Keho et al. v. Board of Auditors of Bay County*, 209 N. W. 163; decided June 7, 1926.) To prevent the spread of smallpox in Bay City, the plaintiffs, who were physicians constituting the board of health of the city, vaccinated approximately 10,000 school children, teachers, and janitors. Their bills were presented to the county board of auditors and disallowed because the auditors were of the opinion that the county was not liable. The circuit

court affirmed the auditors' action and on appeal to the supreme court the judgment of the circuit court was affirmed. The decision of the supreme court was based on section 5096 of the Compiled Laws, 1915, which provided that "the board of health of each city * * * may at any time direct its health officer or health physician to offer vaccination * * * with bovine vaccine virus * * * to every child and to all other persons, without cost to the person vaccinated * * * but at the expense of such city * * *."

Meat ordinance construed.—(Colorado Supreme Court; *Burtis v. City of Montrose*, 247 P. 186; decided May 10, 1926.) A city ordinance prohibited any person from selling, or keeping or offering for sale, any meat not inspected by the city inspector, unless the meat bore the meat inspection brand or mark of the United States Department of Agriculture. The ordinance also fixed the charges for inspection. The supreme court held that, where the meat handled by a person had been inspected and marked by the Federal Government, such person was expressly exempted from the payment of any inspection fee provided by the ordinance.

Tort action against Washington Suburban Sanitary Commission held not maintainable.—(District of Columbia Court of Appeals; *Washington Suburban Sanitary Commission v. Magruder*, 12 F. (2d) 832; decided May 3, 1926.) The plaintiff in the lower court brought an action for damages against the Washington Suburban Sanitary Commission for personal injuries alleged to have been caused through the negligence of the defendant in constructing and laying a sewer. The court of appeals held that the action could not be maintained because the commission was a governmental agency created by a Maryland law and was without funds or power to raise same for the purpose of paying damages.

Commitment of drug addicts under certain statute not warranted.—(New York Supreme Court; *People ex rel. Sherwood et al. v. City of Buffalo et al.*, 216 N. Y. S. 468; decided March, 1926.) Where there was no statute making the use of habit-forming drugs unlawful, the supreme court held that the Buffalo city court could not commit persons to a hospital under a statute authorizing such commitment "for unlawfully using" habit-forming drugs. The court also held that such statute did not make the use of habit-forming drugs unlawful.

Migratory livestock act held unconstitutional.—(Colorado Supreme Court; *People v. Morgan*, 246 P. 1024; decided May 24, 1926.) The migratory livestock act of 1925 provided that "whenever any migratory livestock is driven into or pastured or suffered to range or graze in this State from an adjoining State, the owner thereof or his agent shall 10 days before crossing the State line notify the sheriff of the county into which such entry is made of such entry," and also

required the inspection of such livestock for communicable diseases. The collection of a certain fee for each animal was also prescribed. In a prosecution for a violation of the act, the supreme court in its opinion stated in part as follows:

Section 6 of the above act of the legislature provides, among other things, that it does not affect livestock owned by residents of this State which are ranged a portion of the year in adjoining States, or which are taken for shipment back into this State. By sections 1, 2, and subsequent sections, the act is made to apply to migratory livestock driven into, or suffered to range or graze in, this State from adjoining States. In other words, one rule is made for residents of Colorado and another for nonresidents. If inspection is necessary for the one, it is necessary for the other.

The above discrimination is repugnant to clause 1, section 2, article 4, of the Constitution of the United States, which entitles the citizens of each State to all privileges and immunities of citizens in the several States. It is also contrary to that part of section 1 of the fourteenth amendment to the Constitution of the United States which forbids any State from making or enforcing any law abridging the privileges and immunities of the citizens of the United States.

The court held the entire act to be invalid.

Enjoining of enforcement of slaughterhouse ordinance refused.—(Texas Court of Civil Appeals; *City of Wichita Falls v. Roberson*, 283 S. W. 870; decided March 6, 1926.) The plaintiff in the lower court sought to enjoin the enforcement of an ordinance of the city of Wichita Falls relating to slaughterhouses. The ordinance was very detailed and regulated the construction, equipment, and sanitation of slaughterhouses, required the medical examination of employees, and prohibited the use or sale as food of any animal not slaughtered at a place such as prescribed by the ordinance. Other provisions relating to the subject were also contained in the ordinance. The court of civil appeals refused to grant the injunctive relief asked for, and stated as follows in the opinion:

We conclude that it can not be said that the ordinance invoked in this case, as a whole, is void or violative of any constitutional provision invoked, or that plaintiff's petition or the facts proven on the trial come within any exception to the general rule which denies equitable relief from the enforcement of a criminal statute.

Inspection fees, applicable to private meat markets and imposed by city ordinance, held excessive.—(Louisiana Supreme Court; *City of Baton Rouge v. Sanchez*, 108 So. 552; decided May 3, 1926.) An ordinance of the city of Baton Rouge provided, among other things, for the inspection of private meat markets and fixed the fees for such inspection at a certain amount for each animal, the amount varying with the kind of animal. The fees were on a daily basis, while the markets were inspected about twice a month. The defendant, the owner and operator of a private meat market, refused to pay an amount assessed against him in accordance with the schedule of fees contained in the ordinance, and the city brought suit to recover

the same. The legality of the ordinance was attacked on the ground that the fees, if construed as either a license or a tax, exceeded the maximum limits provided by the State constitution, and also on the ground that the fees were arbitrary, excessive, and exorbitant, and in no way related to the cost of inspection, but were in restraint of trade and an attempt on the part of the city to raise revenue under the guise of the police power. The evidence showed that the fees and charges assessed against the defendant, on a per annum basis, were far in excess of all of his State and parish taxes and licenses. The supreme court decided in favor of the defendant, and the ordinance, in so far as it attempted to impose the stated fees on private meat markets, was annulled. The following are portions from the court's opinion:

We would not be disposed to interfere with the exercise of the discretion vested in the council and to declare the ordinance illegal if it was made to appear that the fees demanded were for regulatory and inspection purposes, even though the city did incidentally derive a small revenue from such fees over and beyond the amount required to cover the cost and expense incident to the regulation and inspection of the markets.

But the fees exacted under the ordinance are so patently out of proportion to, and so obviously in excess of, the amount necessary to meet the expense and cost of the service contemplated, that we are constrained to hold that the city went beyond its police power of regulation and that the exactions demanded constitute a source of revenue, are within the term "license or tax," and exceed the constitutional limitation.

Town ordinance held valid in so far as making it unlawful to permit certain animals to pollute stream used as water supply.—(Utah Supreme Court; *Town of Ophir v. Ault*, 247 P. 290; decided June 4, 1926.) One of the provisions of an ordinance of the town of Ophir made it unlawful to permit any cattle, horses, sheep, goats, or hogs to pollute any stream of water, used by the inhabitants of the town, anywhere within 10 miles above a point where said water was first taken by the town for domestic purposes. The defendant was charged with violating the above ordinance in that he permitted his sheep to pollute a stream used by the inhabitants of the town as a water supply and of which stream the town was part owner. The supreme court held that the town had statutory authority to enact an ordinance for the protection of its water supply, and that the ordinance in question was valid as far as the offense charged was concerned. The conviction of the defendant in the lower court was affirmed by the supreme court.

Occupational disease held not compensable under workmen's compensation act.—(Texas Commission of Appeals, Section B; *Aetna Life Ins. Co. v. Graham et al.*, 284 S. W. 931; decided June 9, 1926.) As a result of continued exposure to gases, fumes, etc., incident to her work, an employee of a shoe polish manufacturing company

contracted tuberculosis and died therefrom. In an action for compensation under the workmen's compensation act, the commission of appeals was of the opinion that recovery could not be had for an occupational or industrial disease. The commission held that the employee in the instant case had suffered no accidental injury, and that, therefore, the claim was not compensable. The commission recommended that judgment be rendered denying compensation, and the supreme court entered judgment as recommended.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1925 IN CITIES OF 10,000 TO 100,000 POPULATION

The tables shown on the following pages were compiled from data furnished by the health officers of cities. Requests for information were sent to all cities of the United States having 10,000 population or more. The data for cities having more than 100,000 population were published in the PUBLIC HEALTH REPORTS, volume 41, No. 38, September 17, 1926.

The following is a list of the diseases included:

Anthrax.	Poliomyelitis (infantile paralysis).
Cerebrospinal fever.	Rabies in animals.
Chicken pox.	Rabies in man.
Dengue.	Rocky Mountain spotted fever.
Diphtheria.	Scarlet fever.
Influenza.	Septic sore throat.
Lethargic encephalitis.	Smallpox.
Malaria.	Tuberculosis (all forms and pulmonary)
Measles.	Typhoid fever.
Mumps.	Typhus fever.
Pellagra.	Whooping cough.
Pneumonia (all forms).	

The present article contains reports from cities having between 10,000 and 100,000 population. It is believed that practically all of these cities are included which have records of morbidity from communicable diseases which are of value for statistical purposes.

The populations given and which were used in computing the rates were estimated as of July 1, 1925. Estimates of population by the Bureau of the Census are based upon the assumption that the annual increase in the population of any city since 1920 is equal to the increase between 1910 and 1920 as shown by the returns of the two Federal censuses. This method gives an estimate which is approximately correct for most of the cities. In a few cases, however, where there is reason to believe that the results thus obtained are far from correct, no estimate is made. The number of cases and

deaths occurring from each disease in these cities is given but no rates are computed.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1925. In most instances the estimated expectancy is the median number of cases reported by the city for the years 1918 to 1924, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the nonepidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years for which data are available for each city.

In comparing the figures for 1925 with the estimated expectancy, averages, or with reports for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of communicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases existing.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of that city is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city, that the physicians did not treat the disease in that city with the success usual elsewhere, or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete or the assignment of the causes of death inaccurate.

Cities which did not report either cases or deaths of a certain disease in 1925 are not included in the table for that disease.

Reported Prevalence for the Year 1925

ANTHRAX

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
California:			Mississippi:		
Riverside.....	1	0	Natchez.....	1	1
Connecticut:			New Hampshire:		
New London.....	1	1	Claremont.....		1
Louisiana:			New York:		
Lake Charles.....	1	0	Amsterdam.....	3	1
Maine:			Gloversville.....	3	0
Biddeford.....	1	1	South Dakota:		
Massachusetts:			Aberdeen.....	1	
Haverhill.....	1	1	Texas:		
Woburn.....	1	0	Orange.....	2	1
Minnesota:					
Rochester.....	1	2			

¹ Nonresidents.CEREBROSPINAL FEVER¹

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases ²
Alabama:								
Mobile.....	66,000	6	1	1	0.02	1	0.02	100.0
Arkansas:								
Little Rock.....	74,200	6	2	3	.04	2	.03	66.7
California:								
Bakersfield.....	23,500	7	3			2	.09	
Berkeley.....	66,200	7	1	2	.03	0		
Fresno.....	58,500	3	2	4	.07	2	.03	50.0
Sacramento.....	72,500	7	2	2	.03	1	.01	50.0
Santa Monica.....	19,400					3	.15	
Colorado:								
Pueblo.....	43,900	4	1			3	.07	
Trinidad.....	11,000					1	.09	
Connecticut:								
Greenwich.....	25,300	7	0	2	.08	0		
Manchester.....	21,000	5	0	1	.05			
New Britain.....	68,000	5	8	3	.04	0		
Stratford.....	16,100	3	1	1	.06	0		
Florida:								
St. Petersburg.....	26,800			3	.11	0		
Tampa.....	94,700					3	.03	
Georgia:								
Augusta.....	55,200	5	1	3	.05	2	.04	66.7
Savannah.....	93,100	6	2	1	.01	1	.01	100.0
Idaho:								
Pocatello.....	18,300	4	1	1	.05	1	.05	100.0
Illinois:								
Berwyn.....	18,900	3	0	5	.26	5	.26	100.0
Blue Island.....	13,200	3	1	1	.08	1	.08	100.0
Chicago Heights.....	22,100	4	2			3	.14	
Galesburg.....	24,800	6	1	1	.04	1	.04	100.0
Kewanee.....	19,700	4	1	4	.20	2	.10	50.0
Maywood.....	14,200	6	0	1	.07	1	.07	100.0
Murphysboro.....	12,500	2	1			5	.40	
Oak Park.....	51,400			1	.02	1	.02	100.0
Ottawa.....	11,500	4	0	2	.17	1	.09	50.0
Peoria.....	81,600	5	1	4	.05	0		
Rockford.....	76,500	6	2	1	.01	1	.01	100.0
Springfield.....	63,900	6	2	3	.05	3	.05	100.0
Waukegan.....	22,000			1	.05	1	.05	100.0

¹ Epidemic cerebrospinal meningitis; meningococcus meningitis.

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases re-ported	Cases per 1,000 inhab-itants	Deaths regis-tered	Deaths per 1,000 inhab-itants	Fatal-ities per 100 cases
Indiana:								
East Chicago	45,600					1	0.02	
Fort Wayne	97,800	6	2			2	.02	
Hammond	50,400					5	.10	
Kokomo	36,900	7	1	1	0.03	0		
Newcastle	17,000			3	.18	3	.18	100.0
Richmond	30,500	4	0	1	.03	0		
Terre Haute	71,100	6	1	2	.03	0		
Kansas:								
Arkansas City	14,000			1	.07	1	.07	100.0
Fort Scott	11,800	5	1	1	.08	1	.08	100.0
Hutchinson	26,000			1	.04			
Leavenworth	20,900	7	1	1	.05			
Parsons	14,800	4	2			2	.14	
Pittsburg	19,200					1	.05	
Wichita	88,400	6	5	4	.05	3	.03	75.0
Kentucky:								
Henderson	12,600	2	0			2	.16	
Newport		5	2	1		1		100.0
Louisiana:								
Lake Charles		3	0	1		0		
Shreveport	57,900	2	1			1	.17	
Maine:								
Auburn	18,100	3	2	1	.06	0		
Bangor	26,600	3	5	2	.08	1	.04	50.0
Bath	17,800	3	1	1	.06	0		
Biddeford	18,500	4	1	1	.05	1	.05	100.0
Lewiston	34,900	4	3			13	.37	
Portland	75,300	5	0	1	.01	1	.04	100.0
Massachusetts:								
Adams	13,500	6	1	1	.07	1	.07	100.0
Chelsea	47,200			4	.08	1	.02	25.0
Easthampton	11,600	5	0			1	.09	
Everett	42,100	7	2	2	.05	0		
Greenfield	15,200	5	1			2	.13	
Haverhill	49,200	6	3	3	.06	3	.06	100.0
Holyoke	60,300	6	2	2	.03	1	.02	50.0
Lawrence	93,500	7	6	3	.03	2	.02	66.7
Leominster	22,100	6	2	2	.09	2	.09	100.0
Malden	51,800	7	2	2	.04	1	.02	50.0
Medford	47,600			5	.11	0		
Melrose	20,200	7	6	1	.05	1	.05	100.0
Milton		1	1	2				
Newburyport	15,700	7	1	1	.06	0		
North Adams	22,700	6	1	2	.09	2	.09	100.0
Northampton	24,100	7	1	3	.12	2	.08	66.7
Northbridge	10,100	6	0			2	.20	
Salem	42,800	7	2	4	.09	1	.02	25.0
Somerville	99,000	7	2	2	.02	0		
Winthrop	16,200	7	0	1	.06	0		
Michigan:								
Cadillac		3	0	1		1		100.0
Hamtramck	81,700			5	.06	3	.04	60.0
Highland Park	72,300	7	7	4	.06	3	.04	75.0
Ironwood	17,400			2	.11	1	.06	50.0
Ishpeming		6	1	2		2		100.0
Kalamazoo	53,600	7	3	3	.06	2	.04	66.7
Muskegon	43,100			6	.14	5	.12	83.3
River Rouge				1		1		100.0
Saginaw	72,100					3	.04	
Sault Ste. Marie		7	1	1		0		
Minnesota:								
Virginia	16,000			1	.06	1	.06	100.0
Mississippi:								
Natchez	13,100			4	.31	4	.31	100.0
Missouri:								
Moberly	13,900	3	2	1	.07	0		
Montana:								
Butte	42,900			6	.14	6	.14	100.0
Missoula				1		1		100.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Nebraska:								
Grand Island	15,600	7	1	1	0.06			
Lincoln	69,900	6	1			4	0.07	
North Platte	13,700	2	2	2	.16			
Nevada:								
Reno	12,700	7	0	3	.24	2	.16	66.7
New Hampshire:								
Portsmouth	14,900	7	0	1	.07			
New Jersey:								
Carteret	14,000					2	.14	
Dover		2	0	1		1		100.0
Harrison	16,400	7	0	2	.12			
Montclair	32,900	5	3	3	.09	3	.09	100.0
New Brunswick	38,000	6	2	2	.05	0		
Orange	35,400	5	1	1	.03	1	.03	100.0
Passaic	69,000					6	.09	
Ridgefield Park		2	0	1				
New Mexico:								
Albuquerque	21,000	2	2	2	.10	0		
New York:								
Amsterdam	35,300	3	2	2	.06	2	.06	100.0
Elmira	48,400	3	3			10	.21	
Freeport						1		
Hudson	11,800	5	0	1	.08	0		
Lackawanna	20,200	5	2	7	.35	1	.05	14.3
Middletown	20,400	5	1			2	.10	
Mount Vernon	50,400	7	1	1	.02	0		
New Rochelle	44,200	5	2			4	.09	
Newburgh	30,400	5	1	1	.03	0		
Niagara Falls	57,000	6	4	3	.05	0		
North Tonawanda	17,400	6	0	3	.17	2	.11	66.7
Schenectady	92,800	7	3	2	.02	1	.01	50.0
Troy	72,200	6	2	3	.04	2	.03	66.7
White Plains	27,400	7	1	1	.04	0		
North Carolina:								
Greensboro	47,100	2	0	1	.02	1	.02	100.0
High Point	23,600	1	1			9	.38	
New Bern	12,200			1	.08	1	.08	100.0
Raleigh	30,400	5	2	1	.03	0		
Salisbury	17,700	3	0	1	.06	1	.06	100.0
Winston-Salem	69,000	4	2	2	.03	2	.03	100.0
Ohio:								
Ashtabula	25,100	5	1	1	.04	0		
Bellefontaine				1		0		
Chillicothe	16,600	7	0	1	.06	1	.06	100.0
Findlay	18,200	2	0	1	.05	1	.05	100.0
Lorain	42,300			1	.02	1	.02	100.0
Marietta	15,300			4	.26	0		
Martins Ferry	15,500					7	.45	
Staubenville	32,000	5	2	2	.06	0		
Oklahoma:								
Ardmore	17,200			2	.12	0		
Guthrie	11,800					5	.42	
Oklmulgee	25,300	1	6	5	.20	5	.20	100.0
Oregon:								
Eugene	11,400					2	.18	
Pennsylvania:								
Bradford	15,800	6	1			1	.06	
Harrisburg	83,400	7	1	1	.01	0		
McKeesport	49,100	5	2	2	.04	1	.02	50.0
Pottstown	18,500					1	.05	
Sumbury	16,800	6	0			1	.05	
Uniontown		6	0	4		3		75.0
Washington	23,000	5	1	2	.09			
Wilkes-Barre	77,600					5	.06	
Woodlawn	18,900	5	0			2	.11	
York	49,100	6	1	2	.04	2	.04	100.0
Rhode Island:								
Pawtucket	69,800	5	2	1	.01	0		
Woonsocket	49,700					11	.22	
South Carolina:								
Charleston	73,100			3	.04	2	.03	66.7
Greenville	27,300	4	2	2	.07	0		
Tennessee:								
Chattanooga	66,600	2	2	4	.06			

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Texas:								
Beaumont.....	50,600	-----	-----	3	0.06	2	0.04	66.7
Galveston.....	48,400	-----	-----	1	.02	1	.02	100.0
San Angelo.....	-----	-----	-----	-----	-----	3	-----	-----
Tyler.....	13,000	7	0	2	.15	0	-----	-----
Waco.....	43,900	-----	-----	-----	-----	4	.09	-----
Utah:								
Logan.....	-----	1	0	1	-----	0	-----	-----
Ogden.....	36,900	5	2	1	.03	1	.03	100.0
Provo.....	11,200	-----	-----	1	.09	0	-----	-----
Vermont:								
Burlington.....	24,100	6	1	-----	-----	1	.04	-----
Virginia:								
Danville.....	23,000	-----	-----	-----	-----	5	.22	-----
Newport News.....	47,100	-----	-----	-----	-----	1	.02	-----
Portsmouth.....	59,000	5	1	-----	-----	1	.02	-----
Washington:								
Aberdeen.....	16,200	5	1	4	.25	4	.25	100.0
Bremerton.....	-----	2	2	3	-----	2	-----	66.7
West Virginia:								
Bluefield.....	19,300	4	2	2	.10	2	.10	100.0
Charleston.....	49,000	-----	-----	1	.02	1	.02	100.0
Martinsburg.....	13,500	4	0	-----	-----	6	.44	-----
Morgantown.....	13,800	2	0	-----	-----	2	.14	-----
Wisconsin:								
Racine.....	67,700	6	1	2	.03	2	.03	100.0
Wyoming:								
Cheyenne.....	15,500	-----	-----	3	.19	3	.19	100.0

CHICKEN POX

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Anniston.....	20,500	3	21	21	1.02	0		
Dothan.....	14,500	2	34	16	1.10	0		
Florence.....	12,700	1	3	25	1.97	0		
Mobile.....	66,000	2	41	23	.35	0		
Montgomery.....	46,500	2	137	60	1.29	0		
Tuscaloosa.....	13,100			15	1.15	0		
Arizona:								
Phoenix.....	38,700	2	14	17	.44	0		
Tucson.....	26,700	3	13	20	.75	3	.11	6.7
Arkansas:								
Hot Springs.....				55				
Little Rock.....	74,200	3	59	27	.36	0		
California:								
Alameda.....	31,000	3	106	143	4.48	0		
Alhambra.....		2	101	65		0		
Bakersfield.....	23,500	3	16	10	.43	0		
Berkeley.....	66,200	3	439	279	4.21	0		
Chico.....		2	15	2				
Eureka.....	13,500	3	68	53	3.92	0		
Fresno.....	68,500	2	60	178	3.04	0		
Glendale.....	21,300	3	177	295	13.85	0		
Long Beach.....	91,200	3	243	418	4.58	0		
Pasadena.....	56,700	3	456	456	8.04	0		
Pomona.....	15,400	3	83	79	5.13	0		
Richmond.....	22,500	3	4	9	.40	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.								
Riverside.....		3	164	139		0		
Sacramento.....	72,300	3	129	127	1.76	0		
San Bernardino.....	22,800	2	102	64	2.81	0		
San Jose.....	43,600	3	107	75	1.72	0		
Santa Ana.....	19,500	3	32	35	1.79	0		
Santa Barbara.....	24,000	1	122	45	1.87	0		
Stockton.....	47,300	3	83	212	4.48	0		
Vallejo.....	26,600	1	4	10	.38	0		
Colorado:								
Boulder.....	11,800	3	82	117	9.92	0		
Colorado Springs.....		3	153	284		0		
Greeley.....	12,500	2	35	13	1.04	0		
Pueblo.....	43,800	3	140	209	4.77	0		
Trinidad.....	11,000	3	47	15	1.36	0		
Connecticut:								
Danbury.....				12		0		
Fairfield.....	14,500	3	39	38	2.62	0		
Greenwich.....	25,300	3	81	123	4.86	0		
Manchester.....	21,000	3	13	6	.29			
Meriden.....	36,300	3	53	47	1.29			
Milford.....	13,500	3	29	15	1.11	0		
New Britain.....	68,000	3	105	114	1.68	0		
New London.....	29,100	3	56	44	1.51	0		
Shelton.....		1	8	14				
Stamford.....	40,700	2	116	95	2.33	0		
Stratford.....	16,100	2	43	65	4.04	0		
Florida:								
St. Petersburg.....	26,800	2	68	94	3.51	0		
Tampa.....	94,700	3	16	29	.31	0		
West Palm Beach.....		2	5	2		0		
Georgia:								
Albany.....	13,500	2	20	2	.15	0		
Augusta.....	55,200	2	70	150	2.72	0		
Brunswick.....	16,800	2	54	37	2.20	0		
Lagrange.....	23,500	1	154	4	.17	0		
Macon.....	58,200	3	241	138	2.37	0		
Rome.....	13,000	3	26	14	1.61	0		
Savannah.....	93,100	3	31	34	.37	0		
Idaho:								
Boise.....	23,000	3	55	81	3.52	0		
Pocatello.....	18,300	3	53	35	1.91	0		
Illinois:								
Aurora.....	40,300	2	134	202	5.01	0		
Berwyn.....	18,900	3	86	210	11.11	0		
Bloomington.....	30,400	3	208	107	3.52	0		
Blue Island.....	13,200	3	51	63	4.77	0		
Centralia.....	14,100	1	32	20	1.42	0		
Champaign.....	18,200	3	80	46	2.53	0		
Chicago Heights.....	22,100	2	7	7	.32	0		
Cicero.....	62,200	3	195	168	2.70	0		
Danville.....	37,000	2	48	60	1.62	0		
Decatur.....	53,900	2	144	156	2.89	0		
East Moline.....		2	29	21		0		
East St. Louis.....	71,400	3	32	13	.18	0		
Elgin.....	33,400	3	250	94	2.81	0		
Evanston.....	43,900	3	296	279	6.36	0		
Freeport.....	20,700	2	135	187	9.03	0		
Galesburg.....	24,800	3	194	155	6.25	0		
Jacksonville.....	15,900	3	118	194	12.20	0		
Joliet.....	40,600	1	26	75	1.85	0		
Kewanee.....	19,700	2	269	205	10.41	0		
La Salle.....	13,900	3	45	86	6.19	0		
Maywood.....	14,200	3	50	13	.92	0		
Moline.....	33,900	3	243	134	3.95	0		
Murphysboro.....	12,500	2	2	3	.24	0		
Oak Park.....	51,400	3	457	529	10.29	0		
Ottawa.....	11,500	2	13	2	.17	0		
Pekin.....	13,300	3	58	8	.60	0		
Peoria.....	81,600	3	202	495	6.07	0		
Quincy.....		3	130	199		0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases re- ported	Cases per 1,000 inhab- itants	Deaths regis- tered	Deaths per 1,000 inhab- itants	Cases re- ported for each death regis- tered
Illinois—Continued.								
Rock Island.....	40,000	3	195	291	7.27	0		
Rockford.....	76,500	3	301	250	3.27	0		
Springfield.....	63,900	3	178	222	3.47	0		
Streator.....	15,100	3	28	29	1.92	0		
Waukegan.....	22,000	2	113	30	1.36	0		
Indiana:								
Anderson.....	33,900	3	153	113	3.33	0		
Bloomington.....	12,600	1	3	2	.16	0		
Connersville.....	12,500	1	60	8	.64	0		
Crawfordsville.....	10,500	3	19	17	1.62	0		
East Chicago.....	45,600	3	47	7	.15	0		
Elkhart.....	27,100	2	6	6	.22			
Elwood.....		3	55	3		0		
Fort Wayne.....	97,800	3	267	238	2.43	0		
Frankfort.....	13,100	3	27	14	1.07	0		
Gary.....	76,900	2	57	182	2.37	0		
Hammond.....	50,400	2	39	21	.42	0		
Huntington.....	15,900	3	4	1	.06	0		
Jeffersonville.....		3	3	2		0		
Kokomo.....	36,900	3	21	42	1.14	0		
La Fayette.....	23,800	3	18	16	.67	0		
Logansport.....	23,100	3	29	41	1.77	0		
Michigan City.....	20,300	3	16	12	.59	0		
Mishawaka.....	16,700	3	20	17	1.02	0		
Muncie.....	42,500	3	254	278	6.54	0		
New Albany.....		1	1	3		0		
Newcastle.....	17,000	3	6	2	.12	0		
Peru.....	12,700			40	3.15	0		
Richmond.....	30,500	3	13	3	.10	0		
South Bend.....	80,100	3	142	214	2.67	0		
Terre Haute.....	71,100	3	93	132	1.86	0		
Whiting.....	12,200	3	5	2	.16	0		
Iowa:								
Boone.....	12,800	2	9	142	11.09	0		
Burlington.....	26,400	3	55	67	2.54	0		
Cedar Rapids.....	50,600	1	32	51	1.01	0		
Clinton.....	26,400	3	13	9	.34	0		
Council Bluffs.....	39,800	3	31	55	1.38	0		
Dubuque.....	41,000	3	127	68	1.66	0		
Fort Dodge.....	21,700	2	22	3	.14	0		
Iowa City.....	15,300	3	24	21	1.37			
Marshalltown.....	16,900	2	32	60	3.55			
Mason City.....	22,700	2	20	24	1.06	0		
Muscatine.....	16,800	3	59	33	1.96	0		
Waterloo.....	36,800	2	84	206	5.60	0		
Kansas:								
Arkansas City.....	14,000			6	.43	0		
Coffeyville.....	16,200	3	19	42	2.59	0		
Emporia.....	12,200	2	25	165	13.52	0		
Fort Scott.....	11,800	3	14	4	.34	0		
Hutchinson.....	26,000	2	75	43	1.65			
Lawrence.....	12,300	3	57	49	3.98	0		
Leavenworth.....	20,900	3	36	10	.48			
Parsons.....	14,800	3	24	53	3.58	0		
Pittsburg.....	19,200	3	15	10	.52	0		
Topeka.....	55,400	3	451	514	9.28	0		
Wichita.....	88,400	3	508	576	6.52	0		
Kentucky:								
Covington.....	58,300	3	41	15	.26	1.	.02	15.0
Henderson.....	12,600	3	9	6	.48	0		
Newport.....		2	14	28		0		
Paducah.....	25,900	3	30	53	2.05	0		
Louisiana:								
Lake Charles.....		2	28	62		0		
Shreveport.....	57,900	2	58	78	1.35	0		
Maine:								
Auburn.....	18,100	3	62	24	1.33	0		
Bangor.....	26,600	3	34	42	1.58	0		
Bath.....	17,800	3	17	24	1.35	0		
Biddeford.....	18,500	2	22	13	.70	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Maine—Continued.								
Lewiston.....	34,000	3	68	60	1.72	0		
Portland.....	75,300	3	291	222	2.95	0		
Sanford.....	11,600	3	5	1	.09	0		
South Portland.....		1	86	26				
Waterville.....	14,400	3	70	43	2.99	0		
Westbrook.....				4		0		
Massachusetts:								
Adams.....	13,500	3	13	17	1.26	0		
Amesbury.....	11,200	2	15	17	1.52	0		
Arlington.....	24,900	3	37	113	4.54	0		
Athol.....		1	12	3				
Belmont.....	15,300	3	71	121	7.91	0		
Beverly.....	22,700	3	36	42	1.85	0		
Braintree.....	13,200	3	30	67	5.06	0		
Brookton.....	65,300	3	130	127	1.94	0		
Brookline.....	42,700	3	174	64	1.50	0		
Chelsea.....	47,200	3	56	66	1.40	0		
Chicopee.....	41,900	2	14	14	.33	0		
Clinton.....	14,200	3	29	35	2.46	0		
Danvers.....	11,800	3	11	7	.59	0		
Dedham.....	13,900	3	21	27	1.94	0		
Easthampton.....	11,600	3	4	8	.69	0		
Everett.....	42,100	3	97	59	1.40	0		
Frammingham.....	21,100	3	115	57	2.70	0		
Gardner.....	18,700	3	33	22	1.18	0		
Gloucester.....	23,400			12	.51	0		
Greenfield.....	15,200	3	52	89	5.86	0		
Haverhill.....	49,300	3	129	104	2.11	0		
Holyoke.....	60,300	3	39	43	.71	0		
Lawrence.....	93,300	3	146	67	.72	0		
Leominster.....	22,100	3	55	10	.45	0		
Malden.....	51,800	3	73	58	1.12	0		
Marlboro.....	10,200	2	35	20	1.23	0		
Medford.....	47,600	3	83	129	2.71	0		
Melrose.....	20,200	3	33	28	1.39	0		
Methuen.....	20,600	3	47	66	3.20	0		
Milton.....		1	163	81				
Newburyport.....	15,700	3	31	49	3.12	0		
Newton.....	53,600	3	183	274	5.17	0		
North Adams.....	22,700	2	7	1	.04	0		
Northampton.....	24,100	3	57	99	4.11	0		
Northbridge.....	10,100	3	14	16	1.58	0		
Palmer.....		2	5	1		0		
Peabody.....	19,900	3	30	16	.80	0		
Pittsfield.....	46,900	3	37	35	.75	0		
Plymouth.....	13,200	3	38	5	.38	0		
Quincy.....	60,100	3	96	59	.98	0		
Revere.....	33,300			23	.69	0		
Salem.....	42,800	3	51	140	3.27	0		
Saugus.....	12,700	3	18	16	1.26	0		
Somerville.....	99,000	3	94	167	1.69	0		
Southbridge.....	15,500	8	8	6	.39	0		
Wakefield.....	15,600	3	25	28	1.79	0		
Waltham.....	34,700	3	123	100	2.88	0		
Watertown.....	25,500	3	76	54	2.12	0		
West Springfield.....	15,300	2	18	8	.52			
Westfield.....	19,300	3	20	14	.73	0		
Winchester.....	11,600	3	100	20	1.72	0		
Winthrop.....	16,200	3	49	98	6.05	0		
Woburn.....	18,400	3	14	14	.76	0		
Michigan:								
Adrian.....	12,500	2	12	10	.80	0		
Ann Arbor.....	22,200	3	191	108	4.86	0		
Battle Creek.....	42,300	3	341	387	9.15	0		
Bay City.....	48,900	3	22	9	.18	0		
Benton Harbor.....	14,000	3	13	34	2.43	0		
Cadillac.....		1	10	2		0		
Hamtramck.....	81,700	3	29	51	.62	0		
Highland Park.....	72,300	3	282	233	3.22	0		
Holland.....	13,100	3	16	27	2.06	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan—Continued.								
Ironwood	17,400	3	89	82	4.71	0		
Ishpeming		2	16	7		0		
Jackson	58,000	3	373	395	6.81	0		
Kalamazoo	53,600	3	287	300	5.60	0		
Lansing	70,800	3	494	513	4.42	0		
Marquette	13,400	2	83	105	7.84	0		
Muskegon	43,100	3	68	64	1.48	0		
Muskegon Heights		2	29	72				
Pontiac	47,500	3	336	176	3.71	0		
Port Huron	30,000	3	229	139	4.63	0		
River Rouge		1	1	5		0		
Saginaw	72,100	3	183	82	1.14	0		
Sault Ste. Marie		3	109	63		0		
Minnesota:								
Albert Lea		1	6	10				
Austin	11,900	3	1	50	4.20			
Brainerd		1	21	10				
Faribault	12,300	3	45	59	4.80	0		
Hibbing	18,000	3	27	4	.22	0		
Mankato	13,700			1	.07	0		
Rochester	17,000	2	100	228	13.41	0		
St. Cloud	18,900	2	4	1	.05	0		
Winona	19,500	3	27	95	4.87			
Mississippi:								
Biloxi	12,600	3	16	20	1.59	0		
Jackson	23,700	2	72	89	3.76	0		
Laurel	15,700			74	4.71			
Meridian	24,300	1	19	35	1.44			
Natchez	13,100			32	2.44	0		
Missouri:								
Independence	12,700	2	15	25	1.97	0		
Joplin		2	19	4		0		
Moberly	13,900	3	43	42	3.02	0		
St. Joseph	78,300	3	67	117	1.49	0		
Springfield	42,100	2	24	124	2.95	0		
Montana:								
Anaconda	12,500	3	25	12	.96	0		
Butte	42,900	3	44	41	.96	0		
Great Falls	29,900	3	198	201	6.72	0		
Helena		3	25	5		0		
Missoula		2	44	32		0		
Nebraska:								
Grand Island	15,600	3	23	30	1.92			
Lincoln	60,900	3	293	244	4.01	0		
North Platte	13,700	2	15	13	.95			
Nevada:								
Reno	12,700	3	16	4	.31	0		
New Hampshire:								
Berlin	18,600	1	5			1	.05	
Claremont		2	11	3				
Dover		3	8	44		0		
Keene	11,900	3	7	10	.84	0		
Manchester	83,100	3	16	4	.05	0		
Nashua	29,700	3	9	1	.03	0		
Portsmouth	14,900	3	42	16	1.07			
New Jersey:								
Asbury Park	13,700	3	30	68	4.96	0		
Bayonne	88,800	2	58	38	.43	0		
Belleville	18,900	3	34	65	3.44	0		
Bridgeton	14,400	3	35	14	.97	0		
Clifton	34,700	3	29	25	.72	0		
Collingswood		1	40	21				
Dover		2	98	19				
East Orange	60,000	3	282	315	5.25	0		
Englewood	12,600	3	49	125	9.92	0		
Garfield	24,600	2	11	5	.20	0		
Gloucester City	13,700	2	16	7	.51	0		
Hackensack	19,700	3	76	65	3.30	0		
Harrison	16,400	3	29	7	.43			
Hoboken		3	29	14		0		
Irvington	33,200	2	125	116	3.49	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases re-ported	Cases per 1,000 inhab-itants	Deaths registered	Deaths per 1,000 inhab-itants	Cases re-ported for each death registered
New Jersey—Continued.								
Kearny	31,300	3	147	191	6.10	0		
Lodi		1	6	5				
Long Branch	13,600	3	96	96	7.06	0		
Montclair	32,900	3	180	208	6.32	0		
Morristown	12,600	3	61	126	10.00	0		
New Brunswick	38,000	1	21	6	.16	0		
Nutley				5				
Orange	35,400	3	137	116	3.28	0		
Passaic	69,000	3	153	67	.97	0		
Perth Amboy	47,100	2	30	31	.66	0		
Plainfield	31,700	3	68	90	2.84	0		
Rahway	12,000	3	12	10	.83	0		
Red Bank		1	24	7				
Ridgefield Park		2	30	84				
Rutherford		2	15	52		0		
Summit	11,700	3	70	38	3.25	0		
Union City	63,100			17	.27			
West New York	39,200	3	43	86	2.19	0		
West Orange	18,200	3	90	71	3.90			
New Mexico:								
Albuquerque	21,000			105	5.00	0		
New York:								
Amsterdam	35,300	3	110	254	7.20	0		
Binghamton	71,900	3	303	322	4.48	0		
Cohoes	23,000	3	34	17	.74	0		
Corning	15,700	2	19	68	4.33	0		
Cortland	13,900	3	16	12	.86	0		
Dunkirk	19,900	3	60	33	1.66	0		
Elmira	48,400	2	263	310	6.40	0		
Freeport		1	10	36				
Geneva	15,900	2	120	24	1.51	0		
Glens Falls	17,600	3	51	28	1.56	0		
Gloversville	22,100	3	71	90	4.07	0		
Hornell	15,800	3	150	164	10.38	0		
Hudson	11,800	3	15	51	4.32	0		
Ilion	10,400			55	5.29	0		
Ithaca	18,900	3	70	21	1.11	0		
Jamestown	43,400	3	179	336	7.74	0		
Johnson City		1	114	140		0		
Johnstown	10,700	1	23	14	1.31	0		
Kingston	28,100	2	59	38	1.35	0		
Lackawanna	20,200	3	59	20	.99	0		
Little Falls	12,400	3	37	73	5.89	0		
Lockport	21,700	3	38	44	2.03	0		
Middletown	20,400	3	78	64	3.14	0		
Mount Vernon	50,400	3	114	233	4.62	0		
New Rochelle	44,200	3	81	123	2.78	0		
Newburgh	30,400	3	48	60	1.97	0		
Niagara Falls	57,000	3	215	197	3.46	0		
North Tonawanda	17,400	3	59	38	2.18	0		
Olean	21,300	3	92	153	7.18	0		
Peekskill	18,000	3	69	36	2.00	0		
Poughkeepsie	35,700	3	112	169	3.05	0		
Rensselaer	11,400	3	20	20	1.75	0		
Rome	30,300	3	44	72	2.38	0		
Salamanca		1	27	24				
Saratoga Springs	13,900	3	128	11	.79	0		
Schenectady	92,800	3	190	383	4.13	0		
Watertown	32,800	3	312	147	4.48	0		
Watervliet	16,200	2	5	8	.49	0		
White Plains	27,400	3	93	130	4.74	0		
North Carolina:								
Asheville	31,500	3	72	41	1.30			
Charlotte	53,300	1	240	135	2.53	0		
Greensboro	47,100	3	132	103	2.19	0		
High Point	23,600	1	81	93	3.94	0		
New Bern	12,200	2	1	39	3.20	0		
Raleigh	30,400	3	266	199	6.55	0		
Rocky Mount	15,100	2	19	11	.73	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases re-ported	Cases per 1,000 inhab-itants	Deaths regis-tered	Deaths per 1,000 inhab-itants	Cases re-ported for each death regis-tered
North Carolina—Continued.								
Salisbury	17,700	1	77	46	2.60	0		
Wilson	12,800			4	.31			
Winston-Salem	69,000	3	205	199	2.88	0		
North Dakota:								
Fargo	24,900	2	82	190	7.63	1	0.04	190.0
Ohio:								
Alliance	25,000	2	23	22	.88	0		
Ashtabula	25,100	3	39	12	.48	0		
Barberton	23,300	3	10	14	.60	0		
Bellaire	16,300	3	34	26	1.60	0		
Bellefontaine				25		0		
Bucyrus	11,700	3	26	17	1.45	0		
Cambridge	14,000	3	16	16	1.14	0		
Chillicothe	16,600	3	11	19	1.14	0		
Cleveland Heights	22,200	3	210	543	24.46	0		
Conneaut		2	38	13				
Cuyahoga Falls	13,700	3	39	48	3.50	0		
East Cleveland	37,600	3	254	226	6.01	0		
East Liverpool	22,000	3	6	6	.27	0		
East Youngstown (Campbell)								
	16,000	3	55	42	2.62	0		
Elyria	23,800	3	67	29	1.22	0		
Findlay	18,200	3	71	142	7.80	0		
Fremont	13,900	3	27	11	.79	0		
Hamilton	42,400	3	24	10	.24	0		
Kenmore	19,400	3	74	11	.57	0		
Lakewood	56,800	2	52	64	1.13	0		
Lancaster	16,100	2	2	26	1.61	0		
Lima	46,700	3	146	61	1.31	0		
Lorain	42,300	3	203	182	4.30	0		
Mansfield	31,800	3	138	186	5.85	0		
Marietta	15,300	1	6	2	.13	0		
Marion	32,500	1	12	2	.06	0		
Martins Ferry	15,500	3	10	3	.19	0		
Newark	30,500	3	166	180	5.90	0		
Niles	16,600	3	53	44	2.65	0		
Norwood	29,900	3	39	31	1.04	0		
Piqua	16,000	3	30	7	.44			
Salem	11,100	3	117	36	3.24	0		
Sandusky	24,500	3	221	101	4.12	0		
Springfield	68,700	3	197	100	1.46	0		
Steubenville	32,000	3	11	4	.12	0		
Zanesville	30,400	3	46	28	.92	0		
Oklahoma:								
Ardmore	17,200	1	50	87	5.06	1	.06	87.0
Okmulgee	25,300			25	.99	0		
Oregon:								
Astoria	16,500	3	20	16	.97	0		
Eugene	11,400	3	27	15	1.32	0		
Pennsylvania:								
Allentown	92,200	2	331	195	2.11	0		
Altoona	66,100	3	133	106	1.60	0		
Beaver Falls	13,100	3	40	8	.61			
Braddock	21,700	3	29	58	2.67	0		
Bradford	15,800	3	96	50	3.16	0		
Butler	25,200	3	89	50	1.98	0		
Carbondale	19,500	3	4	15	.77			
Carlisle	11,400	3	58	144	12.63			
Carnegie	12,400	3	30	19	1.53	0		
Carick	13,000	3	18	10	.77			
Chambersburg	13,900	3	36	79	5.68	0		
Charleroi	12,600	3	32	16	1.27			
Clairton	14,900	2	102	22	1.48	0		
Coatesville	16,500	3	31	48	2.91	0		
Columbia				7				
Connellsville	14,300	3	19	20	1.40	0		
Dubois	14,300	2	71	15	1.05			
Duquesne	20,900	2	13	8	.38	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases re- ported	Cases per 1,000 inhab- itants	Deaths regis- tered	Deaths per 1,000 inhab- itants	Cases re- ported for each death regis- tered
Pennsylvania—Continued.								
Easton.....	36,800	2	94	84	2.28	0		
Farrell.....	18,700	3	55	91	4.87	1	0.05	91.0
Greensburg.....	16,100	1	11	17	1.03	0		
Harrisburg.....	83,400	3	378	271	3.25	0		
Hazleton.....	36,100	3	57	8	.22	0		
Homestead.....	21,400	3	23	12	.56	0		
Jeannette.....	11,700	3	27	1	.09	0		
Kingston.....	18,000	2	123	32	1.78	0		
Lancaster.....	56,500	3	366	319	5.65	1	.02	319.0
Lansford.....		2	6	4		0		
Latrobe.....				12		0		
Lewistown.....		2	31	39		0		
McKees Rocks.....	18,100	2	28	5	.28	0		
McKeesport.....	49,100	3	42	32	.65	0		
Meadville.....	15,600			6	.38			
Monessen.....	21,200	3	44	25	1.18	0		
Mount Carmel.....		2	5	5		0		
Nanticoke.....	24,700	3	4	1	.04	0		
New Castle.....	49,800	3	90	20	.40	0		
Norristown.....	34,800	3	155	81	2.33	0		
North Braddock.....	16,700	3	23	63	3.77	0		
Oil City.....	23,300	3	194	54	2.32			
Olyphant.....	11,200	2	1			1	.09	
Phoenixville.....		3	24	72				
Pittstown.....	19,800	3	5	9	.45			
Plymouth.....		2	18	3				
Pottstown.....	18,500	2	40	22	1.19	0		
Sharon.....	25,000	3	89	48	1.92	0		
Steelton.....		3	46	47		0		
Sunbury.....	16,800	3	70	130	7.74	0		
Swissvale.....	12,900	3	84	67	5.19	0		
Vandergrift.....		1	12	28		0		
Warren.....	15,100	3	181	88	5.83	0		
Washington.....	23,000	3	135	69	3.00			
Waynesboro.....				40				
West Chester.....		3	81	35		0		
Wilkes-Barre.....	77,600	1	184	181	2.33	0		
Wilkinsburg.....	27,400	1	133	40	1.43	0		
Windber.....		1	6	46		0		
Woodlawn.....	18,900	3	77	46	2.43	0		
York.....	49,100	2	127	95	1.93	0		
Rhode Island:								
Central Falls.....	25,400			4	.16			
Cranston.....	34,500	2	8	7	.20	0		
Pawtucket.....	69,800	2	60	132	1.89	0		
South Carolina:								
Charleston.....	73,100	1	32	17	.23	0		
Florence.....	13,200			2	.15	0		
Greenville.....	27,300	3	23	7	.26	0		
Spartanburg.....	25,500	2	41	18	.71	0		
South Dakota:								
Aberdeen.....	15,000	3	171	94	6.27			
Sioux Falls.....	30,100	3	54	77	2.56	0		
Tennessee:								
Chattanooga.....	66,600	1	87	33	.50			
Knoxville.....	95,500	3	41	43	.45	0		
Texas:								
Beaumont.....	50,600	2	6	1	.02	0		
Cleburne.....	14,200			40	2.82	0		
Corpus Christi.....	11,800			50	4.24	0		
Galveston.....	48,400	3	3	28	.58	0		
Orange.....				65		0		
Palestine.....	11,400			3	.26			
Texarkana.....	12,400			6	.48	0		
Tyler.....	13,000	3	24	21	1.62	0		
Waco.....	43,900	3	44	52	1.18	0		
Utah:								
Ogden.....	36,900	3	268	233	6.31	0		
Provo.....	11,200	2	116	52	4.64	0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Vermont:								
Barre		3	22	39		0		
Bennington		2	23	95		0		
Burlington	24,100	3	76	64	2.66	0		
Rutland	15,800	1	40	114	7.22	0		
Virginia:								
Alexandria	18,500	3	52	30	1.62	0		
Charlottesville	11,200	2	12	15	1.34	0		
Danville	23,000	3	45	26	1.13	0		
Lynchburg	30,400	3	180	171	5.62	0		
Newport News	47,100	3	135	212	4.50	0		
Petersburg	35,700	3	23	33	.92	0		
Portsmouth	59,000	3	12	8	.14	0		
Roanoke	58,200	2	118	119	2.04	0		
Suffolk				37		0		
Washington:								
Aberdeen	16,200	3	14	21	1.30	0		
Bremerton		2	65	240		0		
Everett	29,300	3	52	103	3.52	0		
Vancouver	14,500	2	58	42	2.90	0		
Walla Walla		3	6	62		0		
Yakima	22,700	3	202	220	9.69	0		
West Virginia:								
Bluefield	19,300	1	47	24	1.24	0		
Charleston	40,000	3	98	97	1.98	0		
Clarksburg	30,400	3	177	304	10.00	0		
Fairmont	21,000	3	28	60	2.86			
Huntington	63,500	2	59	2	.03			
Martinsburg	13,500	3	22	9	.67	0		
Parkersburg	21,300	1	14	2	.09	0		
Wheeling		3	232	100		0		
Wisconsin:								
Appleton	21,100	3	32	36	1.71	0		
Ashland		2	3	2				
Beloit	24,800	3	148	121	4.88	0		
Eau Claire	22,400	3	104	196	8.75	0		
Fond du Lac	26,000	3	10	22	.85	0		
Green Bay	34,300	3	40	73	2.13	0		
Janesville	20,800	3	100	51	2.45	0		
Kenosha	50,900	3	353	491	9.65	0		
La Crosse	30,400	2	130	241	7.93	0		
Madison	46,400	3	401	372	8.02			
Manitowoc	22,100	2	65	27	1.22	0		
Marinette		3	25	11		0		
Oshkosh	33,200	3	103	88	2.65	0		
Racine	67,700	3	193	393	5.81	0		
Sheboygan	33,500	3	46	25	.75	0		
Superior		3	46	99		0		
Waukesha	14,700	1	45	42	2.86	0		
Wausau	20,100	3	91	139	6.92	0		
West Allis	18,400	3	17	55	2.99	0		
Wyoming:								
Cheyenne	15,500			35	2.26	0		

DENGUE

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Mobile.....	66,000	1	0.02	0		
Tuscaloosa.....	13,100	58	4.43	0		
Florida:						
Tampa.....	94,700	1	.01	0		
West Palm Beach.....				1		

Reported Prevalence for the Year 1925—Continued

DENGUE—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Georgia:						
Savannah.....	93,100	5	0.05	1	0.01	5.0
Mississippi:						
Laurel.....	15,700	1,160	73.82			
Meridian.....	24,300	1	.04			
Natchez.....	13,100	1	.08	0		
Rhode Island:						
Woonsocket.....	49,700			1	.02	
Texas:						
Corpus Christi.....	11,800	40	3.39	0		
Palestine.....	11,400	20	1.75			
Texarkana.....	12,400	12	.97	0		

DIPHTHERIA

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	56	24	1.17	3	0.15	12.5
Dothan.....	14,500	2	6	12	.83	1	.07	8.3
Florence.....	12,700	1	6	8	.63	1	.08	12.5
Mobile.....	66,000	7	70	25	.38	2	.03	8.0
Montgomery.....	46,500	5	55	72	1.55	3	.06	4.2
Selma.....	17,000					2	.12	
Tuscaloosa.....	13,100			18	1.37	1	.08	5.6
Arizona:								
Phoenix.....	38,700	2	27	19	.49	3	.08	15.8
Tucson.....	26,700	3	31	5	.19	0		
Arkansas:								
Hot Springs.....		3	10	8				
Little Rock.....	74,200	7	77	56	.75	6	.08	10.7
California:								
Alameda.....	31,900	7	80	48	1.50	3	.09	6.2
Alhambra.....		2	47	42		2		4.8
Bakersfield.....	23,500	7	40	42	1.79	0		
Berkeley.....	66,200	4	100	90	1.36	1	.02	1.1
Chico.....		2	3	3		0		
Eureka.....	13,500	7	13	7	.52	0		
Fresno.....	58,500	5	109	93	1.59	2	.03	2.2
Glendale.....	21,300	5	79	104	4.88	4	.19	3.8
Long Beach.....	91,200	7	122	64	.70	4	.04	6.2
Modesto.....		2	50	51		0		
Pasadena.....	56,700	7	63	53	.93	2	.04	3.8
Pomona.....	15,400	5	24	17	1.10	2	.13	11.8
Richmond.....	22,500	3	55	27	1.20	1	.04	3.7
Riverside.....		7	36	34		0		
Sacramento.....	72,300	7	107	100	1.38	5	.07	8.0
San Bernardino.....	22,800	7	25	52	2.28	3	.13	5.8
San Jose.....	43,600	5	116	40	.92	0		
Santa Ana.....	19,500	5	30	92	4.72	0		
Santa Barbara.....	24,000	5	29	38	1.58	1	.04	2.6
Stockton.....	47,300	4	100	73	1.54	1	.02	1.4
Vallejo.....	26,600	4	31	2	.08	0		
Colorado:								
Boulder.....	11,800	5	11	47	3.98	1	.08	2.1
Colorado Springs.....		7	23	50		3		6.0
Greeley.....	12,500	2	12			3	.24	
Pueblo.....	43,800	3	169	187	4.27	14	.32	7.5
Trinidad.....	11,000	7	17	8	.73	0		
Connecticut:								
Danbury.....		4	18	7		1		14.3
Fairfield.....	14,500	4	29	12	.83	0		
Greenwich.....	25,300	7	35	14	.55	1	.04	7.1
Manchester.....	21,000	6	12	5	.24			
Meriden.....	36,300	5	66	22	.61			

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Connecticut—Continued.								
Milford	13,500	5	13	6	0.44	1	0.07	16.7
New Britain	68,000	7	181	94	1.38	7	.10	7.4
New London	29,100	7	62	20	.69	3	.10	15.0
Norwich	23,100	7	45	51	2.21	9	.39	17.6
Shelton		1	7	12		1		8.3
Stamford	40,700	3	41	72	1.77	12	.29	16.7
Stratford	16,100	4	38	16	.99	4	.25	25.0
Florida:								
St. Petersburg	26,800	2	61	34	1.27	3	.11	8.8
Tampa	94,700	4	75	46	.49	4	.04	8.7
West Palm Beach		2	4	13		1		7.7
Georgia:								
Albany	13,500	4	12	12	.89	1	.07	8.3
Augusta	55,200	5	46	26	.47	4	.07	15.4
Brunswick	16,800	7	5	1	.06	0		
Lagrange	23,500	2	29	19	.81	0		
Macon	58,200	7	84	44	.76	1	.02	2.3
Rome	13,900	5	23	7	.50	0		
Savannah	93,100	6	96	51	.55	17	.08	13.7
Idaho:								
Boise	23,000	6	14	17	.74	0		
Pocatello	18,300	5	48	26	1.42	2	.11	7.7
Illinois:								
Alton	26,800	6	79	31	1.16	1	.04	3.2
Aurora	40,300	6	141	48	1.19	0		
Berwyn	18,900	3	39	33	1.75	2	.11	6.1
Bloomington	30,400	5	22	26	.86	4	.13	15.4
Blue Island	13,200	5	31	2	.15	1	.08	50.0
Centralia	14,100	6	15	4	.28			
Champaign	18,200	7	12	6	.33	1	.05	16.7
Chicago Heights	22,100	2	43	14	.63	0		
Cicero	62,200	7	141	58	.93	8	.13	13.8
Danville	37,000	6	25	18	.49	0		
Decatur	53,900	4	39	45	.83	0		
East Moline		2	19	8		0		
East St. Louis	71,400	5	111	26	.36	2	.03	7.7
Elgin	33,400	7	22	14	.42	1	.03	7.1
Evanston	43,900	7	46	6	.14	1	.02	16.7
Freeport	20,700	5	20	8	.39	0		
Galesburg	24,800	7	21	10	.40	1	.04	10.0
Jacksonville	15,900	6	17	11	.69	0		
Joliet	40,600	4	38	5	.12	0		
Kewanee	19,700	4	19	10	.51	2	.10	20.0
La Salle	13,900	6	23	4	.29	1	.07	25.0
Maywood	14,200	7	37	19	1.34	1	.07	8.3
Moline	33,900	7	57	14	.41	3	.09	21.4
Murphysboro	12,500	3	13	9	.72	0		
Oak Park	51,400	7	81	36	.70	2	.04	5.6
Ottawa	11,500	5	17	14	1.22	1	.09	7.1
Pekin	13,300	7	24	10	.75	1	.08	10.0
Peoria	81,600	7	90	20	.25	1	.01	5.0
Quincy		7	30	34		3		8.8
Rock Island	40,000	7	43	70	1.75	3	.07	4.3
Rockford	76,500	7	97	24	.31	1	.01	4.2
Springfield	63,900	6	90	64	1.00	3	.05	4.7
Streator	15,100	4	72	22	1.46	0		
Waukegan	22,000	4	39	6	.27	0		
Indiana:								
Bloomington	12,600	4	23	10	.79	2	.16	20.0
Connersville	12,500	1	5	15	1.20	0		
Crawfordsville	10,500	6	9	4	.38	0		
East Chicago	45,600	7	86	23	.50	1	.02	4.3
Elkhart	27,100	5	28	10	.37			
Elwood		6	11	1		1		100.0
Fort Wayne	97,800	7	207	75	.77	3	.03	4.0
Gary	76,900	5	120	44	.57	2	.03	4.5
Hammond	50,400	6	62	27	.54	2	.04	7.4
Huntington	15,900	5	18	7	.44	1	.06	14.3
Kokomo	36,900	7	36	24	.65	1	.03	4.2
La Fayette	23,800	7	42	12	.50	1	.04	8.3
Logansport	23,100	7	12	9	.39	1	.04	11.1
Marion	26,300	6	44			1	.04	

1 Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
Michigan City	20,300	4	44	23	1.13	1	0.05	4.3
Mishawaka	16,700	7	15	3	.18	0		
Munice	42,500	7	54	25	.59	1	.02	4.0
New Albany		5	12	13		0		
Newcastle	17,000	7	10	4	.24	1	.06	25.0
Peru	12,700	2	10	15	1.18	0		
Richmond	30,500	7	24	7	.23	0		
South Bend	80,100	6	74	97	1.21	11	.14	11.3
Terre Haute	71,100	5	69	34	.48	1	.01	2.9
Whiting	12,200	3	14	16	1.31	2	.16	12.5
Iowa:								
Boone	12,800	4	20	15	1.17	0		
Burlington	26,400	6	52	17	.64	2	.08	11.8
Cedar Rapids	50,600	7	63	34	.67	1	.02	2.9
Clinton	26,400	4	47	65	2.46	3	.11	4.6
Council Bluffs	39,800	7	60	21	.53	0		
Dubuque	41,000	6	65	62	1.51	5	.12	8.1
Fort Dodge	21,700	4	45	20	.92	0		
Iowa City	15,800	4	19	31	2.03			
Marshalltown	16,900	5	20	9	.53			
Mason City	22,700	7	39	12	.53	1	.04	8.3
Muscatine	16,800	6	11	3	.18	1	.06	33.3
Ottumwa	26,400	4	41			1	.04	
Waterloo	36,800	4	30	8	.22	1	.03	12.5
Kansas:								
Arkansas City	14,000			1	.07	0		
Coffeyville	16,200	6	21	28	1.73	0		
Emporia	12,200	2	33	22	1.80	0		
Fort Scott	11,800	7	34	29	2.46	0		
Hutchinson	26,000	4	38	2	.08			
Lawrence	12,300	7	21	22	1.79	1	.08	4.5
Leavenworth	20,900	7	54	22	1.05			
Parsons	14,800	4	44	8	.54	1	.07	12.5
Pittsburg	19,200	6	52	65	3.39	1	.05	1.5
Topeka	55,400	6	120	59	1.06	0		
Wichita	88,400	7	297	112	1.27	0		
Kentucky:								
Covington	58,300	5	74	40	.69	0		
Henderson	12,600	3	5	3	.24	1	.08	33.3
Newport		5	28	6		0		
Paducah	25,900	7	32	11	.42	1	.04	9.1
Louisiana:								
Baton Rouge	27,800	5	22	37	1.33	0		
Lake Charles		3	4	14		1		7.1
Shreveport	57,900	3	31	36	.62	15	.09	13.9
Maine:								
Auburn	18,100	5	7	41	2.27	0		
Bangor	26,600	5	15	5	.19	0		
Biddeford	18,500	5	19	12	.65	0		
Lewiston	34,900	6	38	34	.97	1	.03	2.9
Portland	75,300	7	134	46	.61	4	.05	8.7
Sanford	11,600	7	4			1	.09	
South Portland		1	10	6				
Waterville	14,400	7	24	2	.14	0		
Westbrook				25		2		8.0
Massachusetts:								
Adams	13,500	7	11	17	1.26	0		
Amesbury	11,200	4	30	13	1.16	1	.09	7.7
Arlington	24,900	7	30	19	.76	0		
Athol		1	3	1		0		
Attleboro	20,600	7	13	7	.34	0		
Belmont	15,300	5	12	5	.33	0		
Beverly	22,700	7	16	25	1.10	1	.04	4.0
Braintree	13,200	5	18	18	1.36	1	.08	5.6
Brockton	65,300	7	183	39	.60	5	.08	12.8
Brookline	42,700	7	42	10	.23	0		
Chelsea	47,200	7	83	55	1.17	2	.04	3.6
Chicopee	41,900	7	70	48	1.15	2	.05	4.2
Clinton	14,200	7	9	17	1.20	0		
Danvers	11,800	7	20	5	.42	0		
Dedham	13,900	5	19	20	1.44	1	.07	5.0
Easthampton	11,600	6	27	5	.43	1	.09	20.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued.								
Everett	42,100	7	127	61	1.45	1	0.02	1.6
Framingham	21,100	7	13	23	1.09	4	.19	17.4
Gardner	18,700	7	19	1	.05	0	—	—
Gloucester	23,400	—	—	58	2.48	4	.17	6.9
Greenfield	15,200	7	20	8	.53	1	.07	12.5
Haverhill	49,200	7	151	71	1.44	2	.04	2.8
Holyoke	60,300	7	52	77	1.28	9	.15	11.7
Lawrence	93,500	7	146	96	1.03	17	.18	17.7
Leominster	22,100	7	20	22	1.00	1	.05	4.5
Malden	51,800	7	145	59	1.14	8	.15	13.6
Marlboro	16,200	6	18	10	.62	1	.06	10.0
Medford	47,600	7	70	32	.67	0	—	—
Melrose	20,200	7	24	25	1.24	3	.15	12.0
Methuen	20,600	6	26	16	.78	1	.05	6.2
Milford	14,800	7	9	11	.74	1	.07	9.1
Milton	—	1	6	1	—	—	—	—
Newburyport	15,700	7	13	8	.51	1	.06	12.5
Newton	53,000	7	88	19	.36	1	.02	5.3
North Adams	22,700	7	13	24	1.06	5	.22	20.8
Northampton	24,100	7	31	7	.29	0	—	—
Northbridge	10,100	7	4	8	.79	1	.10	12.5
Palmer	—	2	8	7	—	1	—	14.3
Peabody	19,900	7	43	41	2.06	3	.15	7.3
Pittsfield	46,900	7	69	92	1.96	3	.06	3.3
Plymouth	13,200	3	16	5	.38	0	—	—
Quincy	60,100	7	122	131	2.18	1	.02	.8
Revere	33,300	1	79	93	2.79	1	.03	1.1
Salem	42,800	7	87	173	4.04	10	.23	5.8
Saugus	12,700	6	14	6	.47	1	.08	16.7
Somerville	99,000	7	205	113	1.14	3	.03	2.7
Southbridge	15,500	7	9	28	1.81	3	.19	10.7
Taunton	39,300	5	20	12	.31	1	.03	8.3
Wakefield	15,600	3	35	9	.58	0	—	—
Waltham	34,700	7	74	12	.35	1	.03	8.3
Watertown	25,500	7	53	29	1.14	0	—	—
West Springfield	15,300	5	10	8	.52	—	—	—
Westfield	19,300	7	32	18	.93	6	.31	33.3
Winchester	11,600	6	12	13	1.12	0	—	—
Winthrop	16,200	7	16	2	.12	0	—	—
Woburn	18,400	7	19	15	.82	0	—	—
Michigan:								
Adrian	12,500	3	6	12	.96	1	.08	8.3
Ann Arbor	22,200	7	85	28	1.26	4	.18	14.3
Battle Creek	42,300	7	178	48	1.13	0	—	—
Bay City	48,900	7	125	41	.84	3	.06	7.3
Benton Harbor	14,000	7	27	5	.36	0	—	—
Cadillac	—	4	39	11	—	2	—	18.2
Hamtramck	81,700	5	188	33	.40	3	.04	9.1
Highland Park	72,300	7	93	36	.50	2	.03	5.6
Holland	13,100	6	19	6	.46	1	.08	16.7
Ironwood	17,400	7	20	4	.23	0	—	—
Ishpeming	—	5	17	9	—	1	—	11.1
Jackson	58,000	7	86	65	1.12	4	.07	6.2
Kalamazoo	63,600	6	110	16	.30	3	.06	18.7
Lansing	70,800	6	193	143	2.02	6	.08	4.2
Marquette	13,400	6	10	6	.45	1	.07	16.7
Monroe	14,200	3	11	3	.21	—	—	—
Muskegon	43,100	6	121	80	1.86	3	.07	3.7
Muskegon Heights	—	2	61	23	—	—	—	—
Pontiac	47,500	7	147	199	4.19	8	.17	4.0
Port Huron	30,000	6	60	35	1.17	2	.07	5.7
River Rouge	—	2	22	26	—	0	—	—
Saginaw	72,100	5	104	30	.42	3	.04	10.0
Sault Ste. Marie	—	5	19	10	—	1	—	10.0
Minnesota:								
Albert Lea	—	1	14	1	—	0	—	—
Brainerd	—	—	—	13	—	1	—	7.7
Faribault	12,300	5	29	44	3.58	2	.16	4.5
Hibbing	18,000	6	28	9	.50	0	—	—
Mankato	13,700	5	3	12	.88	2	.15	16.7
Rochester	17,000	3	26	6	.35	1	.06	16.7
St. Cloud	18,900	4	115	73	3.86	3	.16	4.1
Virginia	16,000	1	28	5	.31	0	—	—

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Mississippi:								
Biloxi	12,600	4	10	13	1.03	1	0.08	7.7
Jackson	23,700	2	38	21	.89	1	.04	4.8
Laurel	15,700			30	1.91			
Meridian	24,300	1	68	9	.37			
Natchez	13,100			10	.76	0		
Missouri:								
Independence	12,700	2	71	30	2.36	0		
Joplin		6	32	22		3		13.6
Moberly	13,900	5	31	16	1.15	1	.07	6.2
St. Joseph	78,300	7	133	27	.34	6	.08	22.2
Springfield	42,100	4	72	69	1.64	8	.19	11.6
Montana:								
Anaconda	12,500	6	4	1	.08	0		
Butte	42,900	7	48	44	1.03	6	.14	13.6
Great Falls	29,900	7	62	91	3.04	8	.27	8.8
Helena		3	9	23		2		8.7
Missoula		6	6	39		0		
Nebraska:								
Grand Island	15,600	7	5	5	.32			
Lincoln	60,900	7	83	62	1.02	4	.07	6.5
North Platte	13,700	3	42	9	.66	0		
New Hampshire:								
Berlin	18,600	6	4	5	.27	0		
Claremont		2	19	22		1		4.5
Concord	22,500	7	11	12	.53	1	.04	8.3
Dover		7	7	2		0		
Keene	11,900	6	7	11	.92	0		
Manchester	83,100	7	189	30	.36	7	.08	23.3
Nashua	29,700	6	25	28	.94	1	.03	3.6
Portsmouth	14,900	7	21	4	.27			
New Jersey:								
Asbury Park	13,700	6	8	3	.22	0		
Bayonne	88,800	6	153	49	.55	4	.05	8.2
Belleville	18,900	7	24	3	.16	0		
Bloomfield	26,000	7	34	15	.58	1	.04	6.7
Bridgeton	14,400	6	23	12	.83	0		
Carteret	14,000	2	20	5	.36	2	.14	40.0
Clifton	34,700	5	68	192	5.53	13	.37	6.8
Collingswood		1	7	3				
Dover		2	4	1		1		100.0
East Orange	60,000	7	40	15	.25	0		
Englewood	12,600	7	19	7	.56	0		
Garfield	24,600	4	29	103	4.19	0		
Gloucester City	13,700	3	24	15	1.09	0		
Hackensack	19,700	7	22	12	.61	2	.10	16.7
Harrison	16,400	6	32	23	1.40			
Hoboken		5	123	74		5		6.8
Irvinton	33,200	5	32	18	.64	0		
Kearny	31,300	7	38	32	1.02	2	.06	6.2
Lodi		1	6	15				
Long Branch	13,600	7	9	10	.74	0		
Montclair	32,900	7	24	13	.40	1	.03	7.7
Morristown	12,600	7	13	3	.24	0		
New Brunswick	38,000	7	57	10	.26	1	.03	10.0
Nutley				9		0		
Orange	35,400	5	48	13	.37	0		
Passaic	69,000	7	174	333	4.83	24	.35	7.2
Perth Amboy	47,100	5	75	142	3.01	11	.23	7.7
Phillipsburg	18,600	4	40	26	1.40			
Plainfield	31,700	7	43	6	.19	0		
Rahway	12,000	7	37	8	.67	0		
Ridgefield Park		2	5	19		1		5.3
Rutherford		2	10	10		1		10.0
Summit	11,700	5	8	2	.17	0		
Union City	63,100			47	.74			
West New York	39,200	7	62	73	1.86	3	.08	4.1
West Orange	18,200	7	47	12	.66	0		
New Mexico:								
Albuquerque	21,000	2	53	10	.48	2	.10	20.0
New York:								
Amsterdam	35,300	4	115	10	.28	0		
Binghamton	71,900	6	64	32	.45	5	.07	15.6
Cohoes	23,000	7	25	7	.30	0		

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
Corning	15,700	8	21	30	1.91	2	0.12	6.7
Cortland	13,900	7	14	16	1.15	3	.22	18.7
Dunkirk	19,900	7	26	15	.75	0	—	—
Elmira	48,400	5	38	11	.23	1	.02	9.9
Freeport	—	1	11	6	—	0	—	—
Geneva	15,900	5	44	18	1.13	1	.06	5.6
Glens Falls	17,900	7	16	5	.28	1	.06	20.0
Gloversville	22,100	7	15	18	.81	2	.09	11.1
Hornell	15,800	6	12	4	.25	0	—	—
Hudson	11,800	5	16	7	.59	0	—	—
Ilion	10,400	2	15	29	2.79	3	.29	10.3
Ithaca	18,900	7	13	4	.21	0	—	—
Jamestown	43,400	7	109	62	1.43	1	.02	1.6
Johnson City	—	1	7	4	—	0	—	—
Johnstown	10,700	4	5	4	.37	0	—	—
Kingston	28,100	6	39	23	.82	2	.07	8.7
Lackawanna	20,200	7	62	73	3.61	5	.25	6.8
Little Falls	12,400	7	23	11	.89	2	.16	18.2
Lockport	21,760	5	11	8	.37	1	.05	12.5
Middletown	20,400	7	10	11	.54	1	.05	9.9
Mount Vernon	50,400	7	78	12	.24	1	.02	8.3
New Rochelle	44,200	6	43	19	.43	0	—	—
Newburgh	30,400	7	31	107	3.52	17	.56	15.9
Niagara Falls	57,000	7	139	72	1.26	4	.07	5.6
North Tonawanda	17,400	7	29	6	.34	0	—	—
Olean	21,360	7	55	25	1.17	1	.05	4.0
Pekskill	18,000	7	35	16	.89	0	—	—
Plattsburg	11,660	7	9	—	—	4	.34	—
Poughkeepsie	35,700	7	40	9	.25	2	.06	22.2
Rensselaer	11,460	3	14	4	.35	1	.09	25.0
Rome	30,360	7	51	15	.50	2	.07	13.3
Salamanca	—	1	47	1	—	0	—	—
Saratoga Springs	13,900	7	15	10	.72	1	.07	10.0
Schenectady	92,800	7	153	38	.41	3	.03	7.9
Troy	72,200	7	127	111	1.54	11	.15	9.9
Watertown	32,800	7	32	19	.58	1	.03	5.3
Watervliet	16,200	5	55	10	.62	0	—	—
White Plains	27,400	7	31	23	.84	1	.04	4.3
North Carolina:								
Asheville	31,500	7	50	14	.44	—	—	—
Charlotte	53,300	4	102	84	1.58	2	.64	2.4
Greensboro	47,100	3	66	143	3.04	4	.08	2.8
High Point	23,600	1	113	90	3.81	2	.08	2.2
New Bern.	12,200	2	20	7	.57	1	.08	14.3
Raleigh	30,400	7	79	31	1.02	3	.10	9.7
Rocky Mount	15,100	5	55	106	7.02	4	.26	3.8
Salisbury	17,760	3	40	25	1.41	1	.06	4.0
Wilmington	37,100	6	40	26	.54	5	.13	25.0
Wilson	12,800	2	7	50	3.90	2	.16	4.0
Winston-Salem	69,000	6	106	45	.65	4	.06	8.9
North Dakota:								
Fargo	24,900	6	27	25	1.00	3	.12	12.0
Ohio:								
Alliance	25,000	4	25	30	1.20	0	—	—
Ashtabula	25,100	7	24	18	.72	2	.08	11.1
Barberton	23,300	6	34	28	1.20	0	—	—
Bellaire	16,300	4	25	5	.31	0	—	—
Bellefontaine	—	—	—	2	—	0	—	—
Bucyrus	11,700	5	34	3	.26	0	—	—
Cambridge	14,000	5	18	21	1.50	0	—	—
Chillicothe	16,600	7	45	20	1.20	0	—	—
Cleveland Heights	22,200	3	13	38	1.71	2	.09	5.3
Conneaut	—	2	9	2	—	1	—	—
Coshocton	11,600	5	11	4	.34	1	.09	25.0
Cuyahoga Falls	13,700	4	30	10	.73	0	—	—
East Cleveland	37,600	7	32	37	.98	0	—	—
East Liverpool	22,000	3	34	7	.32	0	—	—
East Youngstown (Campbell)	16,000	5	16	4	.25	0	—	—
Elyria	23,800	6	24	26	1.09	2	.08	7.7
Findlay	18,200	7	17	4	.22	1	.05	25.0
Fostoria	—	2	10	7	—	2	—	—
Fremont	13,900	7	4	9	.65	1	.07	11.1
Hamilton	42,400	7	29	32	.75	4	.09	12.1

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Ironton	14,500	2	41	29	2.06	1	0.07	3.4
Kenmore	19,400	4	26	10	.52	1	.05	10.0
Lakewood	56,800	4	28	51	.90	2	.04	3.9
Lancaster	16,100	5	14	14	.87	0		
Lima	46,700	7	70	27	.58	0		
Lorain	42,300	7	69	37	.87	2	.05	5.4
Mansfield	31,800	7	21	32	1.01	4	.13	12.5
Marietta	15,300	3	7	2	.13			
Marion	32,500	4	66	13	.40	2	.06	15.4
Martins Ferry	15,500	7	17	22	1.42	3	.19	13.6
Middletown	30,800	7	34	105	3.41	0		
Newark	30,500	7	19	10	.33	0		
Niles	16,600	5	46	12	.72	0		
Norwood	29,900	7	14	4	.13	0		
Piqua	16,000	7	9	17	1.06	0		
Salem	11,100	5	23	9	.81	2	.18	22.2
Sandusky	24,500	7	15	32	1.31	2	.08	6.2
Springfield	68,700	7	61	25	.36	8	.12	32.0
Steuensville	32,000	7	37	7	.22	2	.06	28.6
Zanesville	30,400	7	24	7	.23	0		
Oklahoma:								
Ardmore	17,200	1	10	25	1.45	3	.17	12.0
Guthrie	11,800					1	.08	
Okmulgee	25,300	1	10	33	1.30	3	.12	9.1
Sapulpa	14,200	1	11	7	.49	1	.07	14.3
Oregon:								
Astoria	16,500	7	4	7	.42	1	.06	14.3
Eugene	11,400	7	22	24	2.11	3	.26	12.5
Pennsylvania:								
Allentown	92,200	4	217	99	1.07	11	.12	11.1
Altoona	66,100	7	136	84	1.27	8	.12	9.5
Beaver Falls	13,100	4	25	8	.61			
Braddock	21,700	7	68	40	1.84	4	.18	10.0
Bradford	15,800	6	8	13	.82	2	.13	15.4
Butler	25,200	7	74	41	1.63	2	.08	4.9
Carbondale	19,500	7	29	7	.36			
Carlisle	11,400	7	9	5	.44			
Carnegie	12,400	4	25	7	.56	0		
Carrick	13,000	5	17	27	2.08			
Chambersburg	13,900	7	11	2	.14	0		
Charleroi	12,600	7	19	6	.48			
Clairton	14,900	2	8	8	.54	0		
Coatesville	16,500	7	11	9	.55	1	.06	11.1
Columbia				2				
Connellsville	14,300	6	33	8	.56			
Dubois	14,300	4	32	34	2.38			
Duquesne	30,900	4	40	23	1.10	1	.05	4.3
Easton	36,800	7	48	22	.60			
Farrell	18,700	5	45	27	1.44	3	.16	11.1
Greensburg	16,100	1	12	8	.50	0		
Harrisburg	83,400	7	138	130	1.56	9	.11	6.9
Hazleton	36,100	7	48	20	.55	4	.11	20.0
Homestead	21,400	7	36	18	.84	0		
Jennette	11,700	5	25	28	2.39	2	.17	7.1
Kingston	18,000	2	22	7	.39	1	.06	14.3
Lancaster	56,500	7	154	52	.92	2	.04	3.8
Lansford		4	20	8				
Litrobo		1	19	8		1		12.5
Lewistown		3	35	26		2		
McKees Rocks	18,100	3	65	20	1.10	2	.11	10.0
McKeesport	49,100	7	58	15	.31	2	.04	13.3
Meadville	15,600	3	9	11	.71	1	.06	9.1
Monessen	21,200	6	63	31	1.46	3	.14	9.7
Mount Carmel		3	38	29		0		
Nanticoke	24,700	6	44	12	.49	2	.08	16.7
New Castle	49,800	7	52	23	.46	2	.04	8.7
Norristown	34,800	7	58	22	.63	4	.11	18.2
North Braddock	16,700	7	37	35	2.10	8	.48	22.9
Oil City	23,300	7	36	4	.17			
Olyphant	11,200	6	13	40	3.57	7	.62	17.5
Phoenixville		4	14	2				
Pittston	19,800	7	15	10	.51			
Plymouth		6	29	15		2		13.3

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
Pottstown	18,500	2	6	15	0.81	0		
Sharof	25,000	5	40	48	1.92	2	0.08	4.2
Steelton		7	25	7		0		
Sunbury	16,800	7	45	17	1.01	0		
Swissvale	12,900	5	35	8	.62			
Uniontown		6	40	13		0		
Vandergift		1	8	2		1		50.0
Warren	15,100	7	22	9	.60	0		
Washington	23,000	7	54	14	.61			
Waynesboro				9				
West Chester		7	13	6		0		
Wilkes-Barre	77,600	2	99	81	1.04	5	.06	6.2
Wilkesburg	27,400	3	34	3	.11	1	.04	33.3
Windber		1	26	28		4		14.3
Woodlawn	18,900	5	25	8	.42	0		
York	49,100	6	156	14	.29	1	.02	7.1
Rhode Island:								
Central Falls	25,400	4	24	15	.59			
Cranston	34,500	7	24	17	.49	1	.03	5.9
Newport	27,800	7	74	93	3.35	2	.07	2.2
Pawtucket	69,800	6	75	44	.63	4	.06	9.1
Woonsocket	49,700	1	8	8	.16	0		
South Carolina:								
Anderson	11,100	4	12	5	.45	2	.18	40.0
Charleston	73,100	1	55	68	.93	5	.07	7.4
Florence	13,200	1	16	10	.76	0		
Greenville	27,300	6	29	36	1.32	4	.15	11.1
Spartanburg	25,500	4	43	40	1.57	3	.12	7.5
Sumter		2	14	16		0		
South Dakota:								
Aberdeen	15,000	4	32	6	.40			
Sioux Falls	30,100	7	35	46	1.53	5	.17	10.9
Tennessee:								
Chattanooga	66,600	4	84	59	.89			
Knoxville	95,500	7	77	47	.49	6	.06	12.8
Texas:								
Amarillo	17,800	6	15	10	.56	0		
Beaumont	50,600	5	19	55	1.09	0		
Cleburne	14,200	5	5	5	.35	0		
Corpus Christi	11,800	3	6	12	1.02	3	.25	25.0
Eastland		1	5	1		0		
Galveston	48,400	7	42	44	.91	2	.04	4.5
Greenville	14,400			20	1.39	1	.07	5.0
Orange		1	10	12		0		
Palestine	11,400			6	.53			
San Angelo						1		
Texarkana	12,400	6	15	9	.73	0		
Tyler	13,000	7	11	7	.54	0		
Waco	43,900	6	48	15	.34	3	.07	20.0
Utah:								
Ogden	36,900	7	33	140	3.79	3	.08	2.1
Provo	11,200	2	23	19	1.70	0		
Vermont:								
Barre		6	5	15		1		6.7
Bennington		2	3	4		0		
Burlington	24,100	6	23	23	.95	0		
Rutland	15,800	4	7	23	1.46	1	.06	4.3
Virginia:								
Alexandria	18,500	6	9	26	1.41	1	.05	3.8
Charlottesville	11,200	4	12	16	1.43	0		
Danville	23,000	7	53	69	3.00	1	.04	1.4
Lynchburg	30,400	6	84	79	2.60	1	.03	1.3
Newport News	47,100	6	36	13	.28	2	.04	15.4
Petersburg	35,700	7	69	32	.90	1	.03	3.1
Portsmouth	59,000	7	77	10	.17	0		
Roanoke	58,200	6	101	174	2.99	11	.19	6.3
Suffolk				3		0		
Washington:								
Aberdeen	16,200	6	4	3	.19	0		
Bremerton		2	8	15		1		6.7
Everett	29,300	7	10	9	.31	0		
Hoquiam	11,100	1	12	18	1.62	1	.09	5.6
Vancouver	14,500	6	18	26	1.79	0		
Walla Walla		3	11	11		0		
Yakima	22,700	7	17	37	1.63	2	.09	5.4

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia:								
Bluefield.....	19,300	4	54	19	0.98	0		
Charleston.....	49,000	7	91	49	1.00	0		
Clarksburg.....	30,400	3	57	11	.36	2	0.07	18.2
Fairmont.....	21,000	7	69	41	1.95			
Huntington.....	63,500	4	103	52	.82			
Martinsburg.....	13,500	5	13	19	1.41	1	.07	5.3
Morgantown.....	13,800	2	17	9	.65	3	.22	33.3
Parkersburg.....	21,300	5	56	15	.70	2	.09	13.3
Wheeling.....		7	101	56		4		7.1
Wisconsin:								
Appleton.....	21,100	5	28	22	1.04	0		
Ashland.....		6	16	18				
Beloit.....	24,800	7	39	39	1.57	0		
Eau Claire.....	22,400	7	22	11	.49	0		
Fond du Lac.....	20,000	7	28	118	4.54	8	.31	6.8
Green Bay.....	34,300	7	70	31	.90	1	.03	3.2
Janesville.....	20,800	6	21	3	.14	0		
Kenosha.....	50,900	7	121	62	1.22	5	.10	8.1
La Crosse.....	20,400	6	20	6	.20	0		
Madison.....	46,400	7	71	26	.56			
Manitowoc.....	22,100	5	21	22	1.00	0		
Marinette.....		7	12	3		0		
Oshkosh.....	33,200	6	25	38	1.14	2	.06	5.3
Racine.....	67,700	6	163	102	1.51	1	.01	1.0
Sheboygan.....	33,500	6	109	38	1.13	2	.06	5.3
Superior.....		6	40	16		1	.06	6.2
Waukesha.....	14,700	1	22	5	.34	0		
Wausau.....	20,100	7	19	3	.15	0		
West Allis.....	18,400	5	40	70	3.80	3	.16	4.3
Wyoming:								
Cheyenne.....	15,500			14	.90	2	.13	14.3

INFLUENZA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston.....	20,500	97	4.73	5	0.24	19.4
Dothan.....	14,500	205	14.14	7	.48	29.3
Florence.....	12,700	54	4.25	3	.24	18.0
Mobile.....	66,000	111	1.68	49	.74	2.3
Montgomery.....	46,500	47	1.01	11	.24	4.3
Selma.....	17,000			20	1.18	
Tuscaloosa.....	13,100	112	8.55	1	.08	112.0
Arizona:						
Phoenix.....	38,700			38	.98	
Tucson.....	26,700			5	.19	
Arkansas:						
Little Rock.....	74,200	131	1.77	24	.32	5.5
California:						
Alameda.....	31,900	13	.41	1	.03	13.0
Alhambra.....		15		1		15.0
Bakersfield.....	23,500	6	.26	4	.17	1.5
Berkeley.....	66,200	100	1.51	8	.12	12.5
Chico.....				3		
Eureka.....	13,500			1	.07	
Fresno.....	58,500	4	.07	2	.03	2.0
Glendale.....	21,300	10	.47	2	.09	5.0
Long Beach.....	91,200	47	.52	8	.09	5.9
Pasadena.....	50,700	33	.58	5	.09	6.6
Pomona.....	15,400	1	.06	0		
Richmond.....	22,500	4	.18	2	.09	2.0
Riverside.....		28		2		14.0
Sacramento.....	72,300			17	.24	

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.						
San Bernardino	22,800	—	—	4	0.18	—
San Jose	43,600	—	—	1	.02	—
Santa Ana	19,500	5	0.26	4	.21	1.2
Stockton	47,300	37	.78	14	.30	2.6
Colorado:						
Boulder	11,800	4	.34	0	—	—
Colorado Springs	—	65	—	9	—	7.2
Greeley	12,500	—	—	5	.40	—
Pueblo	43,800	—	—	16	.37	—
Trinidad	11,000	—	—	9	.82	—
Connecticut:						
Danbury	—	5	—	0	—	—
Fairfield	14,500	4	.28	1	.07	4.0
Greenwich	25,300	4	.16	0	—	—
Manchester	21,000	7	.33	—	—	—
Meriden	36,300	7	.19	—	—	—
New Britain	68,000	18	.26	4	.06	4.5
New London	29,100	13	.45	1	.03	13.0
Shelton	—	—	—	2	—	—
Florida:						
St. Petersburg	26,800	—	—	4	.15	—
Tampa	54,700	63	.67	19	.20	3.3
West Palm Beach	—	—	—	2	—	—
Georgia:						
Albany	13,500	10	.74	8	.59	1.2
Augusta	55,200	51	.92	2	.04	25.5
Brunswick	16,800	109	6.49	4	.24	27.2
Lagrange	23,500	—	—	7	.30	—
Rome	13,900	418	30.07	3	.22	139.3
Savannah	93,100	665	7.14	50	.54	13.3
Idaho:						
Pocatello	18,300	100	5.46	0	—	—
Illinois:						
Aurora	40,300	—	—	1	.02	—
Blue Island	13,200	—	—	4	.30	—
Champaign	18,200	—	—	1	.05	—
Cicero	62,200	8	.13	2	.03	4.0
Danville	37,000	24	.65	0	—	—
Decatur	53,900	—	—	4	.07	—
East St. Louis	71,400	2	.03	0	—	—
Elgin	33,400	—	—	1	.03	—
Evanston	43,900	7	.16	5	.11	1.4
Freeport	20,700	6	.29	1	.05	6.0
Galesburg	24,800	—	—	2	.08	—
Granite City	18,200	—	—	8	.44	—
Jacksonville	15,900	3	.19	1	.06	3.0
Joliet	40,600	—	—	4	.10	—
Kewanee	19,700	3	.15	2	.10	1.5
La Salle	13,900	3	.22	2	.14	1.5
Moline	33,900	5	.15	4	.12	1.2
Oak Park	51,400	11	.21	1	.02	11.0
Pekin	13,300	—	—	4	.30	—
Peoria	81,600	—	—	16	.20	—
Quincy	—	13	—	2	—	6.5
Rock Island	40,000	2	.05	1	.02	2.0
Rockford	76,500	10	.13	8	.10	1.2
Springfield	63,900	—	—	45	.70	—
Waukegan	22,000	2	.09	—	—	—
Indiana:						
Bloomington	12,600	24	1.90	6	.48	4.0
Connersville	12,500	60	4.80	8	.64	7.5
Crawfordsville	10,500	—	—	1	.10	—
East Chicago	45,600	—	—	10	.22	—
Elwood	—	—	—	2	—	—
Fort Wayne	97,800	—	—	6	.06	—
Gary	76,900	—	—	3	.04	—
Hammond	50,400	—	—	10	.20	—
Jeffersonville	—	5	—	0	—	—
Kokomo	36,900	—	—	9	.24	—
Marion	26,300	—	—	9	.34	—
Michigan City	20,300	—	—	2	.10	—
Mishawaka	16,700	—	—	12	.72	—
Muncie	42,500	—	—	8	.19	—
New Albany	—	—	—	6	—	—
Newcastle	17,000	—	—	2	.12	—
Peru	12,700	—	—	3	.24	—
Richmond	30,500	—	—	3	.10	—

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Iowa:						
Cedar Rapids.....	50,000	19	0.38
Council Bluffs.....	39,800	6	.15
Dubuque.....	41,000	2	.05
Muscatine.....	16,800	4	.24
Kansas:						
Emporia.....	12,200	9	0.74	0
Independence.....	10,900	2	.18
Lawrence.....	12,300	5	.41	4	.33	1.2
Parsons.....	14,800	3	.20
Pittsburg.....	19,200	8	.42	7	.36	1.1
Topeka.....	55,400	16	.29	3	.05	5.3
Kentucky:						
Covington.....	58,300	15	.26	14	.24	1.1
Henderson.....	12,600	1	.08	0
Newport.....	29	19	1.5
Paducah.....	25,900	32	1.24	7	.27	4.6
Louisiana:						
Baton Rouge.....	27,800	9	.32
Lake Charles.....	7	4	1.7
Shreveport.....	57,900	19	.33
Maine:						
Auburn.....	18,100	2	.11	0
Bangor.....	26,600	2	.08
Bath.....	17,800	37	2.08	0
Biddeford.....	18,500	19	1.03	3	.16	6.3
Lewiston.....	34,900	7	.20
Portland.....	75,300	21	.28	8	.11	2.6
Sanford.....	11,600	5	.43
Waterville.....	14,400	4	.28
Massachusetts:						
Amesbury.....	11,200	10	.89	1	.09	10.0
Arlington.....	24,900	4	.16	0
Athol.....	3
Attleboro.....	20,600	2	.10	2	.10	1.0
Belmont.....	15,300	1	.07	1	.07	1.0
Beverly.....	22,700	2	.09	0
Braintree.....	13,200	1	.08	0
Brookline.....	42,700	5	.12	4	.09	1.2
Chelsea.....	47,200	6	.13	1	.02	6.0
Chicopee.....	41,900	3	.07
Clinton.....	14,200	1	.07	0
Danvers.....	11,800	3	.25	2	.17	1.5
Dedham.....	13,900	1	.07	0
Everett.....	42,100	5	.12	4	.10	1.2
Framingham.....	21,100	7	.33	3	.14	2.3
Gloucester.....	23,400	1	.04
Greenfield.....	15,200	20	1.32	4	.26	5.0
Haverhill.....	49,200	15	.30	5	.10	3.0
Holyoke.....	60,300	5	.08	3	.05	1.7
Lawrence.....	93,500	12	.13	11	.12	1.1
Malden.....	51,800	32	.62	5	.10	6.4
Marlboro.....	16,200	2	.12	2	.12	1.0
Medford.....	47,600	10	.21	2	.04	5.0
Methuen.....	20,000	83	4.03	1	.05	83.0
Milford.....	14,800	2	.14	0
Newburyport.....	15,700	7	.45	0
North Adams.....	22,700	3	.13	1	.04	3.0
Northampton.....	24,100	13	.12	13	.12	1.0
Northbridge.....	10,100	5	.50	0
Peabody.....	19,900	1	.05	1	.05	1.0
Pittsfield.....	46,900	5	.11	5	.11	1.0
Quincy.....	60,100	165	2.75	9	.15	18.3
Salem.....	42,800	25	.58	3	.07	8.3
Saugus.....	12,700	10	.79	2	.16	5.0
Somerville.....	99,000	19	.19	2	.02	9.5
Southbridge.....	15,500	3	.19	1	.06	3.0
Taunton.....	39,300	1	.03	0
Waltham.....	34,700	12	.35	4	.12	3.0
Watertown.....	25,500	4	.16	1	.04	4.0
West Springfield.....	15,300	3	.20
Westfield.....	19,300	7	.36	4	.21	1.7
Winchester.....	11,000	2	.17	1	.09	2.0
Winthrop.....	16,200	3	.19	0
Woburn.....	18,400	5	.27	1	.05	5.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhab- itants	Deaths regis- tered, 1925	Deaths per 1,000 inhab- itants	Cases reported for each death regis- tered
Michigan:						
Bay City	48,900			1	0.02	
Cadillac				2		
Hamtramck	81,700	1	0.01	1	.01	1.0
Highland Park	72,300	8	.11	3	.04	2.7
Ironwood	17,400	11	.63	2	.12	5.5
Kalamazoo	53,600	25	.47	15	.28	1.7
Lansing	70,800	5	.07	4	.06	1.2
Muskegon	43,100			4	.09	
Pontiac	47,500	2	.04	2	.04	1.0
Port Huron	30,000	2	.07			
Saginaw	72,100			2	.03	
Sault Ste. Marie				1		
Minnesota:						
Brainerd				2		
Faribault	12,300			2	.16	
Hibbing	18,000			2	.11	
Mankato	13,700			2	.15	
Rochester	17,000			11	.65	
Virginia	16,000	3	.19	3	.19	1.0
Winona	19,500	4	.21			
Mississippi:						
Biloxi	12,600	102	8.10	6	.48	17.0
Jackson	23,700	1,208	50.89	11	.46	109.6
Laurel	15,700	278	17.69			
Meridian	24,300	383	15.76			
Natchez	13,100	270	20.61	10	.76	27.0
Missouri:						
Independence	12,700			8	.64	
Moberly	13,900			3	.22	
St. Joseph	78,300			20	.26	
Springfield	42,100	12	.29	8	.19	1.5
Montana:						
Anaconda	12,500			3	.24	
Butte	42,900	2	.05	2	.05	1.0
Great Falls	29,900			4	.13	
Nebraska:						
Lincoln	60,900			10	.16	
North Platte	13,700	3	.22	3	.22	1.0
New Hampshire:						
Claremont				4		
Concord	22,500			1	.04	
Dover				2		
Keene	11,900	1	.08	0		
Manchester	83,100			54	.65	
Nashua	29,700			8	.27	
Portsmouth	14,900	11	.74			
New Jersey:						
Asbury Park	13,700	1	.07	0		
Bayonne	88,800			16	.18	
Belleville	18,900	3	.16	0		
Bloomfield	26,000	2	.08	0		
Bridgeton	14,400			3	.21	
Clifton	34,700	5	.14	0		
East Orange	60,000	5	.08	2	.03	2.5
Hackensack	19,700	1	.05	1	.05	1.0
Harrison	16,400	16	.98			
Irvington	33,200	11	.33	1	.03	11.0
Kearny	31,300	12	.38	0		
Long Branch	13,600	4	.29	0		
Montclair	32,900	12	.36	1	.03	12.0
Nutley		1		0		
Orange	35,400	5	.14	2	.06	2.5
Passaic	69,000			4	.06	
Phillipsburg	18,600	3	.16			
Plainfield	31,700			1	.03	
Red Bank		1		1		
Rutherford		3		0		
Summit	11,700	1	.09	0		
West New York	39,200	2	.05	2	.05	1.0
West Orange	18,200	11	.60	0		
New Mexico:						
Albuquerque	21,000	11	.52	5	.24	2.2
New York:						
Amsterdam	35,300	208	5.89	3	.08	69.3
Binghamton	71,900	43	.60	0		
Cohoes	23,000	15	.65	0		
Cortland	13,900	3	.22	1	.07	3.0

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Dunkirk	19,900	70	3.52	1	0.05	70.0
Elmira	48,400			3	.06	
Freeport		4				
Geneva	15,900	2	.13	2	.13	1.0
Glens Falls	17,900			1	.06	
Hornell	15,800			2	.13	
Hudson	11,800	2	.17	0		
Jamestown	43,400	2	.05	2	.05	1.0
Johnson City		1		1		1.0
Johnstown	10,700	3	.28	1	.09	3.0
Kingston	28,100			2	.07	
Lackawanna	20,200	8	.40	0		
Little Falls	12,400	7	.56	0		
Mount Vernon	50,400	10	.20	3	.06	3.3
New Rochelle	44,200	1	.02	0		
North Tonawanda	17,400	1	.06	0		
Olean	21,300	3	.14	0		
Peekskill	18,000	10	.56	0		
Plattsburg	11,000			1	.09	
Rome	30,300	3	.10	2	.07	1.5
Salamanca				1		
Saratoga Springs	13,900	160	12.16	0		
Schenectady	92,800			22	.24	
Watertown	32,800			6	.18	
Watervliet	16,200			1	.06	
White Plains	27,400	5	.18	1	.04	5.0
North Carolina:						
Charlotte	53,300			12	.23	
Greensboro	47,100			9	.19	
High Point	23,600			10	.42	
New Bern	12,200			4	.33	
Raleigh	30,400			5	.16	
Rocky Mount	15,100			3	.20	
Wilmington	37,100			5	.13	
Wilson	12,800			5	.39	
Winston-Salem	69,000			13	.19	
Ohio:						
Barberton	23,300	1	.04	0		
Cambridge	14,000			4	.29	
Conneaut		9				
Cuyahoga Falls	13,700	22	1.61	6	.44	3.7
East Cleveland	37,600	7	.19	0		
East Youngstown (Campbell)	16,000			1	.06	
Elyria	23,800			1	.04	
Findlay	18,200	4	.22	3	.16	1.3
Hamilton	42,400			9	.21	
Kenmore	19,400	3	.15	2	.10	1.5
Lakewood	56,800	4	.07	4	.07	1.0
Lima	46,700			8	.17	
Lorain	42,300	4	.09	3	.07	1.3
Mansfield	31,800			7	.22	
Marietta	15,300			5	.33	
Marion	32,500			23	.71	
Martins Ferry	15,500			3	.19	
Newark	30,500			9	.30	
Niles	16,600			2	.12	
Norwood	29,900			4	.13	
Salem	11,100			5	.45	
Sandusky	24,500			1	.04	
Springfield	68,700			14	.20	
Steubenville	32,000	4	.12	1	.03	4.0
Zanesville	30,400	10	.33	5	.16	2.0
Oklahoma:						
Ardmore	17,200	294	17.09	11	.64	26.7
Guthrie	11,800			3	.25	
Okmulgee	25,300	80	3.16	6	.24	13.3
Sapulpa	14,200	15	1.06	0		
Oregon:						
Eugene	11,400	13	1.14	2	.18	6.5
Pennsylvania:						
Allentown	92,200			4	.04	
Altoona	66,100			1	.02	
Brad dock	21,700	8	.37	5	.23	1.6
Bradford	15,800			3	.19	
Canonsburg	13,500	2	.15	2	.15	1.0

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.						
Carnegie	12,400	—	—	1	0.08	—
Connellsville	14,300	—	—	3	.21	—
Easton	36,800	—	—	2	.05	—
Harrisburg	83,400	—	—	5	.06	—
Homestead	21,400	—	—	1	.05	—
Kingston	18,000	—	—	5	.28	—
Lancaster	56,500	—	—	10	.18	—
Lewistown	—	—	—	1	—	—
McKees Rocks	18,100	11	0.61	0	—	—
McKeesport	49,100	—	—	7	.14	—
Nanticoke	24,700	—	—	4	.16	—
New Castle	49,800	—	—	10	.20	—
Norristown	34,800	—	—	1	.03	—
North Braddock	16,700	—	—	3	.18	—
Olyphant	11,200	—	—	5	.45	—
Pottstown	18,500	—	—	6	.32	—
Sharon	25,000	—	—	6	.24	—
Sunbury	16,800	140	8.33	2	.12	70.0
Swissvale	12,900	—	—	1	.08	—
Vandergrift	—	—	—	5	—	—
Wilkes-Barre	77,600	—	—	8	.10	—
Wilkinsburg	27,400	—	—	8	.29	—
Windber	—	—	—	5	—	—
Woodlawn	18,900	—	—	2	.11	—
Rhode Island:						
Newport	27,800	—	—	3	.11	—
Pawtucket	69,800	—	—	3	.04	—
South Carolina:						
Charleston	73,100	—	—	23	.31	—
Greenville	27,300	—	—	5	.18	—
Spartanburg	25,500	—	—	4	.16	—
Sumter	—	—	—	7	—	—
South Dakota:						
Sioux Falls	30,100	1	.03	1	.03	1.0
Tennessee:						
Chattanooga	66,600	23	.35	—	—	—
Knoxville	95,500	—	—	46	.48	—
Texas:						
Beaumont	50,600	—	—	4	.08	—
Cleburne	14,200	30	2.11	0	—	—
Corpus Christi	11,800	100	8.47	10	.85	10.0
Galveston	48,400	10	.21	0	—	—
Greenville	14,400	—	—	5	.35	—
Orange	—	195	—	1	—	195.0
Palestine	11,400	105	9.21	—	—	—
San Angelo	—	—	—	10	—	—
Texarkana	12,400	25	2.02	0	—	—
Waco	43,900	46	1.05	21	.48	2.2
Utah:						
Ogden	26,900	1	.03	1	.03	1.0
Provo	11,200	—	—	3	.27	—
Vermont:						
Barre	—	—	—	1	—	—
Virginia:						
Alexandria	18,500	—	—	2	.11	—
Danville	23,000	—	—	10	.43	—
Lynchburg	30,400	—	—	21	.69	—
Petersburg	35,700	—	—	22	.62	—
Portsmouth	59,000	—	—	3	.05	—
Roanoke	58,200	—	—	15	.26	—
Suffolk	—	—	—	7	—	—
Washington:						
Bremerton	—	123	—	0	—	—
Walla Walla	—	—	—	2	—	—
Yakima	22,700	—	—	15	.66	—
West Virginia:						
Bluefield	19,300	—	—	8	.41	—
Charleston	49,000	—	—	5	.10	—
Clarksburg	30,400	—	—	13	.43	—
Martinsburg	13,500	—	—	3	.22	—
Morgantown	13,800	—	—	5	.36	—
Parkersburg	21,300	—	—	8	.38	—
Wheeling	—	—	—	13	—	—
Wisconsin:						
Beloit	24,800	—	—	1	.04	—
Green Bay	34,300	—	—	3	.09	—

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Wisconsin—Continued.						
Kenosha	50,900	4	0.08	1	0.02	4.0
La Crosse	30,400	3	.10	0		
Madison	46,400	2	.04			
Marinette				4		
Racine	67,700	7	.10	3	.04	2.3
Sheboygan	33,500			8	.24	
Waukesha	14,700	3	.20	0		
Wausau	20,100			1	.05	
West Allis	18,400			2	.11	
Wyoming:						
Cheyenne	15,500	4	.26	4	.26	1.0

LETHARGIC ENCEPHALITIS

Alabama:						
Anniston	20,500	1	0.05	0		
Mobile	66,000	1	.02	1	0.02	1.0
Arkansas:						
Little Rock	74,200	3	.04	2	.03	1.5
California:						
Alameda	31,900	2	.06	2	.06	1.0
Alhambra		1		0		
Bakersfield	23,500	2	.09	0		
Berkeley	66,200	4	.06	3	.05	1.3
Glendale	21,300	2	.09	1	.05	2.0
Long Beach	91,200			1	.01	
Pomona	15,400	2	.13	0		
Sacramento	72,300	2	.03	2	.03	1.0
San Bernardino	22,800			1	.04	
Santa Ana	19,500			3	.15	
Santa Monica	19,400			1	.05	
Stockton	47,300	1	.02	0		
Colorado:						
Colorado Springs		1		1		1.0
Pueblo	43,800			1	.02	
Trinidad	11,000			1	.09	
Connecticut:						
Danbury		2		0		
Greenwich	25,300	2	.08	0		
New Britain	68,000	5	.07	2	.03	2.5
Stratford	16,100	1	.06	1	.06	1.0
Florida:						
St. Petersburg	26,800	1	.04	0		
Tampa	94,700			3	.03	
Georgia:						
Augusta	55,200			3	.05	
Illinois:						
Berwyn	18,900	1	.05	1	.05	1.0
Bloomington	36,400	1	.03	1	.03	1.0
Evanston	43,900	4	.09	0		
Galesburg	24,800	3	.12	2	.08	1.5
La Salle	13,900	1	.07	1	.07	1.0
Moline	33,900	1	.03	0		
Oak Park	51,400	3	.06	0		
Pekin	13,300	5	.38	0		
Peoria	81,600			2	.02	
Rock Island	40,000	2	.05	1	.02	2.0
Indiana:						
Kokomo	36,900			1	.03	
Michigan City	20,300			1	.05	
Muncie	42,500	1	0.2	1	.02	1.0
Iowa:						
Muscatine	16,800	3	.18	1	.06	3.0
Kansas:						
Lawrence	12,300	3	.24	2	.16	1.5
Topeka	55,400	2	.04	0		
Kentucky:						
Covington	58,300			4	.07	
Louisiana:						
Shreveport	57,900	2	.03	0		

Reported Prevalence for the Year 1925—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhab- itants	Deaths regis- tered, 1925	Deaths per 1,000 inhab- itants	Cases reported for each death regis- tered
Maine:						
Lewiston.....	34,900			2	0.06	
Portland.....	75,500			1	.01	
Massachusetts:						
Attleboro.....	20,600	2	0.10	2	.10	1.0
Belmont.....	15,300	1	.07	0		
Beverly.....	22,700	3	.13	2	.09	1.5
Brockton.....	65,300	3	.05	1	.02	3.0
Brookline.....	42,700	2	.05	2	.05	1.0
Chelsea.....	47,200	2	.04	0		
Clinton.....	14,200	1	.07	1	.07	1.0
Everett.....	42,100	2	.05	0		
Gloucester.....	23,400			1	.04	
Greenfield.....	15,200			1	.07	
Haverhill.....	49,200	6	.12	3	.06	2.0
Holyoke.....	60,300	1	.02	1	.02	1.0
Leominster.....	22,100	1	.05	0		
Malden.....	51,800	3	.06	0		
Medford.....	47,600	3	.06	0		
Methuen.....	20,600	2	.10	2	.10	1.0
Newburyport.....	15,700	2	.13	0		
Northampton.....	24,100	1 ¹	.37	13	.12	3.0
Peabody.....	19,900	1	.05	0		
Quincy.....	60,100	1	.02	0		
Salem.....	42,800	2	.05	2	.05	1.0
Taunton.....	39,300	1	.03	0		
Waltham.....	34,700	2	.06	0		
Michigan:						
Ann Arbor.....	22,200	1	.05	1	.05	1.0
Battle Creek.....	42,300	3	.07	0		
Bay City.....	48,900	2	.04	2	.04	1.0
Highland Park.....	72,300	2	.03	1	.01	2.0
Ishpeming.....				1		
Kalamazoo.....	53,600	3	.06	2	.04	1.5
Marquette.....	13,400	2	.15	2	.15	1.0
Muskegon.....	43,100	1	.02	1	.02	1.0
Port Huron.....	30,000	1	.03	1	.03	1.0
River Rouge.....		3		3		1.0
Minnesota:						
Virginia.....	16,000	1	.06	1	.06	1.0
Missouri:						
Moberly.....	13,900	1	.07	0		
St. Joseph.....	78,300			5	.06	
Montana:						
Butte.....	42,900			3	.07	
Great Falls.....	29,900			1	.03	
Nebraska:						
Lincoln.....	60,900	3	.02	1	.02	2.0
New Hampshire:						
Manchester.....	83,100			1	.01	
New Jersey:						
Belleville.....	18,900	1	.05	0		
Bloomfield.....	26,000	2	.08	1	.04	2.0
Carteret.....	14,000	1	.07	1	.07	1.0
Clifton.....	34,700	1	.03	1	.03	1.0
East Orange.....	60,000	4	.07	2	.03	2.0
Englewood.....	12,600	2	.16	2	.16	1.0
Garfield.....	24,600	2	.08	1	.04	1.0
Irvington.....	33,200	1	.03	1	.03	1.0
Kearny.....	31,300	1	.03	1	.03	1.0
Long Branch.....	13,600			1	.07	
Montclair.....	32,900	3	.09	1	.03	3.0
New Brunswick.....	58,000	1	.03	1	.03	1.0
Orange.....	35,400	3	.08	1	.03	3.0
Passaic.....	69,000			1	.01	
Rahway.....	12,000			1	.08	
Summit.....	11,700	3	.28	0		
New York:						
Amsterdam.....	35,300	2	.06	2	.06	1.0
Binghamton.....	71,900	6	.08	1	.01	6.0
Elmira.....	48,400			3	.06	
Geneva.....	15,900	2	.13	0		
Glens Falls.....	17,900	2	.11	1	.06	2.0
Gloversville.....	22,100	1	.05	0		
Hudson.....	11,900			3	.25	

¹Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Ithaca.....	18,900	3	0.16	0	—	—
Jamestown.....	43,400	2	.05	2	0.05	1.0
Middletown.....	20,400	1	.05	0	—	—
Mount Vernon.....	50,400	—	—	2	.04	—
New Rochelle.....	44,200	—	—	2	.05	—
Newburgh.....	30,400	3	.10	2	.07	1.5
Olean.....	21,300	2	.09	0	—	—
Peekskill.....	18,000	2	.11	1	.06	2.0
Poughkeepsie.....	35,700	2	.06	1	.03	2.0
Salamanca.....	—	—	—	2	—	—
Schenectady.....	92,800	5	.05	5	.05	1.0
North Carolina:						
Greensboro.....	47,100	2	.04	2	.04	1.0
Winston-Salem.....	69,000	2	.03	2	.03	1.0
Ohio:						
Cambridge.....	14,000	—	—	2	.14	—
Conneaut.....	—	1	—	—	—	—
East Cleveland.....	37,600	2	.05	2	.05	1.0
Findlay.....	18,200	1	.05	1	.05	1.0
Kenmore.....	19,400	1	.05	0	—	—
Lorain.....	42,300	2	.05	1	.02	2.0
Middletown.....	30,800	3	.10	2	.06	1.5
Steubenville.....	32,000	1	.03	1	.03	1.0
Zanesville.....	30,400	1	.03	1	.03	1.0
Oregon:						
Astoria.....	16,500	—	—	1	.06	—
Eugene.....	11,400	—	—	2	.18	—
Pennsylvania:						
Allentown.....	92,200	3	.03	3	.03	1.0
Canonsburg.....	13,500	—	—	1	.07	—
Homestead.....	21,400	—	—	2	.09	—
Jeannette.....	11,800	1	.09	1	.09	1.0
McKeesport.....	49,100	—	—	1	.02	—
Sharon.....	25,000	—	—	1	.04	—
West Chester.....	—	1	—	0	—	—
Wilkes-Barre.....	77,600	—	—	2	.03	—
Windber.....	—	—	—	1	—	—
York.....	49,100	2	.04	1	.02	2.0
South Carolina:						
Charleston.....	73,100	—	—	2	.03	—
South Dakota:						
Sioux Falls.....	30,100	1	.03	1	.03	1.0
Tennessee:						
Knoxville.....	95,500	—	—	1	.01	—
Texas:						
Amarillo.....	17,800	1	.06	1	.06	1.0
Beaumont.....	50,600	—	—	2	.04	—
Galveston.....	48,400	—	—	2	.04	—
Waco.....	43,900	—	—	1	.02	—
Utah:						
Logan.....	—	2	—	1	—	2.0
Virginia:						
Alexandria.....	18,500	—	—	1 ²	.11	—
Lynchburg.....	30,400	—	—	1	.03	—
Petersburg.....	35,700	3	.08	3	.08	1.0
Roanoke.....	58,200	—	—	2	.03	—
Washington:						
Aberdeen.....	16,200	1	.06	1	.06	1.0
Vancouver.....	14,500	1	.07	0	—	—
Walla Walla.....	—	—	—	2	—	—
West Virginia:						
Bluefield.....	19,300	—	—	4	.21	—
Martinsburg.....	13,500	1	.07	0	—	—
Morgantown.....	13,800	—	—	1	.07	—
Wheeling.....	—	—	—	1	—	—
Wisconsin:						
Eau Claire.....	22,400	2	.09	0	—	—
La Crosse.....	30,400	—	—	1 ³	.10	—
Oshkosh.....	33,200	2	.06	2	.06	1.0
Racine.....	67,700	2	.03	2	.03	1.0
West Allis.....	18,400	—	—	2	.11	—

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

MALARIA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	1	0.05	0		
Dothan	14,500	23	1.59	0		
Florence	12,700	20	1.57	0		
Mobile	66,000	10	.15	2	0.03	5.0
Montgomery	46,500	11	.24	3	.06	3.7
Selma	17,000			2	.12	
Tuscaloosa	13,100	4	.31	0		
Arkansas:						
Hot Springs		6				
Little Rock	74,200	136	1.83	8	.11	17.0
California:						
Chico		1				
Sacramento	72,300	2	.03	0		
Santa Ana	19,500	3	.15	0		
Santa Barbara	24,000	1	.04	0		
Stockton	47,300	3	.06	0		
Connecticut:						
Greenwich	25,300	3	.12	0		
Manchester	21,000	2	.10			
New Britain	68,000	10	.15	1	.01	10.0
Florida:						
St. Petersburg	26,800	15	.56	1	.04	15.0
Tampa	94,700	21	.22	4	.04	5.2
Georgia:						
Albany	13,500	23	1.70	7	.52	3.3
Augusta	55,200			6	.11	
Brunswick	16,800	9	.54	2	.12	4.5
Lagrange	23,500			1	.04	
Rome	13,900	18	1.29	0		
Savannah	93,100	23	.25	0		
Illinois:						
Alton	26,800	2	.07	1	.04	2.0
Danville	37,000	2	.05	0		
Granite City	18,200			1	.05	
Oak Park	51,400	1	.02	0		
Kansas:						
Emporia	12,200	38	4.75	0		
Topeka	55,400	2	.04	0		
Kentucky:						
Paducah	25,900			1	.04	
Louisiana:						
Lake Charles		1		0		
Shreveport	57,900			5	.09	
Maine:						
Portland	75,300			1	.01	
Massachusetts:						
Amesbury	11,200	4	.36	0		
Brookline	42,700	1	.02	0		
Medford	47,000	1	.02	0		
Milton		1				
Northbridge	10,100	2	.20	0		
Woburn	18,400	2	.11	0		
Michigan:						
Saginaw	72,100	1	.01	0		
Mississippi:						
Biloxi	12,600	5	.40	0		
Jackson	23,700	997	42.07	4	.17	249.2
Laurel	15,700	427	27.17			
Meridian	24,300	270	11.11			
Natchez	13,100	320	24.43	2	.15	160.0
Missouri:						
Springfield	42,100	1	.02	1	.02	1.0
New Jersey:						
Hackensack	19,700	1	.05	0		
Irvington	33,200	2	.06	0		
New York:						
Binghamton	71,900	2	.03	0		
Glens Falls	17,900	1	.06	0		
Kingston	28,100	1	.04	0		
Olean	21,300	1	.05	0		
Poughkeepsie	35,700	2	.06	0		
Saratoga Springs	13,900	2	.14	1	.07	2.0

Reported Prevalence for the Year 1925—Continued

MALARIA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
North Carolina:						
Greensboro.....	47,100	2	0.04	1	0.02	2.0
New Bern.....	12,200			2	.16	
Wilson.....	12,800			2	.16	
Winston-Salem.....	69,000	2	.03	1	.01	2.0
Ohio:						
East Cleveland.....	37,600	1	.03	0		
Oklahoma:						
Ardmore.....	17,200	38	2.21	4	.23	9.5
Okmulgee.....	25,300	55	2.17	0		
Sapulpa.....	14,200	20	1.41	1	.07	20.0
Pennsylvania:						
Allentown.....	92,200	2	.02	0		
South Carolina:						
Charleston.....	73,100			4	.05	
Tennessee:						
Chattanooga.....	66,600	7	.11			
Texas:						
Beaumont.....	50,600			5	.10	
Cleburne.....	14,200	20	1.41	0		
Orange.....		16		0		
Palestine.....	11,400	36	3.16			
Texarkana.....	12,400	75	6.05	0		
Waco.....	43,900	2	.05	1	.02	2.0
Utah:						
Logan.....		1		0		
Virginia:						
Alexandria.....	18,500	5	.27	0		
Danville.....	23,000	8	.35	0		
Petersburg.....	35,700			1	.03	
Portsmouth.....	59,000			1	.02	

MEASLES

City	Estimated population July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	34	1	0.05	0		
Montgomery.....	46,500			5	.11	0		
Tuscaloosa.....	13,100			61	4.66	0		
Arizona:								
Phoenix.....	38,700			42	1.09	2	0.05	4.8
Tucson.....	26,700	5	18	38	1.42	0		
Arkansas:								
Hot Springs.....				4				
Little Rock.....	74,200	5	238	84	1.13	3	.04	3.6
California:								
Alameda.....	31,900	7	163	11	.34	0		
Alhambra.....		2	178	9		0		
Bakersfield.....	23,500	6	34	4	.17	0		
Berkeley.....	66,200			17	.26	0		
Eureka.....	13,500	7	38	9	.67	0		
Fresno.....	58,500			7	.12	0		
Glendale.....	21,300	5	235	16	.75	1	.05	6.2
Long Beach.....	91,200	7	288	27	.30	0		
Pasadena.....	56,700	5	350	35	.62	1	.02	2.9
Pomona.....	15,400	5	131	23	1.49	0		
Richmond.....	22,500	5	18	1	.04	0		
Riverside.....		5	37	9		0		
Sacramento.....	72,300	7	288	17	.24	1	.01	5.9
San Bernardino.....	22,800	7	137	5	.22	0		
San Jose.....	43,600	5	241	26	.60	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
California—Continued.								
Santa Ana	19,500	5	23	12	0.62	0		
Santa Barbara	24,000	5	17	10	.42	0		
Stockton	47,300			5	.11	0		
Vallejo	26,600	3	18	2	.08	0		
Colorado:								
Boulder	11,800	6	88	15	1.27	0		
Colorado Springs		7	265	21		0		
Greeley	12,500	2	49	7	.56	0		
Pueblo	43,800	3	207	7	.16	0		
Trinidad	11,000	7	98	13	1.18	0		
Connecticut:								
Danbury		4	50	3		0		
Fairfield	14,500	3	34	7	.48	0		
Greenwich	25,300	7	417	4	.16	0		
Manchester	21,000	6	33	7	.33			
Meriden	36,300	5	63	15	.41			
Milford	13,500	5	59	31	2.30	0		
New Britain	68,000	7	314	235	3.46	2	0.03	0.9
New London	29,100	7	44	13	.45	0		
Norwich	23,100	7	11	35	1.52	0		
Shelton		1	85	68		2		2.9
Stamford	40,700	3	480	94	2.31	2	.05	2.1
Stratford	16,100	4	50	70	4.35	0		
Florida:								
St. Petersburg	26,800	2	50	58	2.16	1	.04	1.7
Tampa	94,700	4	176	4	.04	1	.01	25.0
West Palm Beach		2	47	6		0		
Georgia:								
Albany	13,500	4	22	5	.37	0		
Augusta	55,200	5	14	98	1.78	1	.02	1.0
Brunswick	16,800	6	47	1	.06	0		
Macon	58,200	5	106	21	.36	0		
Savannah	93,100			9	.10	0		
Idaho:								
Boise	23,000	6	48	6	.26	0		
Pocatello	18,300	7	31	2	.11	0		
Illinois:								
Alton	26,800	6	75	39	1.46	0		
Aurora	46,300	6	291	349	8.66	0		
Berwyn	18,900	2	23	273	14.44	0		
Bloomington	30,400	5	388	793	26.00	2	.07	.3
Blue Island	13,200	5	60	7	.53	0		
Centralia	14,100	5	6	300	21.28	0		
Champaign	18,200	7	105	339	18.63	0		
Chicago Heights	22,100	4	14	18	.81	2	.09	11.1
Cicero	62,200	7	144	288	4.15	0		
Danville	37,000	6	49	84	2.27	0		
Decatur	53,900	4	211	678	12.58	0		
East Moline				3		0		
East St. Louis	71,400	6	96	10	.14	0		
Elgin	33,400	7	68	333	9.97	0		
Evanston	48,900	7	134	476	10.84	0		
Freeport	20,700	5	61	128	6.18	0		
Galesburg	24,800	5	231	4	.16	0		
Jacksonville	15,900	7	55	4	.25	0		
Joliet	40,600	4	180	25	.62	0		
Kewanee	19,700			62	3.15	0		
La Salle	13,900	6	115	5	.36	0		
Maywood	14,200	7	123	322	22.68	0		
Moline	33,900	7	283	38	1.12	0		
Murphysboro	12,500	3	13	2	.16	0		
Oak Park	51,400	7	314	1,173	22.82	1	.02	.1
Ottawa	11,500	5	45	5	.43	0		
Pekin	13,300	7	11	11	.83	0		
Peoria	81,600	7	40	207	2.54	0		
Quincy		7	194	216		0		
Rock Island	40,000	7	350	89	2.22	0		
Rockford	76,500	7	452	702	9.18	5	.07	.7
Springfield	63,900	6	60	378	5.92	1	.02	.3
Streator	15,100	2	9	50	3.31	0		
Waukegan	22,000	4	85	128	5.82	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana:								
Anderson	33,900	7	48	18	0.53	0		
Bloomington	12,600	4	74	7	.56	0		
Connersville	12,500	1	158	2	.16	0		
Crawfordsville	10,500	6	13	2	.19	0		
East Chicago	45,600	7	60	93	2.04	0		
Elwood		6	33	2		0		
Fort Wayne	97,800	5	234	145	1.48	0		
Frankfort	13,100	7	17	14	1.07	0		
Gary	76,900	5	37	252	3.28	1	0.01	0.4
Hammond	50,400	6	150	58	1.15	0		
Huntington	15,900	5	35	4	.25	0		
Kokomo	36,900	7	22	13	.35	0		
La Fayette	32,800	7	19	10	.42	0		
Logansport	23,100	7	35	10	.43	0		
Michigan City	20,300	4	9	15	.74	1	.05	6.7
Mishawaka	16,700	7	23	26	1.56	0		
Munice	42,500	7	110	22	.62	0		
New Albany		5	6	1		0		
Newcastle	17,000	7	49	25	1.47	0		
Peru	12,700	2	229	13	1.02	0		
Richmond	30,500	7	41	18	.59	0		
South Bend	80,100	6	327	99	1.24	0		
Terre Haute	71,100	5	55	300	4.22	2	.03	.7
Whiting	12,200	4	23	36	2.95	0		
Iowa:								
Boone	12,800	4	23	2	.16	0		
Burlington	26,400	5	58	10	.38	0		
Cedar Rapids	50,600	1	131	14	.28	1	.02	7.1
Clinton	26,400	4	113	4	.15	0		
Council Bluffs	39,800	7	65	3	.08	0		
Dubuque	41,000	6	87	5	.12	0		
Fort Dodge	21,700	3	58	2	.09	0		
Iowa City	15,300	3	80	51	3.33			
Marshalltown	16,900	5	9	80	4.73			
Mason City	22,700	7	48	8	.35	0		
Muscatine	16,800	6	104	4	.24	0		
Ottumwa	26,400			2	.08	0		
Waterloo	36,800	4	59	25	.68	0		
Kansas:								
Arkansas City	14,000			1	.07	0		
Coffeyville	16,200	6	85	6	.37	0		
Hutchinson	26,000	4	86	7	.27	0		
Lawrence	12,300	7	27	1	.08	0		
Leavenworth	20,900	7	47	3	.14			
Parsons	14,800	4	80	5	.34	0		
Pittsburg	19,200	5	56	2	.10	0		
Topeka	55,400	4	261	26	.47	1	.02	3.8
Wichita	88,400	5	267	27	.31	0		
Kentucky:								
Covington	58,300	5	120	6	.10	0		
Newport		4	56	40				
Paducah	25,900	7	326	10	.39	0		
Louisiana:								
Baton Rouge	27,800	5	15	2	.07	0		
Lake Charles		2	575	9		0		
Shreveport	57,900	3	143	10	.17	0		
Maine:								
Auburn	18,100	6	77	8	.44	0		
Bangor	26,600	3	23	4	.15	0		
Bath	17,800	5	5	3	.17	0		
Biddeford	18,500	5	33	6	.32	0		
Lewiston	34,900	6	173	18	.52	0		
Portland	75,300	7	342	25	.33	0		
South Portland		1	4	6				
Waterville	14,400	6	43	4	.28	0		
Westbrook				2		0		
Massachusetts:								
Adams	13,500	7	8	34	2.52	0		
Amesbury	11,200	4	51	192	17.14	2	.18	1.0
Arlington	24,900	7	157	134	5.38	0		
Athol		1	103	7		0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued.								
Attleboro	20,000	7	60	12	0.58	0		
Belmont	15,300	5	36	309	20.20	0		
Beverly	22,700	7	37	61	2.69	0		
Braintree	13,200	5	48	41	3.11	0		
Brockton	65,300	7	321	76	1.16	0		
Brookline	42,700	7	337	541	12.67	1	0.02	0.2
Chelsea	47,200	7	244	351	7.44	2	.04	.6
Chicopee	41,900	6	52	4	.10	0		
Clinton	14,200	6	95	46	3.24	0		
Danvers	11,800	7	32	30	2.54	0		
Dedham	13,900	5	29	95	6.83	1	.07	1.1
Easthampton	11,600	6	42	20	1.72	0		
Everett	42,100	7	231	404	9.60	5	.12	1.2
Frammingham	21,100	7	61	524	24.83	3	.14	.6
Gardner	18,700	7	36	394	21.07	7	.37	1.8
Gloucester	23,400			11	.47	0		
Greenfield	15,200	7	37	17	1.12	0		
Haverhill	49,200	7	66	578	1.75	4	.08	.7
Holyoke	60,300	7	234	97	1.61	0		
Lawrence	93,500	6	388	612	6.55	8	.09	1.3
Leominster	22,100	7	101	168	7.60	0		
Malden	51,800	7	243	459	8.86	1	.02	.2
Marlboro	16,200	6	89	20	1.23	0		
Medford	47,600	7	297	482	10.13	1	.02	.2
Melrose	20,200	7	111	375	18.56	0		
Methuen	20,600	6	87	327	15.87	0		
Milford	14,800	7	36	26	1.76	2	.14	7.7
Milton		1	195	88				
Newburyport	15,700	7	80	291	18.54			
Newton	53,000	5	202	132	2.49	0		
North Adams	22,700	7	14	36	1.59	0		
Northampton	24,100	7	130	53	2.20	0		
Northbridge	10,100	7	31	37	3.66	0		
Palmer		2	50	10		0		
Peabody	19,900	7	78	48	2.41	1	.05	2.1
Pittsfield	46,900	7	101	24	.51	2	.04	8.3
Plymouth	13,200	5	27	37	2.80	0		
Quincy	60,100	7	555	819	13.63	6	.10	.7
Revere	33,300	1	173	185	5.56	1	.03	.5
Salem	42,800	7	131	432	10.09	0		
Saugus	12,700	6	48	77	6.06	0		
Somerville	99,000	7	489	680	6.87	3	.03	.4
Southbridge	15,500	7	17	5	.32	0		
Taunton	39,300	5	87	11	.28	0		
Wakefield	15,600	5	132	39	2.50	0		
Waltham	34,700	7	85	342	9.86	0		
Watertown	25,500	7	155	352	13.80	0		
West Springfield	15,300	5	60	73	4.77			
Westfield	19,300	7	24	74	3.83	0		
Winchester	11,600	6	65	357	30.78	3	.26	.8
Winthrop	16,200	7	42	124	7.65	0		
Woburn	18,400	7	82	83	4.51	0		
Michigan:								
Adrian	12,500	3	77	110	8.80	0		
Ann Arbor	22,200	7	120	61	2.75	1	.05	1.6
Battle Creek	42,300	7	442	216	5.11	0		
Bay City	48,900	7	81	10	.20	0		
Benton Harbor	14,000	7	35	75	5.36	0		
Cadillac				35		1		2.9
Hamtramck	81,700	5	66	21	.26	0		
Highland Park	72,300	7	431	76	1.05	0		
Holland	13,100	6	8	21	1.60	0		
Ironwood	17,400	7	96	13	.75	0		
Ishpeming		5	54	28		0		
Jackson	58,000	7	256	459	7.91	0		
Kalamazoo	53,600	7	336	628	11.72	0		
Lansing	70,800	5	485	1,082	15.28	0		
Marquette	13,400	6	78	22	1.64	0		
Muskegon	43,100	6	54	56	1.30	0		
Muskegon Heights		2	96	241		2		.8
Pontiac	47,500	7	426	204	6.19	1	.02	.3

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Port Huron	30,000	6	413	35	1.17	0		
Saginaw	72,100	5	330	25	.35	1	0.01	4.0
Sault Ste. Marie		7	39	4		0		
Minnesota:								
Albert Lea		1	180	14		0		
Austin	11,900			2	.17	0		
Faribault	12,300	5	18	1	.08	0		
Rochester	17,000	3	88	12	.71	0		
Winona	19,500	6	68	3	.15			
Mississippi:								
Biloxi	12,600	3	39	1	.08	0		
Jackson	23,700			4	.17	0		
Laurel	15,700			9	.57			
Meridian	24,300	1	410	6	.25			
Natchez	13,100			50	3.82	0		
Missouri:								
Independence	12,700	2	164	20	1.57	0		
Joplin		6	58	2		0		
Moberly	13,900	4	35	42	3.02	0		
St. Joseph	78,300	7	184	13	.17	0		
Springfield	42,100	5	183	6	.14	0		
Montana:								
Anaconda	12,500	6	39	1	.08	0		
Butte	42,900	7	64	63	1.47	0		
Great Falls	29,900	7	134	1,137	38.03	0		
Missoula		7	8	206		0		
Nebraska:								
Lincoln	60,900	4	134	33	.54	0		
North Platte	13,700	3	146	4	.20	0		
New Hampshire:								
Berlin	18,600	5	15	1	.05	0		
Claremont		2	39	3		0		
Concord	22,500	7	112	24	1.07	0		
Dover		6	114	4		0		
Keene	11,900	6	29	9	.76	0		
Manchester	83,100	7	182			1	.01	
Nashua	29,700	6	30	200	6.73	0		
Portsmouth	14,900	7	34	37	2.48			
New Jersey:								
Asbury Park	13,700	7	50	9	.66	0		
Bayonne	88,800	4	196	6	.07	1	.01	16.7
Belleville	18,900	7	104	40	2.12	0		
Bloomfield	26,000	6	231	48	1.85	0		
Bridgeton	14,400	6	53	27	1.87	0		
Carteret	14,000	1	39	1	.07	0		
Clifton	34,700	5	149	278	8.01	0		
Collingswood		1	14	63				
Dover		2	23	10		0		
East Orange	60,000	7	651	86	1.43	0		
Englewood	12,600	7	108	12	.95	0		
Garfield	24,600	4	60	373	15.16	0		
Gloucester City	13,700	3	56	76	5.55	0		
Hackensack	19,700	7	125	5	.25	0		
Harrison	16,400	6	106	21	1.28			
Hoboken		5	152	70		0		
Irrington	33,200	5	205	125	3.77	0		
Kearny	31,300	7	364	151	4.82	0		
Lodi		1	6	27		0		
Long Branch	13,600	7	144	12	.88	0		
Montclair	32,900	6	237	256	7.78	0		
Morristown	12,000	7	49	5	.40	0		
New Brunswick	38,000	7	41	31	.82	0		
Nutley				43		0		
Orange	35,400	5	114	64	1.81	0		
Passaic	69,000	6	271	489	7.09	3	.04	.6
Perth Amboy	47,100	7	123	12	.25	0		
Plainfield	31,700	7	279	11	.35	0		
Rahway	12,000	7	28	3	.25	0		
Red Bank		1	106	21		0		
Ridgefield Park		2	97	7		0		
Rutherford		2	108	280		1		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued.								
Summit.....	11,700	5	83	28	2.39	0		
Union City.....	63,100			73	1.16			
West New York.....	39,200	6	153	60	1.53	0		
West Orange.....	18,200	7	221	311	17.09	0		
New Mexico:								
Albuquerque.....	21,000	2	238	15	.71	0		
New York:								
Amsterdam.....	35,300	4	234	12	.34	0		
Binghamton.....	71,900	7	747	21	.29	0		
Cohoes.....	23,000	7	20	108	4.70	0		
Corning.....	15,700	5	45	49	3.12	0		
Cortland.....	13,900	7	56	4	.29	0		
Dunkirk.....	19,900	7	19	21	1.06	0		
Elmira.....	48,400	5	486	49	1.01	0		
Freeport.....		1	178	17		0		
Geneva.....	15,900	5	121	6	.38	0		
Glens Falls.....	17,900	7	17	15	.84	0		
Gloversville.....	22,100	7	119	111	5.02	0		
Hornell.....	15,800	6	191	16	1.01	0		
Hudson.....	11,800	5	62	5	.42	0		
Ilion.....	10,400	2	87	2	.19	0		
Ithaca.....	18,900	6	43	6	.32	0		
Jamestown.....	43,400	5	285	94	2.17	0		
Johnson City.....		1	234	9		0		
Johnstown.....	10,700			22	2.06	0		
Kingston.....	28,100	4	89	6	.21	0		
Lackawanna.....	20,200	7	205	274	13.56	0		
Little Falls.....	12,400	4	30	2	.16	0		
Lockport.....	21,700	5	46	204	9.40	0		
Middletown.....	20,400	7	72	6	.29	0		
Mount Vernon.....	50,400	6	246	131	2.60	3	0.06	2.3
New Rochelle.....	44,200	5	260	409	9.25	0		
Newburgh.....	30,400	5	66	141	4.64	0		
Niagara Falls.....	57,000	6	349	480	8.42	3	.05	.6
North Tonawanda.....	17,400	7	56	291	16.72	0		
Olean.....	21,300	7	98	275	12.91	0		
Peekskill.....	18,000	7	140	63	3.50	0		
Poughkeepsie.....	35,700	7	37	12	.34	0		
Rensselaer.....	11,400	3	24	124	10.88	0		
Rome.....	30,300	7	261	12	.40	0		
Salamanca.....		1	171	4		0		
Saratoga Springs.....	13,900	7	36	5	.36	0		
Schenectady.....	92,800	7	402	36	.39	0		
Troy.....	72,200	6	323	85	1.18	1	.01	1.2
Watertown.....	32,800	7	218	62	1.89			
Watervliet.....	16,200	5	61	6	.37	0		
White Plains.....	27,400	7	148	46	1.68	0		
North Carolina:								
Asheville.....	31,500	7	44	55	1.75	0		
Charlotte.....	53,300	5	328	17	.32	0		
Greensboro.....	47,100	3	593	9	.19	0		
High Point.....	23,600	1	736	1	.04	0		
New Bern.....	12,200			5	.41	0		
Raleigh.....	30,400	7	272	16	.53	0		
Rocky Mount.....	15,100	5	39	2	.13	0		
Salisbury.....	17,700	3	82	25	1.41	0		
Wilmington.....	37,100	7	77	4	.11	0		
Wilson.....	12,800			2	.16	0		
Winston-Salem.....	69,000	6	446	153	2.22	0		
North Dakota:								
Fargo.....	24,900	5	68	8	.32	0		
Ohio:								
Alliance.....	25,000	4	77	14	.56	0		
Ashtabula.....	25,100	6	18	380	15.14	1	.04	.3
Barberton.....	23,300	6	14	61	2.62	0		
Bellaire.....	16,300	3	111	4	.25	1	.06	25.0
Bellefontaine.....				3		0		
Bucyrus.....	11,700			85	7.26	0		
Cambridge.....	14,000	5	11	42	3.00	0		
Chillicothe.....	16,600	7	21	3	.18	0		
Cleveland Heights.....	22,200	3	206	33	1.49	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Conneaut				13		0		
Cuyahoga Falls	13,700	3	19	32	2.34	0		
East Cleveland	37,600	5	64	59	1.57	0		
East Liverpool	22,000	2	3	38	1.73	1	0.04	2.6
East Youngstown (Campbell)	16,000	5	54	99	6.19	1	.06	1.0
Elyria	23,800	7	35	66	2.77	0		
Findlay	18,200	7	171	298	16.37	0		
Fostoria		3	15	10		0		
Fremont	13,900	7	16	42	3.02	1	.07	2.4
Ironton	14,500			246	16.97	0		
Kenmore	19,400	4	95	87	4.48	0		
Lakewood	56,800	4	68	73	1.29	0		
Lancaster	16,100	4	20	6	.37	0		
Lima	46,700	7	255	45	.96	0		
Lorain	42,300	7	146	348	8.23	0		
Mansfield	31,800	7	100	28	.88	0		
Marietta	15,300			31	2.03	0		
Marion	32,500	4	5	17	.52	0		
Martins Ferry	15,500			6	.39	0		
Middletown	30,800	7	55	25	.81	0		
Newark	30,500	7	26	16	.52	0		
Niles	16,600	4	54	151	9.10	4	.24	2.4
Norwood	29,900	7	158	8	.27	0		
Piqua	16,000	7	8	2	.12	0		
Salem	11,100	5	15	2	.18	0		
Sandusky	24,500	7	37	237	9.67	0		
Springfield	68,700	6	323	18	.26	0		
Steubenville	32,000	7	35	3	.09	0		
Zanesville	30,400	7	113	6	.20	0		
Oklahoma:								
Ardmore	17,200			7	.41	1	.06	14.3
Okmulgee	25,300	1	40	11	.43	0		
Oregon:								
Eugene	11,400	7	49	5	.44	0		
Pennsylvania:								
Allentown	92,200	3	536	780	8.46	1	.01	.1
Altoona	66,100	5	150	92	1.39	0		
Beaver Falls	13,100	4	50	136	10.38			
Braddock	21,700	7	172	75	3.46	1	.05	1.3
Bradford	15,800	6	199	11	.70	0		
Butler	25,200	7	210	99	3.93	0		
Canonsburg	13,500	4	8			1	.07	
Carlisle	11,400	7	61	20	1.75			
Carnegie	12,400	3	14	225	18.15	0		
Carrick	13,000	5	46	136	10.46			
Chambersburg	13,900	7	35	42	3.02	0		
Charleroi	12,600	7	43	69	5.48			
Clairton	14,900			136	9.13	2	.13	1.5
Coatesville	16,500	7	52	29	1.76	0		
Columbia				52		0		
Connellsville	14,300	6	41	26	1.82	0		
Duquesne	20,900	4	63	212	10.14	0		
Easton	36,800	6	302	396	10.76	0		
Farrell	18,700	5	35	4	.21	0		
Greensburg	10,100	1	65	10	.62	0		
Harrisburg	83,400	5	268	575	6.89	8	.10	1.4
Hazleton	36,100	7	278	295	8.17	5	.14	1.7
Homestead	21,400	7	30	14	.65	0		
Jennette	11,800	5	32	28	2.39	0		
Kingston	18,000	2	87	274	15.22	0		
Lancaster	56,500	5	199	606	10.73	3	.05	.5
Lansford		4	14	6		0		
Latrobe				4		0		
Lewistown				30		0		
McKees Rocks	18,100	3	45	161	8.90	0		
McKeesport	49,100	7	206	105	2.14	0		
Meadville	15,600	3	75	31	1.99	0		
Monessen	21,200	5	126	105	4.95	1	.05	1.0
Mount Carmel		3	76	2		0		
Nanticoke	24,700	6	59	21	.85	1	.04	4.8
New Castle	49,800	5	114	8	.16	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
Norristown	34,800	7	88	400	11.49	1	0.03	0.2
North Braddock	16,700	7	102	65	3.89	0		
Oil City	23,300	7	66	37	1.59			
Olyphant	11,200	6	4	1	.09	0		
Phoenixville		3	*58	263				
Pittston	19,800	7	29	78	3.94			
Plymouth		6	39	118		0		
Pottstown	18,500			29	1.57	0		
Sharon	25,000	4	85	47	1.88	0		
Steelton		7	35	30		0		
Sunbury	16,800	7	48	142	8.45	0		
Swissvale	12,900	5	98	49	3.80	0		
Uniontown		3	29	95		0		
Vandergrift		1	6	193		1		.5
Warren	15,100	7	18	77	5.10	0		
Washington	23,000	7	230	23	1.00			
Waynesboro				12		1		
Wilkes-Barre	77,600	2	356	634	8.17	1	.01	.2
Wilkinsburg	27,400	3	63	208	7.59	0		
Windber		1	3	21		0		
Woodlawn	18,900	4	115	26	1.38	0		
York	49,100	6	188	27	.55	0		
Rhode Island:								
Central Falls	25,400	2	35	13	.51			
Cranston	34,500	6	43	68	1.97	0		
Newport	27,800	7	12	19	.68	0		
Pawtucket	69,800	6	90	30	.43	0		
Woonsocket	49,700					8	.16	
South Carolina:								
Charleston	73,100	1	128	5	.07	0		
Florence	13,200			5	.38	0		
Greenville	27,300	4	34	2	.07	0		
Spartanburg	25,500	4	36	2	.08	0		
Sumter		2	60	2		0		
South Dakota:								
Aberdeen	15,000			5	.33			
Sioux Falls	30,100	7	85	6	.20	0		
Tennessee:								
Chattanooga	66,600	2	37	0	.14			
Knoxville	95,500	4	200	67	.70	0		
Texas:								
Corpus Christi	11,800			150	12.71	0		
Galveston	48,400			1	.02	0		
Orange		1	120	24		0		
Texarkana	12,400	2	40	9	.73	0		
Tyler	13,000	1	25	1	.08	0		
Waco	43,900	6	12	5	.11	0		
Utah:								
Ogden	36,900	7	108	14	.38	0		
Vermont:								
Barre		5	12	9		0		
Bennington		2	235	5		0		
Burlington	24,100	6	54	15	.62	1	.04	6.7
Rutland	15,800	3	44	10	.63	0		
Virginia:								
Alexandria	18,500	6	14	9	.49	0		
Charlottesville	11,200	3	28	58	5.18	3	.27	5.2
Danville	23,000	7	48	5	.22	0		
Lynchburg	30,400	6	133	13	.43	0		
Newport News	47,100	5	175	22	.47	1	.02	4.5
Petersburg	35,700	7	84	583	16.33	3	.08	.5
Portsmouth	59,000	7	189	20	.34	0		
Roanoke	58,200	4	292	217	3.73	1	.02	.5
Suffolk				9		0		
Washington:								
Aberdeen	16,200	6	6	6	.37	0		
Bremerton		2	90	86		0		
Everett	29,300	7	182	6	.20	0		
Vancouver	14,500	6	146	5	.34	0		
Walla Walla				29		0		
Yakima	22,700	7	231	9	.40	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia:								
Bluefield.....	19,300	4	31	9	0.47	0		
Charleston.....	49,000	7	129	536	10.94	4-2	0.04	0.4
Clarksburg.....	30,400	3	58	52	1.71	0		
Fairmont.....	21,000	7	54	177	8.43			
Huntington.....	63,500	2	246	16	.25			
Martinsburg.....	13,500	5	18	217	16.07	7	.52	3.2
Morgantown.....	13,800	2	20	3	.22	0		
Parkersburg.....	21,300	5	45	4	.19	0		
Wheeling.....		7	217	175		1		.6
Wisconsin:								
Appleton.....	21,100	5	28	18	.85	0		
Ashland.....		5	26	3				
Beloit.....	24,800	7	24	14	.56	0		
Eau Claire.....	22,400	6	197	389	17.37	0		
Fond du Lac.....	26,000	5	46	20	1.00	1	.04	3.8
Green Bay.....	34,300	5	115	11	.32	0		
Janesville.....	20,800	6	68	68	3.27	0		
Kenosha.....	50,900	7	160	186	3.65	0		
La Crosse.....	30,400	7	182	799	26.28	0		
Madison.....	46,400	6	189	146	3.15			
Manitowoc.....	22,100	5	26	7	.32	0		
Marinette.....		7	83	13		0		
Oshkosh.....	33,200	7	141	22	.66	0		
Racine.....	67,700	6	73	876	12.94	1	.01	.1
Sheboygan.....	33,500	6	9	59	1.76	1	.03	1.7
Superior.....		4	64	12		0		
Waukesha.....	14,700	1	380	462	31.43	1	.07	.2
Wausau.....	20,100	7	51	59	2.94	0		
West Allis.....	18,400	4	22	77	4.18	1	.06	1.3

MUMPS

City	Estimated population July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases- reported	Cases per 1,000 inhab- itants	Deaths regis- tered	Deaths per 1,000 inhab- itants	Cases re- ported for each death regis- tered
Alabama:								
Anniston.....	20,500	3	4	46	2.24	0		
Dothan.....	14,600	2	1	1	.07	0		
Florence.....	12,700	1	6	20	1.57	0		
Mobile.....	66,000	1	13	15	.23	0		
Montgomery.....	46,500	2	10	303	6.52	0		
Tuscaloosa.....	13,100			19	1.45	0		
Arizona:								
Phoenix.....	38,700	2	11	3	.08	0		
Tucson.....	26,700	3	9	4	.15	1	.04	4.0
Arkansas:								
Hot Springs.....				7				
Little Rock.....	74,200	3	35	11	.15	0		
California:								
Alameda.....	31,900	3	23	151	4.73	0		
Alhambra.....		2	50	50		0		
Bakersfield.....	23,500			39	1.66	0		
Berkeley.....	66,200	3	62	1,207	18.23	0		
Chico.....		2	3	17		0		
Eureka.....	13,500	3	63	2	.15	0		
Fresno.....	58,500			33	.56	0		
Glendale.....	21,300	3	19	258	12.11	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.								
Long Beach.....	91,200	3	81	871	9.55	0		
Pasadena.....	56,700	3	64	280	4.94	0		
Pomona.....	15,400	3	106	62	4.03	0		
Richmond.....	22,500	3	0	8	.33	0		
Riverside.....		3	14	73		0		
Sacramento.....	72,300	3	52	32	.44	0		
San Bernardino.....	22,800	3	47	25	1.10	0		
San Jose.....	43,600	3	18	39	.89	0		
Santa Ana.....	19,500	3	6	11	.56	0		
Santa Barbara.....	24,000	1	3	20	.83	0		
Stockton.....	47,300	3	42	767	16.22	0		
Vallejo.....	26,600			1	.04	0		
Colorado:								
Boulder.....	11,800	3	91	18	1.52	0		
Colorado Springs.....				34		0		
Greeley.....	12,500	2	19	14	1.12	0		
Pueblo.....	43,800	3	77	145	3.31	0		
Trinidad.....	11,000			50	4.55	0		
Connecticut:								
Danbury.....				7		0		
Fairfield.....	14,500	3	55	2	.14	0		
Greenwich.....	25,300	3	107	16	.63	0		
Meriden.....	36,300	3	21	70	1.93			
Millford.....	13,500	3	13	3	.22	0		
New Britain.....	68,000	3	34	4	.06	0		
New London.....	29,100	3	24	79	2.71	0		
Shelton.....		1	1	4		0		
Stamford.....	40,700	2	25	17	.42	0		
Florida:								
St. Petersburg.....	26,800	2	13	13	.49	0		
Tampa.....	94,700	2	3	39	.41	0		
West Palm Beach.....				5		0		
Georgia:								
Albany.....	13,500	3	15	7	.52	0		
Augusta.....	55,200	2	23	11	.20	0		
Brunswick.....	16,800			24	1.43	0		
Lagrange.....	23,500	1	8	17	.72	0		
Macon.....	58,200	3	218	631	10.84	0		
Rome.....	13,900	2	22	29	2.09	0		
Savannah.....	93,100	3	7	178	1.91	0		
Idaho:								
Pocatello.....	18,300	2	35	3	.16	0		
Illinois:								
Alton.....	26,800	3	134	24	.90	4		
Aurora.....	40,300	2	6	26	.65	0		
Berwyn.....	18,900	3	98	3	.16	0		
Bloomington.....	30,400	3	147	51	1.68	0		
Blue Island.....	13,200	3	51	2	.15	0		
Centralia.....	14,100			40	2.84	0		
Cicero.....	62,200	3	281	16	.26	0		
Danville.....	37,000			45	1.22	0		
Decatur.....	53,900	2	33	50	.93	0		
East Moline.....		2	10	149		0		
East St. Louis.....	71,400			2	.03	0		
Elgin.....	33,400	3	326	264	7.90	0		
Evanston.....	43,900	3	132	238	5.42	0		
Freeport.....	20,700			16	.77	0		
Galesburg.....	24,800			7	.28	0		
Jacksonville.....	15,900	3	69	753	47.36	0		
Kewanee.....	19,700			4	.20	0		
La Salle.....	13,900	3	17	343	24.68	0		
Maywood.....	14,200	3	69	9	.63	0		
Moline.....	33,900	3	38	291	8.58	0		
Murphysboro.....	12,500			5	.40	0		
Oak Park.....	51,400	3	464	44	.86	0		
Ottawa.....	11,500	2	1	3	.26	0		
Pekin.....	13,300	3	24	48	3.61	0		
Peoria.....	81,600	3	59	180	2.21	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued.								
Quincy		3	69	152		0		
Rock Island	40,000	3	24	40	1.00	0		
Rockford	76,500	3	768	81	1.06	0		
Springfield	63,900	2	42	888	13.90	0		
Streator	55,100	3	5	10	.66	0		
Waukegan	22,100			28	1.27	0		
Indiana:								
Connersville	12,500	1	3	85	6.80	0		
Crawfordsville	10,500	3	2	1	.10	0		
East Chicago	45,600	3	13	10	.22	0		
Frankfort	13,100	3	5	3	.23	0		
Hammond	50,400	1	10	2	.04	0		
La Fayette	23,800			2	.08	0		
Logansport	23,100			1	.04	0		
Michigan City	20,300	2	5	11	.54	0		
Newcastle	17,000	1	5	4	.24	0		
Iowa:								
Boone	12,800	1	23	63	4.92	0		
Burlington	26,400	3	40	86	3.26	0		
Clinton	26,400	3	3	3	.11	0		
Council Bluffs	39,800	3	5	16	.40	0		
Dubuque	41,000	3	29	77	1.88	0		
Iowa City	15,300	2	87	1	.07			
Marshalltown	16,900	2	43	802	47.46			
Mason City	22,700	2	6	2	.09	0		
Muscatine	16,800	3	94	3	.18	0		
Waterloo	36,800	2	163	37	1.01	0		
Kansas:								
Coffeyville	16,200	3	75	15	.93	0		
Emporia	12,200	2	73	309	30.25	0		
Hutchinson	26,000	2	127	87	3.35			
Lawrence	12,300	3	30	301	24.47	0		
Leavenworth	20,900			70	3.35			
Parsons	14,800	3	4	34	2.30	0		
Pittsburg	19,200	3	2	2	.10	0		
Topeka	55,400	3	179	2,471	44.60	0		
Wichita	88,400			42	.48	0		
Kentucky:								
Covington	53,300	2	8	19	.33	0		
Henderson	12,600	3	5	10	.79	0		
Newport		2	2	51		0		
Paducah	25,900			1	.04	0		
Louisiana:								
Shreveport	57,900	2	15	2	.03	0		
Maine:								
Auburn	18,100	3	13	99	5.47	0		
Bangor	26,600	3	4	114	4.29	0		
Bath	17,800	3	1	30	1.69	0		
Biddeford	18,500	1	34	25	1.35	0		
Lewiston	34,900	3	10	112	3.21	0		
Portland	75,300	3	334	773	10.27	0		
Sanford	11,600	3	1	33	2.84	0		
South Portland		1	39	11				
Waterville	14,400	3	15	71	4.93	0		
Westbrook				8		0		
Massachusetts:								
Amesbury	11,200	2	7	34	3.04	0		
Arlington	24,900	3	19	149	5.98	0		
Attleboro	20,600	3	60	2	.10	0		
Belmont	15,300	3	38	11	.72	0		
Braintree	13,200	3	69	2	.15	0		
Brockton	65,300	3	48	70	1.07	0		
Brookline	42,700	3	126	14	.33	0		
Chelsea	47,200	3	41	3	.06	0		
Chicopee	41,900			1	.02	0		
Danvers	11,800	3	6	2	.17	0		
Dedham	13,900	2	7	17	1.22	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued								
Easthampton	11,600	3	15	6	0.52	0		
Everett	42,100	3	88	2	.05	0		
Framingham	21,100	3	163	34	1.61	0		
Gloucester	23,400			14	.60	0		
Greenfield	15,200	3	66	228	15.00	0		
Haverhill	49,200	3	88	115	2.34	0		
Holyoke	60,300	3	22	32	.33	0		
Lawrence	93,500	3	65	36	.39	0		
Leominster	22,100	3	13	7	.32	0		
Malden	51,800	3	69	5	.10	0		
Marlboro	16,200			4	.25	0		
Medford	47,600	3	81	37	.78	0		
Melrose	20,200	3	44	8	.40	0		
Methuen	20,600	3	44	80	3.88	0		
Milford	14,800	2	38	5	.34	0		
Milton		1	0	12				
Newburyport	15,700	3	21	157	10.00	0		
Newton	53,000	3	409	87	1.64	0		
Northampton	24,100	3	145	14	.58	0		
Northbridge	10,100	3	16	2	.20	0		
Peabody	19,900	3	30	2	.10	0		
Pittsfield	46,900	3	36	2	.04	0		
Plymouth	13,200	3	58	3	.23	0		
Quincy	60,100	3	103	26	.43	0		
Saugus	12,700	3	34	1	.08	0		
Somerville	99,000	3	89	18	.18	0		
Southbridge	15,500	2	22	1	.06	0		
Wakefield	15,600	3	19	2	.13	0		
Waltham	34,700	3	163	3	.09	0		
Watertown	25,500	3	54	23	.90	0		
West Springfield	15,300	2	41	8	.52			
Winchester	11,600	3	29	25	2.16	0		
Winthrop	16,200	3	103	2	.12	0		
Michigan:								
Adrian	12,500	1	8	5	.40	0		
Ann Arbor	22,200	3	126	8	.36	0		
Battle Creek	42,300	3	120	596	14.00	0		
Bay City	48,900	3	3	5	.10	0		
Benton Harbor	14,000	3	3	1	.07	0		
Hamtramck	81,700	3	11	10	.12	0		
Highland Park	72,300	3	221	67	.93	0		
Holland	13,100	2	8	2	.15	0		
Ironwood	17,400	3	6	8	.46	0		
Jackson	58,000	3	303	259	4.47	0		
Kalamazoo	53,600	3	226	131	2.44	0		
Lansing	70,800	3	86	174	2.46			
Marquette	13,400			135	10.07	0		
Muskegon	43,100	3	10	2	.05	0		
Muskegon Heights		2	17	1		0		
Pontiac	47,500	2	32	15	.32	0		
Port Huron	30,000	2	8	30	1.00	0		
Saginaw	72,100	3	92	11	.15	0		
Minnesota:								
Austin	11,900	1	4	6	.50	0		
Brainerd				39				
Hibbing	18,000	3	1	1	.06	0		
Mississippi:								
Biloxi	12,600	3	12	3	.24	0		
Jackson	23,700			176	7.43	0		
Laurel	15,700			348	22.15			
Meridian	24,300	1	48	120	4.94			
Natches	13,100			28	2.14	0		
Missouri:								
Joplin		2	4	9		0		
St. Joseph	78,300	3	53	29	.37	0		
Springfield	42,100	2	29	4	.10	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Montana:								
Great Falls	29,900	3	5	1,299	43.44	0		
Helena				23		0		
Missoula		2	1	1		0		
Nebraska:								
Grand Island	15,600	3	13	102	6.54	0		
Lincoln	60,900	3	235	68	1.12	0		
North Platte	13,700	2	1	4	.29	0		
Nevada:								
Reno	12,700	3	1	2	.16	0		
New Hampshire:								
Concord	22,500			2	.09	0		
Dover		3	10	28		0		
Keene	11,900	3	1	2	.17	0		
Manchester	83,100	3	9	7	.08	0		
Portsmouth	14,900	3	28	6	.40			
New Jersey:								
Bayonne	88,800			17	.19	0		
Belleville	18,900	2	37	58	3.07	0		
Bridgeton	14,400	3	27	17	1.18	0		
Clifton	34,700	3	12	5	.14	0		
Collingswood				63		0		
East Orange	60,000	2	357	14	.23	0		
Englewood	12,600	3	75	7	.56	0		
Garfield	24,600	2	8	8	.33	0		
Gloucester City	13,700			26	1.90	0		
Hackensack	19,700	3	60	14	.71	0		
Hoboken		3	13	2		0		
Irvington	33,200	2	139	7	.21	0		
Kearny	31,300	3	172	7	.22	0		
Lodi				1				
Long Branch	13,600	3	4	30	2.21	0		
Montclair	32,900	3	143	27	.82	0		
Morristown	12,600	3	38	9	.71	0		
Nutley				32		0		
Orange	35,400	3	129	12	.34	0		
Passaic	69,000	3	68	28	.41	0		
Ridgefield Park		2	44	7		0		
Rutherford				1		0		
Summit	11,700	3	18	63	5.38	0		
West Orange	18,200	3	71	4	.22	0		
New Mexico:								
Albuquerque	21,000			75	3.57	0		
New York:								
Amsterdam	35,300	3	78	3	.08	0		
Binghamton	71,900	3	434	14	.19	0		
Cohoes	23,000	1	11	2	.09	0		
Corning	15,700	2	24	8	.51	0		
Dunkirk	19,900	3	8	9	.45	0		
Elmira	48,400	2	121	66	1.36	0		
Freeport		1	26	9		0		
Geneva	15,000	2	54	35	2.20	0		
Glens Falls	17,900	3	11	5	.28	0		
Gloversville	22,100	3	25	2	.09	0		
Hornell	15,800	3	93	5	.32	0		
Ithaca	18,900	3	68	269	14.23	0		
Jamestown	43,400	3	22	18	.41	0		
Johnson City		1	7	6		0		
Johnstown	10,700	1	3	16	1.50	0		
Kingston	28,100	2	32	147	5.23	0		
Lackawanna	20,200	3	11	73	3.61	0		
Little Falls	12,400	3	32	2	.16	0		
Lockport	21,700	3	25	63	2.90	0		
Middletown	20,400			2	.10	0		
Mount Vernon	50,400	3	243	56	1.15	1	0.02	88.0
New Rochelle	44,200	3	77	151	3.42	0		
Newburgh	30,400	3	29	14	.46	0		
Niagara Falls	57,000	3	102	54	.95	0		
North Tonawanda	17,400	3	22	4	.23	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1923-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.								
Olean.....	21,300	3	42	264	12.39	0		
Pekskill.....	18,000	3	65	5	.28	0		
Poughkeepsie.....	35,700	3	100	3	.08	0		
Rensselaer.....	11,400	3	17	1	.09	0		
Rome.....	30,300	3	19	20	.66	0		
Salamanca.....				25		0		
Saratoga Springs.....	13,900	3	92	12	.86	0		
Schenectady.....	92,800	3	190	12	.13	0		
Troy.....	72,200	3	127	2	.03	0		
Watertown.....	32,800			268	8.17	0		
Watervliet.....	16,200	3	11	3	.19	0		
White Plains.....	27,400	3	56	4	.15	0		
North Carolina:								
Charlotte.....	53,300			243	4.56	0		
Greensboro.....	47,100	1	188	187	3.97	0		
Rocky Mount.....	15,100	2	7	1	.07	0		
Wilmington.....	37,100	3	102	113	3.05	0		
Winston-Salem.....	69,000	3	160	102	1.48	0		
North Dakota:								
Fargo.....	24,900	3	17	547	21.97	0		
Ohio:								
Ashtabula.....	25,100	3	15	103	4.10	0		
Bellaire.....	10,300	1	7	4	.25	0		
Bellevue.....				8		0		
Bucyrus.....	11,700	3	14	16	1.37	0		
Cambridge.....	14,000	2	5	2	.14	0		
Chillicothe.....	16,600			7	.42	0		
Cleveland Heights.....	22,200	3	132	6	.27	0		
Conneaut.....		2	6	338		0		
Cuyahoga Falls.....	13,700	2	13	13	.95	0		
East Cleveland.....	37,600	3	214	25	.66	0		
East Liverpool.....	22,000			1	.05	0		
Elyria.....	23,800	3	10	3	.13	0		
Findlay.....	18,200	3	3	80	4.40	0		
Fremont.....	13,900	3	7	2	.14	0		
Hamilton.....	42,400			4	.09	0		
Ironton.....	14,500	2	1	2	.14	0		
Kenmore.....	19,400			16	.82	0		
Lancaster.....	16,100			1	.06	0		
Lima.....	46,700	1	5	17	.36	0		
Lorain.....	42,300	3	47	17	.40	0		
Mansfield.....	31,800	3	27	57	1.79	0		
Marietta.....	15,300	1	26	105	6.86	0		
Marion.....	32,500	1	2	6	.18	0		
Newark.....	30,500			70	2.30	0		
Niles.....	16,600	3	16	20	1.20	0		
Norwood.....	29,900	3	8	5	.17	0		
Piqua.....	16,000	3	1	16	1.00	0		
Salem.....	11,100			122	10.99	0		
Sandusky.....	24,500	3	9	138	5.63	0		
Springfield.....	68,700	3	27	30	.44	0		
Steubenville.....	32,000			1	.03	0		
Oklahoma:								
Ardmore.....	17,300			48	2.79	0		
Oregon:								
Astoria.....	16,500	3	9	15	.91	0		
Eugene.....	11,400	3	5	14	1.23	0		
Pennsylvania:								
Allentown.....	92,200			19	.21	0		
Altoona.....	66,100			51	.77	0		
Beaver Falls.....	13,100	1	61	6	.46	0		
Bradock.....	21,700	3	3	41	1.89	0		
Bradford.....	15,800	3	15	39	2.47	0		
Butler.....	25,200	3	86	123	4.88	0		
Carlisle.....	11,400	3	53	33	2.89	0		
Carnegie.....	12,400	2	17	2	.16	0		
Carriek.....	13,000	3	6	3	.23	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.								
Chambersburg	13,900	3	37	29	2.09	0		
Charleroi	12,600	3	30	26	2.06	0		
Clairton	14,900	1	20	148	9.93	0		
Coatesville	16,500	2	101	4	.24	0		
Columbia				2				
Connellsville	14,300	2	5	14	.98	0		
Dubois	14,300	1	20	54	3.78			
Duquesne	20,900	1	5	3	.14	0		
Easton	36,800			131	3.56	0		
Farrell	18,700	3	46	11	.59	0		
Greensburg	16,100	1	5	16	.99	0		
Harrisburg	83,400	3	137	306	4.39	0		
Hazleton	36,100	3	52	3	.08	0		
Homestead	21,400	3	12	27	1.26	0		
Jeannette	11,700	3	12	1	.09	0		
Kingston	18,000	2	75	3	.17	0		
Lancaster	56,500	3	184	170	3.01			
Lansford		1	2	3		0		
Latrobe				20		0		
Lewistown		1	132	2		0		
McKees Rocks	18,100	2	30	4	.22	0		
McKeesport	49,100	3	4	103	2.10	0		
Meadville	15,600			2	.13	0		
Monessen	21,200	3	19	2	.09	0		
New Castle	49,800	2	25	28	.56	0		
Norristown	34,800	3	34	134	3.85	0		
North Braddock	16,700	3	3	19	1.14	0		
Oil City	23,300	3	82	142	6.09			
Phoenixville		3	47	98				
Sharon	25,000	3	105	13	.52	0		
Steelton		3	32	35		0		
Sunbury	16,800	3	35	40	2.38	0		
Swissvale	12,900	3	16	75	5.81	0		
Uniontown		3	4	64		0		
Vandergrift				55				
Warren	15,100	3	11	680	45.03	0		
Washington	23,000	3	31	250	10.87			
Waynesboro				35				
West Chester		3	85	201		0		
Wilkes-Barre	77,600	1	51	10	.13	0		
Wilkinsburg	27,400	1	53	157	5.73	0		
Windber				4		0		
Woodlawn	18,900	3	17	214	11.32	0		
York	49,100	2	44	13	.26	0		
Rhode Island:								
Cranston	34,500	3	6	5	.14	0		
Pawtucket	69,800			2	.03	0		
South Carolina:								
Charleston	73,100			5	.07	0		
Florence	13,200			35	2.65	0		
Greenville	27,300	3	24	3	.11	0		
Spartanburg	25,500	2	2	48	1.88	0		
Sumter		2	1	56		0		
South Dakota:								
Aberdeen	15,000	2	12	330	22.00			
Sioux Falls	30,100	3	1	1	.03	0		
Tennessee:								
Chattanooga	66,600			2	.03			
Knoxville	95,500	1	4	5	.05	0		
Texas:								
Cleburne	14,200			60	4.23	0		
Corpus Christi	11,900			100	8.47	0		
Galveston	48,400			16	.33	0		
Orange				3		0		
Palestine	11,400			1	.09			
Waco	43,900	3	2	9	.21	0		
Utah:								
Ogden	36,900	3	150	135	3.66	0		
Provo	11,200	2	78	10	.89	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Vermont:								
Barre		3	22	152		0		
Bennington		2	25	4		0		
Burlington	24,100	3	7	304	12.61	0		
Rutland	15,800	1	3	67	4.24	0		
Virginia:								
Alexandria	18,500	3	4	136	7.35	0		
Charlottesville	11,200			17	1.52	0		
Danville	23,000	3	12	109	4.74	0		
Lynchburg	30,400	3	122	604	19.86	0		
Newport News	47,100	3	75	83	1.76	0		
Portsmouth	59,000	3	3	27	.46	0		
Roanoke	58,200	2	36	18	.31	0		
Suffolk				2		0		
Washington:								
Bremerton		2	76	78		0		
Everett	29,800	3	7	26	.89	0		
Vancouver	14,500	2	12	147	10.14	0		
Walla Walla				6		0		
Yakima	22,700	3	58	690	30.35	0		
West Virginia:								
Charleston	49,000	3	28	23	.47	0		
Clarksburg	30,400	3	25	195	6.41	0		
Fairmont	21,000			93	4.43	0		
Morgantown	13,800			1	.07	0		
Wheeling		3	27	34		0		
Wisconsin:								
Appleton	21,100	3	4	29	.95	0		
Beloit	24,800	3	78	100	4.03	0		
Eau Claire	22,400			7	.31	0		
Fond du Lac	26,000			7	.27	0		
Green Bay	34,200	2	15	62	1.81	0		
Janesville	20,800	3	8	75	3.61	0		
Kenosha	50,900	3	287	20	.39	0		
La Crosse	30,400	3	94	376	12.37	0		
Madison	48,400			2,248	46.45			
Manitowish	22,100	1	12	16	.72	0		
Racine	67,700	3	12	204	3.90	0		
Sheboygan	33,600	3	15	26	.84	0		
Waukesha	14,700			42	2.86	0		
Wausau	20,100	3	3	47	2.34	0		
West Allis	18,400			6	.33	0		
Wyoming:								
Cheyenne	13,500			5	.32	0		

PELLAGRA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	2	.10	0		
Florence	12,700	3	.24	1	0.08	3.0
Mobile	66,000			19	.29	
Montgomery	46,500			13	.28	
Selma	17,000			9	.53	
Tuscaloosa	13,100	31	2.37	20	1.53	1.5
Arizona:						
Phoenix	38,700			1	.03	
Tucson	26,700			1	.04	

Reported Prevalence for the Year 1925—Continued

PELLAGRA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Arkansas:						
Hot Springs		1				
Little Rock	74,200			12	0.16	
California:						
Bakersfield	23,500	2	0.09	2	.09	1.0
Long Beach	91,200	1	.01	0		
Sacramento	72,300			3	.04	
San Bernardino	22,800			1	.04	
Santa Ana	19,500	1	.05	0		
Stockton	47,300	3	.06	1	.02	3.0
Florida:						
Tampa	94,700	11	.12	7	.07	1.6
West Palm Beach				1		
Georgia:						
Albany	13,500			3	.22	
Augusta	55,200			13	.24	
Brunswick	16,800			1	.06	
Lagrange	23,500			11	.47	
Rome	13,900	5	.36	4	.29	1.2
Savannah	93,100			14	.15	
Illinois:						
Granite City	18,200			1	.05	
Moline	33,900	1	.03	0		
Springfield	63,900	1	.02	1	.02	1.0
Indiana:						
Terre Haute	71,100	1	.01	1	.01	1.0
Kansas:						
Parsons	14,800	6	.41	1	.07	6.0
Pittsburg	19,200	1	.05	1	.05	1.0
Kentucky:						
Paducah	25,900			2	.08	
Louisiana:						
Baton Rouge	27,800	1	.04	1	.04	1.0
Shreveport	57,900			160	1.04	
Massachusetts:						
Arlington	24,900	1	.04	0		
Brockton	65,300	1	.02	0		
Chicopee	41,900	1	.02	0		
Danvers	11,800			4	.34	
Waltham	34,700	1	.03	0		
Minnesota:						
Rochester	17,000			1	.06	
Mississippi:						
Biloxi	12,600	1	.08	0		
Jackson	23,700	117	4.94	13	.55	9.0
Laurel	15,700	19	1.21			
Meridian	24,300	7	.29			
Natchez	13,100	17	1.30	3	.23	5.7
Missouri:						
St. Joseph	78,300			1	.01	
New Mexico:						
Albuquerque	21,000	2	.10	0		
North Carolina:						
Charlotte	53,300			13	.24	
Raleigh	30,400			16	.53	
Wilmington	37,100			1	.03	
Wilson	12,800			1	.08	
Winston-Salem	69,000	18	.26	16	.23	1.1
Oklahoma:						
Ardmore	17,200	8	.47	4	.23	2.0
Okmulgee	25,300	10	.40	3	.12	3.3
Sapulpa	14,200	1	.07	0		
Pennsylvania:						
Allentown	92,200	1	.01	1	.01	1.0
Homestead	21,400			1	.05	
South Carolina:						
Anderson	11,100	2	.18	0		
Charleston	73,100			33	.45	
Greenville	27,300			3	.11	
Spartanburg	25,500			6	.24	
Sumter				5		
Tennessee:						
Knoxville	95,500			41	.43	

1 Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

PELLAGRA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Beaumont	50,600			5	0.10	
Cleburne	14,200	4	0.28	4	.28	1.0
Corpus Christi	11,800	2	.17	1	.08	2.0
Galveston	48,400			6	.12	
Orange		12		0		
Palestine	11,400	4	.35			
San Angelo				2		
Tyler	13,000			3	.23	
Waco	43,900			8	.18	
Vermont:						
Burlington	24,100			1	.04	
Virginia:						
Danville	23,000			6	.26	
Lynchburg	30,400			4	.13	
Newport News	47,100	1	.02	1	.02	1.0
Petersburg	33,700	5	.14	1	.03	5.0
Portsmouth	59,000			3	.05	
West Virginia:						
Bluefield	19,300			12	.62	

PNEUMONIA (ALL FORMS)

Alabama:						
Anniston	20,500	63	3.07	61	2.98	1.0
Dothan	14,500	41	2.83	18	1.24	2.3
Florence	12,700	30	2.36	22	1.73	1.4
Mobile	66,000			52	.79	
Montgomery	46,500			64	1.38	
Selma	17,000			57	3.35	
Tuscaloosa	13,100	43	3.28	21	1.60	2.0
Arizona:						
Phoenix	38,700			86	2.22	
Tucson	26,700			40	1.50	
Arkansas:						
Hot Springs		1				
Little Rock	74,300	88	1.19	72	.97	1.2
California:						
Alameda	31,900	35	1.10	32	1.00	1.1
Alhambra		18		14		1.3
Bakersfield	23,500			26	1.11	
Berkeley	66,200	34	1.51	35	.53	
Chico		9		5		1.8
Eureka	13,500			14	1.04	
Fresno	58,500	10	.17	0		
Glendale	21,300	11	1.52	33	1.53	
Long Beach	91,200	119	1.30	92	1.01	1.3
Pasadena	58,700	91	1.60	50	.88	1.8
Pomona	15,400			21	1.36	
Richmond	22,500	16	.71	11	.49	1.5
Riverside		55		26		2.1
Sacramento	72,300			116	1.60	
San Bernardino	22,800			35	1.53	
San Jose	43,600			32	.73	
Santa Ana	19,500			19	.97	
Santa Barbara	24,000			41	1.71	
Santa Monica	19,400			37	1.91	
Stockton	47,300	55	1.16	45	.95	1.2
Vallejo	26,600			12	.45	
Colorado:						
Boulder	11,800	46	3.90	18	1.52	2.6
Colorado Springs		66		60		1.1
Greeley	12,500			16	1.28	
Pueblo	43,800			95	2.17	
Trinidad	11,000			40	3.64	
Connecticut:						
Danbury				26		
Fairfield	14,500	19	1.31	6	.41	3.2
Greenwich	28,300	84	2.92	26	1.03	3.2
Manchester	21,000	61	2.90			
Meriden	38,300	128	3.33			

¹ Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Connecticut—Continued.						
Milford	13,500	27	2.00	14	1.04	1.9
New Britain	68,000	216	3.18	96	1.41	2.2
New London	29,100			36	1.24	
Norwich	23,100	11	.48	5	.22	2.2
Shelton				17		
Stamford	40,700	30	.74	21	.52	1.4
Stratford	16,100	41	2.55	8	.50	5.1
Florida:						
St. Petersburg	26,800			54	2.01	
Tampa	94,700			165	1.11	
West Palm Beach				73		
Georgia:						
Albany	13,500			32	2.37	
Augusta	53,200			105	1.87	
Brunswick	16,800	9	.54	8	.48	1.1
Lagrange	23,500			21	.89	
Rome	13,900	65	4.68	16	1.15	4.1
Savannah	93,100			112	1.20	
Idaho:						
Pocatello	18,300	13	.71	4	.22	3.2
Illinois:						
Alton	26,800			29	1.08	
Aurora	40,300			0		
Berwyn	18,900	31	1.64	10	.53	3.1
Bloomington	30,400			59	1.94	
Blue Island	13,200			17	1.29	
Champaign	18,200	30	1.65	16	.88	1.9
Chicago Heights	22,100			48	2.17	
Cicero	62,200	63	1.01	25	.40	2.5
Danville	37,000	120	3.24	35	.95	3.4
Decatur	53,900	89	1.65	61	1.13	1.5
East Moline		11		3		3.7
East St. Louis	71,400			165	1.47	
Elgin	35,400	39	1.17	27	.81	1.4
Evanston	43,900	59	1.34	49	1.12	1.2
Freeport	20,700	32	1.55	14	.68	2.3
Galesburg	24,800	28	1.13	24	.97	1.2
Granite City	18,200			36	1.98	
Jacksonville	15,900	46	2.89	42	2.64	1.1
Joliet	40,600	52	1.28	43	1.06	1.2
Kewanee	19,700	59	2.99	25	1.27	2.4
La Salle	13,900	32	2.30	19	1.37	1.7
Maywood	14,200	41	2.89	14	.99	2.9
Moline	33,900	64	1.89	16	.47	4.0
Murphysboro	12,500			6	.48	
Oak Park	51,400	142	2.76	65	1.26	2.2
Ottawa	11,500	4	.35	1	.09	4.0
Pekin	13,300	11	.83	5	.39	2.2
Peoria	51,600			142	1.74	
Quincy		68		17		4.0
Rock Island	40,000	38	.95	4	.10	9.5
Rockford	76,500	117	1.53	42	.55	2.8
Springfield	63,900	87	1.36	53	.83	1.6
Streator	15,100			17	1.13	
Waukegan	22,000	47	2.14	7	.32	6.7
Indiana:						
Anderson	33,900			21	.62	
Bloomington	12,600	27	2.14	19	1.51	1.4
Connersville	12,500	40	3.20	14	1.12	2.9
Crawfordsville	10,500			12	1.14	
East Chicago	45,600			124	2.72	
Elwood				11		
Fort Wayne	97,800			100	1.02	
Frankfort	13,100			24	1.83	
Hammond	50,400			78	1.55	
Huntington	15,900			4	.25	
Jeffersonville		10				
Kokomo	36,900			36	.98	
La Fayette	23,800	4	.17			
Logansport	23,100	5	.22	2	.09	2.5
Marion	26,300			28	1.06	
Michigan City	20,300			17	.84	
Mishawaka	16,700			31	1.86	
Muncie	42,600			53	1.26	
New Albany				23		

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Indiana—Continued.						
Newcastle	17,000	—	—	18	1.06	—
Peru	12,700	—	—	10	.79	—
Richmond	30,500	—	—	18	.59	—
South Bend	80,100	—	—	123	1.54	—
Terre Haute	71,100	—	—	111	1.56	—
Wabash	—	—	—	13	1.23	—
Whiting	12,200	—	—	17	1.39	—
Iowa:						
Boone	12,800	—	—	16	1.25	—
Burlington	25,400	58	2.20	22	.83	2.6
Cedar Rapids	50,600	—	—	35	.69	—
Council Bluffs	39,800	—	—	72	1.81	—
Dubuque	41,000	—	—	66	1.37	—
Iowa City	15,300	1	.07	—	—	—
Mason City	22,700	—	—	26	1.15	—
Muscatine	16,800	26	1.55	20	1.19	1.3
Kansas:						
Arkansas City	14,000	—	—	12	.86	—
Coffeyville	16,200	—	—	20	1.23	—
Emporia	12,200	34	2.79	22	1.80	1.5
Fort Scott	11,800	10	.85	5	.42	2.0
Hutchinson	26,000	36	1.38	—	—	—
Independence	10,900	—	—	11	1.01	—
Lawrence	12,300	22	1.79	14	1.14	1.6
Leavenworth	20,900	5	.24	0	—	—
Parsons	14,800	27	1.82	16	1.08	1.7
Pittsburg	19,200	23	1.20	20	1.04	1.1
Topeka	55,400	104	1.88	21	.38	5.0
Wichita	88,400	—	—	67	.76	—
Kentucky:						
Covington	58,300	—	—	96	1.65	—
Henderson	12,000	—	—	21	1.67	—
Newport	—	—	—	40	—	—
Paducah	25,900	43	1.66	35	1.35	1.2
Louisiana:						
Baton Rouge	27,800	—	—	23	.83	—
Lake Charles	—	—	—	16	—	—
Shreveport	57,900	—	—	137	2.37	—
Maine:						
Auburn	18,100	—	—	11	.61	—
Bangor	26,600	—	—	25	.94	—
Bath	17,800	26	1.12	14	.79	1.9
Biddeford	18,500	—	—	37	2.00	—
Lewiston	34,900	—	—	48	1.38	—
Portland	75,300	—	—	91	1.21	—
Sanford	11,600	14	1.21	6	.52	2.3
South Portland	—	6	—	—	—	—
Waterville	14,400	—	—	13	.90	—
Westbrook	—	2	—	2	—	1.0
Massachusetts:¹						
Adams	13,500	11	.81	11	.81	—
Amesbury	11,200	25	2.23	18	1.61	—
Arlington	24,900	39	1.57	35	1.41	—
Athol	—	—	—	17	—	—
Attleboro	20,600	18	.87	19	.92	—
Belmont	15,300	21	1.37	17	1.11	—
Beverly	22,700	70	3.08	22	.97	—
Braintree	13,200	6	.45	14	1.06	—
Brockton	65,300	76	1.16	63	.96	—
Brookline	42,700	38	.89	35	.82	—
Chelsea	47,200	83	1.76	85	1.80	—
Chicopee	41,900	29	.69	42	1.00	—
Clinton	14,200	43	3.03	25	1.76	—
Danvers	11,800	20	1.69	39	3.31	—
Dedham	13,900	17	1.22	7	.50	—
Easthampton	11,600	41	3.53	16	1.38	—
Everett	42,100	77	1.83	23	.55	3.3
Frammingham	21,100	20	.95	31	1.47	—
Gardner	18,700	19	1.02	39	2.09	—
Gloucester	23,400	15	.64	20	.85	—
Greenfield	15,200	9	.59	12	.79	—
Haverhill	49,200	115	2.34	73	1.48	—

¹ Includes nonresidents.² Cases of pneumonia reported by cities are lobar only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Holyoke	60,300	41	0.68	84	1.39
Lawrence	93,500	73	.78	36	.39
Leominster	22,100	59	2.67	35	1.58
Malden	51,800	89	1.72	60	1.16
Marlboro	16,200	28	1.73	34	2.10
Medford	47,600	78	1.64	50	1.05
Melrose	20,200	40	1.98	0
Methuen	20,600	18	.87	26	1.26
Milford	14,900	8	.54	36	2.43
Milton	9	9
Newburyport	15,700	24	1.53	24	1.53
Newton	53,000	57	1.08	25	.47
North Adams	22,700	6	.26	40	1.76
Northampton	24,100	125	1.04	14	.58
Northbridge	10,100	0	.59	13	1.29
Palmer	5
Peabody	19,900	52	2.61	25	1.26
Pittsfield	46,900	30	.64	28	.60
Plymouth	13,200	20	1.52	19	1.44
Quincy	60,100	49	.82	45	.75
Revere	33,300	43	1.29	49	1.47
Salem	42,800	46	1.07	8	.19
Saugus	12,700	43	3.39	14	1.10
Somerville	99,000	147	1.48	113	1.14
Southbridge	15,500	13	.84	4	.26
Taunton	39,300	21	.53	52	1.32
Wakefield	15,600	21	1.35	12	.77
Waltham	34,700	50	1.44	30	.86
Watertown	25,500	40	1.67	12	.47
West Springfield	15,300	11	.72
Westfield	19,200	30	1.65	30	1.55
Winchester	11,600	17	1.47	19	1.64
Winthrop	16,200	12	.74	15	.93
Woburn	18,400	19	1.08	29	1.56
Michigan:						
Adrian	12,500	15	.20
Ann Arbor	22,200	34	1.53	8	.36	4.3
Battle Creek	42,300	28	.66	8	.19	3.5
Bay City	48,900	60	1.23	37	.76	1.6
Benton Harbor	14,000	17	1.21	3	.21	5.7
Cadillac	13	11	1.2
Hamtramck	81,700	60	.73	47	.58	1.3
Highland Park	72,300	120	1.66	41	.67	2.9
Holland	13,100	9	.69	9	.15	4.5
Ironwood	17,400	15	.86	9	.52	1.7
Ishpeming	31	19	1.6
Jackson	58,000	143	1.74	35	.60
Kalamazoo	53,600	106	1.98	60	1.12	1.8
Lansing	70,800	74	1.04	60	.85	1.2
Marquette	13,400	46	3.43	13	.97	3.5
Muskegon	43,100	57	1.32	45	1.04	1.3
Muskegon Heights	13
Pontiac	47,500	101	2.13	53	1.12	1.9
Port Huron	30,000	34	1.13	22	.73	1.5
River Rouge	23	11	2.1
Saginaw	72,100	74	1.08
Sault Ste. Marie	28	13	2.2
Minnesota:						
Brainerd	17
Faribault	12,300	34	2.76
Hibbing	18,000	6	.33
Mankato	13,700	21	1.53
Rochester	17,000	16	.94
St. Cloud	18,900	3	.16	0
Virginia	16,000	21	1.31
Winona	19,500	11	.56
Mississippi:						
Biloxi	12,600	20	1.59	12	.95	1.7
Jackson	23,700	293	12.36	18	.76	16.3
Laurel	15,700	122	7.76
Meridian	24,300	99	4.07
Natchez	13,100	30	2.29	5	.38	6.0

¹ Includes nonresidents.² Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Missouri:						
Independence.....	12,700	—	—	38	2.99	—
Moberly.....	13,900	—	—	16	1.15	—
St. Joseph.....	78,300	—	—	123	1.57	—
Springfield.....	42,100	70	1.66	67	1.59	1.0
Montana:						
Anaconda.....	12,500	—	—	25	2.00	—
Butte.....	42,900	—	—	122	2.84	—
Great Falls.....	29,900	—	—	21	.70	—
Helena.....	—	—	—	19	—	—
Missoula.....	—	42	—	30	—	1.4
Nebraska:						
Lincoln.....	60,900	—	—	44	.72	—
North Platte.....	13,700	—	—	18	1.31	—
Nevada:						
Reno.....	12,700	—	—	21	1.65	—
New Hampshire:						
Claremont.....	—	—	—	19	—	—
Concord.....	22,500	—	—	48	2.13	—
Dover.....	—	—	—	17	—	—
Keene.....	11,900	25	2.18	16	1.34	1.6
Manchester.....	83,100	—	—	71	.85	—
Nashua.....	29,700	—	—	53	1.78	—
Portsmouth.....	14,900	11	.74	—	—	—
New Jersey:						
Asbury Park.....	13,700	—	—	16	1.17	—
Bayonne.....	88,800	—	—	104	1.17	—
Belleville.....	18,900	46	2.43	15	.79	3.1
Bloomfield.....	26,000	66	2.15	12	.46	4.7
Bridgeton.....	14,400	—	—	20	1.39	—
Carters.....	14,000	—	—	13	.93	—
Clifton.....	34,700	40	1.15	21	.61	1.9
Collingswood.....	—	—	—	4	—	—
Dover.....	—	41	—	13	—	3.2
East Orange.....	60,000	129	2.15	25	.42	5.2
Englewood.....	12,600	22	1.75	11	.87	2.0
Garfield.....	24,600	54	2.20	25	1.02	2.2
Gloucester City.....	13,700	23	1.68	13	.95	1.8
Hackensack.....	19,700	55	2.79	30	1.52	1.8
Harrison.....	16,400	36	2.20	—	—	—
Hoboken.....	—	—	—	117	—	—
Irvington.....	33,200	69	2.08	27	.81	2.6
Kearny.....	31,300	65	2.08	26	.83	2.5
Lodi.....	—	—	—	6	—	—
Long Branch.....	13,600	30	2.21	19	1.40	1.6
Montclair.....	32,900	103	3.13	46	1.40	2.2
Morristown.....	12,600	31	2.46	6	.48	5.2
New Brunswick:	38,000	—	—	45	1.18	—
Nutley.....	—	31	—	0	—	—
Orange.....	35,400	98	2.77	35	.99	2.8
Passaic.....	69,000	—	—	78	1.13	—
Perth Amboy.....	47,100	—	—	50	1.19	—
Phillipsburg.....	18,600	3	.16	—	—	—
Plainfield.....	31,700	99	3.12	32	1.01	3.1
Rahway.....	12,000	8	.67	—	—	—
Red Bank.....	—	—	—	6	—	—
Ridgefield Park.....	—	21	—	12	—	1.7
Rutherford.....	—	26	—	7	—	—
Summit.....	11,700	54	4.62	22	1.88	2.5
Union City.....	63,100	12	.19	—	—	—
West New York.....	39,200	—	—	19	.48	—
West Orange.....	18,200	64	3.52	12	.66	5.3
New Mexico:						
Albuquerque.....	21,000	—	—	31	1.48	—
New York:						
Amsterdam.....	35,300	84	2.38	30	.85	2.8
Binghamton.....	71,900	327	4.55	43	.60	7.6
Cohoes.....	23,000	77	3.35	18	.78	4.3
Corning.....	15,700	—	—	15	.96	—
Cortland.....	13,900	32	2.30	24	1.73	1.3
Dunkirk.....	19,900	54	2.71	10	.50	5.4
Elmira.....	48,400	207	4.28	70	1.45	3.0
Freeport.....	—	24	—	11	—	2.2
Geneva.....	15,900	31	1.95	19	1.19	1.6
Glens Falls.....	17,900	65	3.63	23	1.25	2.8

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhab- itants	Deaths regis- tered, 1925	Deaths per 1,000 inhab- itants	Cases reported for each death regis- tered
New York—Continued.						
Gloversville.....	22,100	50	2.26	17	0.77	2.9
Hornell.....	15,800	39	2.47	17	1.08	2.3
Hudson.....	11,800	38	3.22	18	1.53	2.1
Ithaca.....	18,900	68	3.60	—	—	—
Jamestown.....	43,400	94	2.17	40	.92	2.2
Johnson City.....	—	51	—	22	—	2.3
Johnstown.....	10,700	—	—	12	1.12	—
Kingston.....	28,100	—	—	42	1.49	—
Lackawanna.....	20,200	163	8.07	39	1.93	4.2
Little Falls.....	12,400	13	1.05	11	.89	1.2
Lockport.....	21,700	50	2.30	31	1.43	1.6
Middletown.....	20,400	75	3.68	12	.59	6.2
Mount Vernon.....	50,400	112	2.22	49	.97	2.3
New Rochelle.....	44,200	84	1.90	50	1.13	1.7
Newburgh.....	30,400	44	1.45	37	1.22	1.2
Niagara Falls.....	87,000	169	2.96	109	1.91	1.6
North Tonawanda.....	17,400	31	1.78	16	.92	1.9
Olean.....	21,300	53	2.49	16	.75	3.3
Pekskill.....	18,000	59	3.28	21	1.17	2.8
Plattsburg.....	11,600	—	—	16	1.38	—
Poughkeepsie.....	35,700	82	2.30	42	1.18	2.0
Rensselaer.....	11,400	46	4.04	11	.96	4.2
Rome.....	30,300	41	1.35	22	.73	1.9
Salamanca.....	—	21	—	13	—	1.6
Saratoga Springs.....	13,900	83	5.97	29	2.09	2.9
Schenectady.....	92,800	256	2.76	81	.87	3.2
Troy.....	72,200	211	2.92	102	1.41	2.1
Watertown.....	32,800	52	1.59	49	1.46	1.1
Watervliet.....	16,200	18	1.11	12	.74	1.5
White Plains.....	27,400	94	3.43	23	.84	4.1
North Carolina:						
Charlotte.....	53,300	—	—	112	2.16	—
Greensboro.....	47,100	—	—	48	1.02	—
High Point.....	23,600	—	—	30	1.27	—
New Bern.....	12,200	—	—	28	2.29	—
Raleigh.....	30,400	—	—	53	1.74	—
Rocky Mount.....	15,100	—	—	24	1.60	—
Salisbury.....	17,700	—	—	14	.79	—
Wilmington.....	37,100	—	—	60	1.62	—
Wilson.....	12,800	—	—	25	1.96	—
Winston-Salem.....	69,000	—	—	117	1.70	—
Ohio:						
Ashtabula.....	25,100	—	—	21	.84	—
Barberton.....	23,300	—	—	27	1.16	—
Bellaire.....	16,300	—	—	20	1.23	—
Bellefontaine.....	—	5	—	5	—	—
Bucyrus.....	11,700	—	—	13	1.11	—
Cambridge.....	14,000	—	—	12	.86	—
Chillicothe.....	16,600	—	—	16	.96	—
Cleveland Heights.....	22,200	—	—	20	.90	—
Conneaut.....	—	9	—	8	—	1.1
Coebeaton.....	11,600	—	—	16	1.38	—
Cuyahoga Falls.....	13,700	—	—	9	.66	—
East Cleveland.....	37,600	51	1.36	19	.51	2.7
East Liverpool.....	22,000	—	—	53	2.41	—
East Youngstown (Campbell).....	16,000	—	—	31	1.94	—
Elyria.....	23,800	—	—	23	.97	—
Findlay.....	18,200	27	1.48	23	1.26	1.2
Fostoria.....	—	—	—	5	—	—
Fremont.....	13,900	—	—	12	.86	—
Hamilton.....	42,400	—	—	62	1.46	—
Ironton.....	14,500	—	—	27	1.86	—
Kenmore.....	19,400	23	1.19	13	.67	1.8
Lakewood.....	56,800	—	—	40	.70	—
Lima.....	46,700	—	—	48	1.03	—
Lorain.....	42,300	—	—	65	1.54	—
Mansfield.....	31,800	118	3.71	35	1.10	3.4
Marietta.....	15,300	—	—	17	1.11	—
Marion.....	32,500	—	—	26	.80	—
Martins Ferry.....	15,500	—	—	23	1.48	—
Middletown.....	30,800	51	1.66	39	1.27	1.3
Newark.....	30,500	—	—	32	1.05	—
Niles.....	16,600	—	—	11	.66	—
Norwood.....	29,900	14	.47	12	.40	1.2

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Piqua.....	16,000	9	0.56	1	0.06	9.0
Salem.....	11,100			20	1.80	
Sandusky.....	24,500	23	.94	11	.45	2.1
Springfield.....	68,700			90	1.31	
Steubenville.....	32,000			32	1.63	
Zanesville.....	30,400			51	1.68	
Oklahoma:						
Ardmore.....	17,200	83	4.83	25	1.45	3.3
Guthrie.....	11,800			12	.02	
Okmulgee.....	25,300	49	1.94	24	.95	2.0
Sapulpa.....	14,200	25	1.76	4	.28	6.2
Oregon:						
Astoria.....	16,500			18	1.09	
Eugene.....	11,400			21	1.84	
Pennsylvania:						
Allentown.....	92,200			148	1.61	
Altoona.....	66,100			101	1.53	
Beaver Falls.....	13,100	8	.61			
Braddock.....	21,700			76	3.23	
Butler.....	25,200			29	1.15	
Canonsburg.....	13,500			21	1.56	
Carbondale.....	19,500	1	.05			
Carlisle.....	11,400	17	1.49			
Carnegie.....	12,400			16	1.29	
Carrick.....	13,000	8	.62			
Clairton.....	14,900	7	.47	6	.40	1.2
Coatesville.....	16,500			14	.85	
Connellsville.....	14,300			32	2.24	
Easton.....	36,800			24	.65	
Harrisburg.....	83,400			115	1.38	
Homestead.....	21,400			59	2.76	
Jeannette.....	11,700			16	1.37	
Kingston.....	18,000			24	1.33	
Lancaster.....	56,500			80	1.42	
Latrobe.....		5		1		5.0
Lewistown.....				10		
McKees Rocks.....	18,100	16	.88	5	.28	3.2
McKeesport.....	49,100			131	2.67	
Monessen.....	21,200	15	1.24	2	.09	
Nanticoke.....	24,700			51	2.06	
New Castle.....	49,800			95	1.91	
Norristown.....	34,800			42	1.21	
North Braddock.....	16,700			24	1.44	
Oil City.....	23,300	3	.13			
Olyphant.....	11,200			20	1.79	
Pottstown.....	18,500			45	2.43	
Sharon.....	25,000			36	1.44	
Steelton.....				19		
Sunbury.....	16,800	30	1.79	10	.60	3.0
Swissvale.....	12,900	23	1.78	20	1.55	1.1
Vandergrift.....				12		
Warren.....	15,100			12	.79	
Washington.....	23,000	3	.13			
West Chester.....				37		
Wilkes-Barre.....	77,600			114	1.47	
Wilkinsburg.....	27,400			108	3.94	
Windber.....				16		
Woodlawn.....	18,900	29	1.53	21	1.11	1.4
York.....	49,100			80	1.63	
Rhode Island:						
Cranston.....	34,500			31	.90	
Newport.....	27,800			26	.94	
Pawtucket.....	69,800			62	.89	
Woonsocket.....	49,700			88	1.77	
South Carolina:						
Anderson.....	11,100	14	1.26	3	.27	4.7
Charleston.....	73,100			123	1.68	
Greenville.....	27,300			38	1.39	
Spartanburg.....	25,500			29	1.14	
Sumter.....				10		

¹ Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
South Dakota:						
Sioux Falls.....	30,100					
Tennessee:				26	0.86	
Chattanooga.....	60,000	54	0.81			
Knoxville.....	95,500			102	1.07	
Texas:						
Beaumont.....	50,000			77	1.52	
Cleburne.....	14,200	40	2.82			
Corpus Christi.....	11,800	25	2.12	6	.51	4.2
Galveston.....	48,400			64	1.32	
Greenville.....	14,400			6	.42	
Orange.....		34		6		5.7
Palestine.....	11,400	11	.96			
San Angelo.....				18		
Texarkana.....	12,400	20	1.61	3	.24	6.7
Tyler.....	13,000			14	1.08	
Waco.....	43,900			69	1.57	
Utah:						
Logan.....				19		
Ogden.....	36,900			32	1.41	
Provo.....	11,200			8	.71	
Vermont:						
Barre.....				20		
Bennington.....		30		23		1.3
Burlington.....	24,100			37	1.54	
Rutland.....	15,800	16	1.01			
Virginia:						
Alexandria.....	18,500	39	2.11	29	1.57	1.3
Charlottesville.....	11,250			14	1.25	
Danville.....	23,000			30	1.30	
Lynchburg.....	30,400			27	.89	
Newport News.....	47,100			80	1.70	
Petersburg.....	35,700			40	1.12	
Portsmouth.....	59,000			79	1.34	
Roanoke.....	58,200			54	.93	
Suffolk.....				43		
Washington:						
Aberdeen.....	16,200			29	1.79	
Bremerton.....		21		9		2.3
Vancouver.....	14,500			13	.90	
Walla Walla.....				12		
Yakima.....	22,700			23	1.01	
West Virginia:						
Bluefield.....	19,300			10	.52	
Charleston.....	49,000			30	.61	
Clarksburg.....	30,400			44	1.45	
Martinsburg.....	13,500			41	3.04	
Morgantown.....	13,800			37	2.68	
Parkersburg.....	21,300			17	.80	
Wheeling.....				108		
Wisconsin:						
Appleton.....	21,100			26	1.23	
Beloit.....	24,800	16	.65	0		
Eau Claire.....	22,400	29	1.29	24	1.07	1.2
Fond du Lac.....	26,000			25	.96	
Green Bay.....	34,300			35	1.02	
Janesville.....	20,800			15	.72	
Kenosha.....	50,900	40	.80	38	.75	1.2
Manitowoc.....	22,100			13	.59	
Marinette.....				13		
Oshkosh.....	33,200			29	.87	
Racine.....	67,700	76	1.12	42	.62	1.8
Shoboyean.....	33,500			40	1.19	
Superior.....				40		
Waukesha.....	14,700			12	.82	
Wausau.....	20,100			29	1.44	
West Allis.....	18,400			37	2.01	
Wyoming:						
Cheyenne.....	15,500			16	1.03	

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)

City	Estimated population July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Tuscaloosa	13,100			1	0.08	0		
Arizona:								
Phoenix	38,700	2	0	8	.21	5	0.13	62.0
Arkansas:								
Little Rock	74,200	7	0	1	.01	1	.01	100.0
California:								
Alameda	31,900	7	1	12	.38	0		
Alhambra		2	1	6		0		
Bakersfield	23,500	7	1	6	.26	4	.17	66.7
Berkeley	66,200	7	1	32	.48	1	.02	3.1
Chico		2	1	2				
Fresno	58,900	6	1	11	.19	1	.02	9.1
Glendale	21,300	4	1	4	.19	1	.05	25.0
Long Beach	91,200	7	2	12	.13	3	.03	25.0
Modesto		2	0	11		0		
Pasadena	56,700	7	1	6	.11	2	.04	33.3
Pomona	15,400	5	2	6	.39	0		
Richmond	22,500	5	0	2	.09	1	.04	50.0
Sacramento	72,300	7	1	17	.24	5	.07	29.4
San Bernardino	22,800			5	.22	3	.13	60.0
San Jose	43,600	4	0	4	.09	0		
Santa Ana	19,500	4	0	2	.10	0		
Stockton	47,300	4	1	9	.19	1	.02	11.1
Vallejo	26,600	1	8			3	.11	37.5
Colorado:								
Colorado Springs		7	0	1		0		
Trinidad	11,000	4	1	11	1.00	0		
Connecticut:								
Greenwich	25,300	7	1	1	.04	1	.04	100.0
Manchester	21,000	4	1	1	.05			
Shelton		1	0	2		2		100.0
Stamford	40,700	2	0	2	.05			
Stratford	16,100	4	1	2	.12	2	.12	100.0
Florida:								
St. Petersburg	26,800			4	.15	0		
Tampa	94,700	3	0	1	.01	0		
West Palm Beach				1		1		100.0
Georgia:								
Augusta	55,200	5	1	5	.09	1	.02	20.0
Savannah	93,100	6	0	3	.03	0		
Idaho:								
Boise	23,000	5	1	2	.09	1	.04	50.0
Illinois:								
Alton	26,800	5	3			1	.04	
Aurora	40,300	7	1	3	.07	1	.02	33.3
Berwyn	18,900	3	1	2	.11	0		
Bloomington	30,400	5	1	2	.07	0		
Champaign	18,200	4	1	1	.05	0		
Chicago Heights	22,100	4	1	3	.14			
Decatur	53,900	3	0	1	.02	0		
East St. Louis	71,400	6	2	1	.01	1	.01	100.0
Elgin	33,400	5	3	1	.03	1	.03	100.0
Evanston	43,900	7	2	1	.05	0		
Freeport	20,700	5	1	2	.10	1	.05	50.0
Galesburg	24,800	6	1	2	.08	1	.04	50.0
Granite City	18,200	4	1			1	.05	
Jacksonville	15,900	5	2	1	.06	0		
Kewanee	19,700	3	0	5	.25	1	.05	20.0
La Salle	13,900	6	1	2	.14	0		
Moline	33,900	7	0	1	.03	1	.03	100.0
Pekin	13,300	7	1	1	.08			
Peoria	81,600	7	1	7	.09	0		
Rock Island	40,000	7	2	4	.10	1	.02	25.0
Rockford	76,500	7	1	11	.14	0		
Springfield	63,900	5	4	1	.02	1	.02	100.0
Indiana:								
Fort Wayne	67,800	6	3			1	.01	
Frankfort	13,100	6	1	2	.15	0		
Huntington	15,900	5	0	1	.06	0		
Jeffersonville		3	0	2		2		100.0
Kokomo	36,900	6	1	1	.03	0		

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
Logansport	23,100	7	0	1	0.04	0		
Mishawaka	16,700	7	0			1	0.06	
Muncie	42,500	7	1	1	.02	0		
Newcastle	17,000	6	0	3	.18	3	.18	100.0
Iowa:								
Burlington	26,400	6	1	1	.04	0		
Cedar Rapids	50,600	7	1	7	.14	0		
Council Bluffs	39,800	7	1	2	.05	1	.03	50.0
Fort Dodge	21,700	3	1	2	.09	0		
Marshalltown	16,900	3	1	5	.30			
Mason City	22,700	6	1	4	.18	1	.04	25.0
Muscatine	16,800	6	1	5	.30			
Ottumwa	26,400	4	0	1	.04	0		
Waterloo	36,800	4	2	1	.03	0		
Kansas:								
Hutchinson	26,000	5	1	1	.04			
Topeka	55,400	5	3	6	.11	0		
Wichita	88,400	7	1	16	.11	2	.02	20.0
Kentucky:								
Paducah	25,900	7	0	3	.12	3	.12	100.0
Louisiana:								
Baton Rouge	27,800	4	1	2	.07	1	.04	50.0
Shreveport	57,900	3	0	3	.05	0		
Maine:								
Auburn	18,100	6	1	2	.11	0		
Bath	17,800	5	1	3	.17	0		
Lewiston	34,900					2	.06	
Portland	75,300	5	1	1	.01	1	.01	100.0
Sanford	11,600	5	1	2	.17	0		
Waterville	14,400	7	1			1	.07	
Massachusetts:								
Adams	13,500	7	1	3	.22	0		
Amesbury	11,200	4	1	2	.18	0		
Belmont	15,300	5	1	1	.07	0		
Beverly	22,700	7	1	3	.13	1	.04	33.3
Brocton	65,300	7	1	1	.02	1	.02	100.0
Brookline	42,700	7	1	6	.14	0		
Chelsea	47,200	6	1	1	.02	1	.02	100.0
Danvers	11,800	7	1	1	.08	0		
Everett	42,100	7	5	2	.05	1	.02	50.0
Framingham	21,100	7	1	1	.05	0		
Haverhill	49,200	7	3	6	.12	2	.04	33.3
Holyoke	60,300	7	2	1	.02	0		
Lawrence	93,500	7	6	4	.04	0		
Leominster	22,100	7	1	1	.05	0		
Malden	51,900	7	1	2	.04	0		
Medford	47,600	7	3	1	.02	0		
Melrose	20,200	7	1	2	.10	0		
Newton	53,000	7	4	6	.11	0		
North Adams	22,700	7	1	8	.35	1	.04	12.5
Northbridge	10,100	7	1	2	.20	0		
Palmer		2	0	1		0		
Pittsfield	46,900	6	2	4	.09	4	.09	100.0
Quincy	60,100	7	2	4	.07	0		
Salem	42,800	5	3	1	.02	1	.02	100.0
Somerville	99,000	7	3	1	.01	0		
Taunton	39,300	5	0	1	.03	1	.03	100.0
Wakefield	15,600	5	1	1	.06	0		
Waltham	34,700	7	1	3	.09	0		
Watertown	25,500	7	1	1	.04	0		
Winchester	11,600	5	1	2	.17	2	.17	100.0
Winthrop	16,200	7	1	1	.06	0		
Woburn	18,400	5	1	2	.11	0		
Michigan:								
Adrian	12,500	2	0	1	.08	0		
Battle Creek	42,300	7	2	2	.05	1	.02	50.0
Bay City	48,900	6	1	3	.06	0		
Highland Park	72,300	7	1	2	.03	0		
Kalamazoo	53,600	7	1	2	.04	1	.02	50.0
Lansing	70,800	6	2	1	.01	0		

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Port Huron	30,000	5	1	1	0.03	0		
River Rouge		2	3	4		0		
Saginaw	72,100	4	1	1	.01	0		
Sault Ste. Marie		7	0	8		1		12.5
Minnesota:								
Austin	11,900	5	1	3	.25	2	0.17	66.7
Brainerd				5		1		
Faribault	12,300	5	1	1	.08	0		
Mankato	13,700	5	1	17	1.24	2	.15	11.8
Rochester	17,000	2	3	22	1.29	2	.12	9.1
St. Cloud	18,900	4	0	1	.05	1	.05	100.0
Winona	19,500	5	0	49	2.51			
Mississippi:								
Jackson	23,700	2	1	1	.04	0		
Missouri:								
Independence	12,700	2	0	1	.08	0		
St. Joseph	78,300	7	1	6	.08	0		
Montana:								
Anaconda	12,500	4	1	1	.08	0		
Great Falls	20,900	7	2	2	.07	0		
Missoula		6	1	1		1		100.0
Nebraska:								
Lincoln	60,900	7	1	5	.08	0		
Nevada:								
Reno	12,700	7	1	6	.47	2	.36	33.3
New Hampshire:								
Claremont		2	2	2		1		50.0
Concord	22,500	7	0	3	.13	0		
Dover		7	1	2		0		
New Jersey:								
Bayonne	88,800	6	0	3	.03	0		
Belleville	18,900	6	1			1	.05	
Bloomfield	26,000	7	1	2	.08	0		
Clifton	34,700	5	1	6	.17	2	.06	33.3
East Orange	60,000	7	2	6	.10	3	.05	50.0
Englewood	12,600	7	1	1	.08	0		
Garfield	24,600	4	0	3	.12	0		
Irvington	33,200	5	0	1	.03	0		
Kearny	31,300	7	1	3	.10	1	.03	33.3
Long Branch	13,600	7	1	1	.07	0		
Montclair	32,900	7	1	2	.06	0		
Orange	35,400	6	1	4	.11	0		
Passaic	69,000	7	1	1	.01	0		
Perth Amboy	47,100	7	1	1	.02	1	.02	100.0
Plainfield	31,700	5	1	1	.03	0		
Rahway	12,000	7	1	1	.08	0		
Red Bank		1	1	1		0		
Union City	63,100			2	.03			
West New York	39,200	6	1	2	.05			
New York:								
Binghamton	71,900	7	1	2	.03	0		
Coboes	23,000	7	1	1	.04	0		
Corning	15,700	6	0	1	.06	0		
Cortland	13,900	7	1	13	.94	3	.22	23.1
Dunkirk	19,900	7	1	1	.05	0		
Elmira	48,400	5	1	3	.06	2	.04	66.7
Geneva	15,900	6	1	3	.19	0		
Glens Falls	17,900	7	0	6	.34	0		
Hornell	15,800	7	1	1	.06	0		
Hudson	11,800	5	1	1	.08	0		
Ilion	10,400	2	1	1	.10	0		
Ithaca	18,900	7	2	5	.26	1	.05	20.0
Jamestown	43,400	7	2	5	.12	1	.02	20.0
Johnson City		1	1	3		0		
Johnstown	10,700	4	0	1	.09	0		
Little Falls	12,400	7	1	3	.24	1	.08	33.3
Lockport	21,700	5	0	9	.41	0		
Middletown	20,400	7	1	17	.83	2	.10	11.8
New Rochelle	44,200	6	2	3	.07	2	.05	66.7

* Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
North Tonawanda.....	17,400	7	0	1	0.06	0		
Olean.....	21,300	7	1	3	.14	0		
Poughkeepsie.....	35,700	7	2	3	.08	0		
Rome.....	30,300	7	2	2	.07	0		
Saratoga Springs.....	13,900	7	1	1	.07	0		
Schenectady.....	92,800	6	3	8	.09	4	0.04	50.0
Troy.....	72,200	7	1	1	.01	0		
Watertown.....	32,800	7	2	4	.12	0		
White Plains.....	27,400	7	1	8	.29	2	.07	25.0
North Carolina:								
Asheville.....	31,500	7	1	10	.32			
Charlotte.....	53,300	5	0	8	.15	0		
Raleigh.....	30,400	7	0	1	.03	1	.03	100.0
Rocky Mount.....	15,100	5	0	1	.07	0		
Winston-Salem.....	69,000	6	1	2	.03	0		
North Dakota:								
Fargo.....	24,900	5	1	10	.40	3	.12	30.0
Ohio:								
Bellefontaine.....				1		0		
Cambridge.....	14,000	5	2	1	.07	0		
Cleveland Heights.....	22,200	3	0	1	.05	0		
East Cleveland.....	37,600	7	1	2	.05	0		
Elyria.....	23,800	7	0	3	.13	0		
Kenmore.....	19,400	4	1	1	.05	0		
Lorain.....	42,300	7	1	3	.07	0		
Mansfield.....	31,800	7	0	1	.03	0		
Marietta.....	15,300	1	2	2	.13	1	.07	50.0
Salem.....	11,100	4	0	1	.09	0		
Sandusky.....	24,500	6	0	2	.08	0		
Springfield.....	68,700	7	1	2	.03	0		
Steubenville.....	32,000	7	1	2	.06	0		
Oklahoma:								
Okmulgee.....	25,300	1	0	3	.12	2	.08	66.7
Pennsylvania:								
Allentown.....	92,200	2	2	1	.01	0		
Altoona.....	66,100	7	2	1	.02	0		
Braddock.....	21,700	7	0	3	.14	0		
Butler.....	25,200	5	2	1	.04	0		
Carbondale.....	19,500	7	0	1	.05			
Carrick.....	13,000	5	0	1	.08			
Harrisburg.....	83,400	7	1			2	.02	
Lansford.....	4,000	4	0	1		1		100.0
New Castle.....	49,800	6	1	3	.06	0		
North Braddock.....	16,700	7	0	1	.06	0		
Oil City.....	23,300	7	1	2	.09			
Swissvale.....	12,900	4	0	1	.08	0		
Washington.....	23,000	7	0	7	.30			
West Chester.....	7,000	7	1	1		0		
Wilkinsburg.....	27,400	3	1	3	.11	1	.04	33.3
Windber.....				1		1		100.0
Rhode Island:								
Cranston.....	34,500	7	2	2	.06	0		
Newport.....	27,800	7	1	1	.04	0		
Pawtucket.....	69,800	6	1	1	.01	0		
Woonsocket.....	49,700					1	.02	
South Carolina:								
Charleston.....	73,100	1	1	8	.11	0		
Florence.....	13,200	1	0	1	.08	0		
Greenville.....	27,300	6	0	1	.04	0		
Spartanburg.....	25,500	4	0	6	.24	0		
Sumter.....		2	0	2		0		
South Dakota:								
Sioux Falls.....	30,100	7	1	1	.03	0		
Tennessee:								
Knoxville.....	93,500	7	0			1	.01	
Texas:								
Galveston.....	48,400	7	0	2	.04	1	.02	50.0
Utah:								
Odgen.....	36,900	5	0	2	.05	0		

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Vermont:								
Barre.....		5	0	1		0		
Bennington.....		2	1	1		1		100.0
Burlington.....	24,100	6	1	1	0.04	0		
Virginia:								
Charlottesville.....	11,200	3	0	1	.09	0		
Lynchburg.....	30,400	5	1	1	.03	0		
Petersburg.....	35,700	7	1	3	.08	2	0.06	66.7
Portsmouth.....	59,000	7	1	5	.08	0		
Roanoke.....	58,200	6	1	2	.03	0		
Washington:								
Aberdeen.....	16,200	6	1	1	.06	1	.06	100.0
West Virginia:								
Bluefield.....	19,300	3	2			1	.05	
Wisconsin:								
Eau Claire.....	22,400	7	1	6	.27	0		
Janesville.....	20,800	6	1	3	.14	2	.10	66.7
Kenosha.....	50,900	7	1	1	.02	0		
La Crosse.....	30,400	7	1	21	.69	17	.23	33.3
Madison.....	46,400	7	2	2	.04	2		
Racine.....	67,700	6	2	3	.04	2	.03	66.7
Sheboygan.....	33,500	6	1	2	.06	0		
Waukesha.....	14,700	1	1	1	.07	0		
Wausau.....	20,100	7	1	3	.15	1	.06	33.3

*Includes nonresidents.

RABIES IN MAN

City	Deaths registered, 1925	City	Deaths registered, 1925
Arizona:		Mississippi:	
Tucson.....	2	Jackson.....	1
Georgia:		Montana:	
Macon.....	1	Great Falls.....	1
Illinois:		New Jersey:	
Springfield.....	1	Bridgeton.....	1
Kansas:		Irvington.....	1
Pittsburg.....	1	North Carolina:	
Kentucky:		Raleigh.....	1
Newport.....	1	Ohio:	
Massachusetts:		Ironton.....	1
Arlington.....	1	Springfield.....	1
Holyoke.....	1		

RABIES IN ANIMALS

City	Cases reported, 1925	City	Cases reported, 1925
Alabama:		California—Continued.	
Dothan.....	8	Long Beach.....	3
Florence.....	6	Pomona.....	10
Mobile.....	14	Riverside.....	1
Tuscaloosa.....	2	Santa Barbara.....	7
Arkansas:		Connecticut:	
Little Rock.....	38	Greenwich.....	18
California:		Stamford.....	2
Alhambra.....	2	Florida:	
Berkeley.....	10	St. Petersburg.....	12
Eureka.....	3	Georgia:	
Fresno.....	6	Albany.....	4
Glendale.....	4	Savannah.....	10

Reported Prevalence for the Year 1925—Continued

RABIES IN ANIMALS—Continued

City	Cases reported, 1925	City	Cases reported, 1925
Illinois:		New Jersey—Continued	
Decatur.....	1	Phillipsburg.....	2
Iowa:		Rahway.....	1
Burlington.....	1	Rutherford.....	2
Ottumwa.....	4	West New York.....	1
Kansas:		West Orange.....	4
Coffeyville.....	8	New Mexico:	
Emporia.....	15	Albuquerque.....	6
Fort Scott.....	4	New York:	
Topeka.....	1	Mount Vernon.....	5
Massachusetts:		White Plains.....	3
Arlington.....	3	North Carolina:	
Belmont.....	2	Greensboro.....	14
Brookline.....	1	New Bern.....	17
Clinton.....	2	Winston-Salem.....	19
Framingham.....	1	Ohio:	
Milton.....	1	Barberton.....	3
Northbridge.....	1	Cambridge.....	1
Watertown.....	9	Chillicothe.....	15
Winchester.....	2	Cleveland Heights.....	3
Michigan:		Conneaut.....	2
Hamtramck.....	4	Hamilton.....	2
Highland Park.....	2	Lancaster.....	3
Marquette.....	4	Middletown.....	3
Pontiac.....	13	Niles.....	1
Mississippi:		Norwood.....	15
Jackson.....	7	Sandusky.....	12
Laurel.....	5	Springfield.....	13
Missouri:		Oklahoma:	
Joplin.....	6	Sapulpa.....	1
Moberly.....	6	South Carolina:	
Springfield.....	10	Anderson.....	9
New Hampshire:		Florence.....	7
Manchester.....	1	Greenville.....	2
New Jersey:		Texas:	
Bayonne.....	7	Beaumont.....	3
Bloomfield.....	10	Cleburne.....	6
Bridgeton.....	1	Eastland.....	25
Clifton.....	4	Palestine.....	21
East Orange.....	7	Texarkana.....	20
Englewood.....	3	Virginia:	
Irvington.....	1	Alexandria.....	12
Kearny.....	6	Newport News.....	8
Lodi.....	1	Washington:	
Montclair.....	7	Yakima.....	7
Morristown.....	1	Wisconsin:	
Orange.....	2	Marinette.....	11
Passaic.....	3		

ROCKY MOUNTAIN SPOTTED FEVER

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
Idaho:			Montana:		
Pocatello.....	5	1	Butte.....	1	0
Kansas:			Missoula.....	7	6
Topeka.....	1	0	Utah:		
			Ogden.....	1	0

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER

City	Estimated population July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	8	15	0.73	0		
Dothan.....	14,500	2	8	9	.62	0		
Florence.....	12,700	1	7	1	.06	0		
Mobile.....	66,000	7	25	25	.38	0		
Montgomery.....	46,500	5	32	26	.56	0		
Selma.....	17,000					1	0.06	
Tuscaloosa.....	13,100			10	.76	0		
Arizona:								
Phoenix.....	38,700	2	38	66	1.71	0		
Tucson.....	26,700	5	6	58	2.17	0		
Arkansas:								
Hot Springs.....		3	3	2				
Little Rock.....	74,200	7	72	44	.59	0		
California:								
Alameda.....	31,900	7	44	42	1.32	0		
Alhambra.....		2	23	28		0		
Bakersfield.....	23,500	7	25	39	1.66	1	.04	2.6
Berkeley.....	66,200	4	69	37	.56	0		
Chico.....		2	16	7		0		
Eureka.....	13,500	5	38	2	.15	0		
Fresno.....	58,500	5	83	40	.68	0		
Glendale.....	21,300	4	41	40	1.88	0		
Long Beach.....	91,200	7	63	322	3.53	2	.02	.6
Modesto.....		2	20	8		0		
Pasadena.....	56,700	7	93	28	.49	0		
Pomona.....	15,400	5	30	50	3.25	0		
Richmond.....	22,500	5	35	11	.49	0		
Riverside.....		7	20	41		0		
Sacramento.....	72,300	7	76	52	.72	0		
San Bernardino.....	22,800	7	14	26	1.14	0		
San Jose.....	43,600	5	51	170	3.93	3	.07	1.8
Santa Ana.....	19,500	5	24	64	3.28	0		
Santa Barbara.....	24,000	5	6	60	2.50	0		
Stockton.....	47,300	4	87	159	3.36	1	.02	.6
Colorado:								
Boulder.....	11,800	6	15	5	.42	0		
Colorado Springs.....		7	51	104		3		2.9
Greeley.....	12,500	2	15	27	2.16	1	.08	3.7
Pueblo.....	43,800	4	98	55	1.26	0		
Trinidad.....	11,000	7	30	12	1.09	0		
Connecticut:								
Danbury.....		4	21	22		0		
Fairfield.....	14,500	4	51	39	2.69	0		
Greenwich.....	25,300	7	46	70	2.77	0		
Manchester.....	21,000	6	48	115	5.48			
Meriden.....	36,300	3	32	84	2.31			
Milford.....	13,500	5	21	21	1.56	0		
New Britain.....	68,000	7	118	351	5.16	3	.04	.9
New London.....	29,100	7	46	48	1.65	1	.03	2.1
Norwich.....	23,100	7	29	41	1.77	0		
Shelton.....		1	101	169		6		3.6
Stamford.....	40,700	2	35	172	4.23	5	.12	2.9
Stratford.....	16,100	4	51	48	2.98	1	.06	2.1
Florida:								
St. Petersburg.....	26,800	2	55	22	.82	0		
Tampa.....	94,700	4	12			2	.02	
West Palm Beach.....		2	1	9		0		
Georgia:								
Albany.....	13,500	4	7	2	.15	0		
Augusta.....	55,200	5	34	12	.22	0		
Brunswick.....	16,800	6	3	1	.06	0		
Lagrange.....	23,500	2	11	22	.94	0		
Macon.....	58,200	7	21	7	.12	0		
Rome.....	13,900	5	21	12	.86	0		
Savannah.....	93,100	6	43	24	.26	1	.01	4.2
Idaho:								
Boise.....	23,000	6	46	53	2.30			
Pocatello.....	18,300	7	9	1	.05	0		

¹Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois:								
Alton	26,800	6	50	121	4.51	2	0.07	1.7
Aurora	40,300	6	68	87	2.16	1	.02	1.1
Berwyn	18,900	3	40	120	6.35	0		
Bloomington	30,400	5	95	60	1.97	1	.03	1.7
Blue Island	13,200	5	46	59	4.47	1	.08	1.7
Centralia	14,100	6	12	15	1.06			
Champaign	18,200	7	38	23	1.26	0		
Chicago Heights	22,100	4	29	13	.59	0		
Cicero	62,200	7	61	225	3.62	0		
Danville	37,000	6	47	48	1.30	2	.05	4.2
Decatur	53,900	3	40	135	2.50	2	.04	1.5
East Moline		2	9	10		0		
East St. Louis	71,400	6	63	114	1.60	2	.03	1.8
Elgin	33,400	7	36	336	10.06	1	.03	.3
Evanston	43,900	7	80	274	6.24	1	.02	.4
Freeport	20,700	5	46	119	5.75	0		
Galesburg	24,500	7	21	64	2.58	0		
Jacksonville	15,900	7	37	55	3.46	0		
Joliet	40,600	2	70	67	1.65	0		
Kewanee	19,700	3	40	14	.71	0		
La Salle	13,900	6	13	4	.29	0		
Maywood	14,200	7	40	44	3.10	0		
Moline	33,900	7	23	75	2.21	0		
Murphysboro	12,500	3	20	48	3.84	1	.08	2.1
Oak Park	51,400	7	72	173	3.37	0		
Ottawa	11,500	5	27	42	3.65	1	.09	2.4
Pekin	13,300	7	29	24	1.80	0		
Peoria	81,600	7	203	350	4.29	1	.01	.3
Quincy		7	47	43		0		
Rock Island	40,000	7	28	20	.50	1	.02	5.0
Rockford	76,500	4	73	64	.84	1	.01	1.6
Springfield	63,900	4	58	125	1.97	2	.03	1.6
Streator	15,100	3	43	22	1.46	0		
Waukegan	22,000	4	52	35	1.59			
Indiana:								
Anderson	33,900	6	47	14	.41	0		
Bloomington	12,600	3	15	8	.63	0		
Connersville	12,500	1	37	26	2.08	0		
Crawfordsville	10,500	6	36	38	3.62	1	.10	2.6
East Chicago	45,600	7	31	29	.64	2	.04	6.9
Elkhart	27,100	5	59	103	3.80			
Elwood		6	6	1		0		
Fort Wayne	97,800	7	146	195	1.99	4	.04	2.1
Frankfort	13,100	7	26	25	1.91	0		
Gary	76,900	5	81	121	1.57	10	.13	8.3
Hammond	50,400	6	95	51	1.01	1	.02	2.0
Huntington	15,900	5	42	164	10.31	4	.25	2.4
Kokomo	36,900	7	42	16	.43	0		
La Fayette	23,800	7	45	57	2.39	0		
Logansport	23,100	7	29	112	4.85	1	.04	.9
Michigan City	20,300	3	56	20	.99	2	.10	10.0
Mishawaka	16,700	5	50	300	17.96	2	.12	.7
Muncie	42,500	7	25	140	3.29	0		
New Albany		4	5	19		0		
Newcastle	17,000	7	13	10	.59	0		
Peru	12,700	2	12	19	1.50	0		
Richmond	30,500	7	22	52	1.70	0		
South Bend	80,100	6	159	310	3.87	2	.02	.6
Terre Haute	71,100	6	102	248	3.49	2	.03	.8
Whiting	12,200	4	9	7	.57	0		
Iowa:								
Boone	12,800	4	28	37	2.89	0		
Burlington	26,400	7	47	187	7.08	0		
Cedar Rapids	50,600	5	55	51	1.01	1	.02	2.0
Clinton	26,400	6	29	37	1.40	0		
Council Bluffs	39,800	5	68	43	1.08	0		
Dubuque	41,000	6	44	38	.93	1	.02	2.6
Fort Dodge	21,700	4	22	3	.14	0		
Iowa City	15,300	3	19	9	.59			
Marshalltown	16,900	3	26	11	.65			
Mason City	22,700	7	48	27	1.19	0		
Muscatine	16,800	6	29	41	2.44	0		
Waterloo	36,800	4	73	66	1.79	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Kansas:								
Arkansas City	14,000			14	1.00	0		
Coffeyville	16,200	6	16	18	1.11	0		
Emporia	12,200	2	40	53	4.34	1	0.08	1.9
Fort Scott	11,800	7	7	15	1.27	0		
Hutchinson	26,000	5	72	21	.81			
Lawrence	12,300	7	30	27	2.20	0		
Leavenworth	20,900	7	18	14	.67			
Parsons	14,800	4	21	6	.41	1	.07	16.7
Pittsburg	19,200	6	26	28	1.46	1	.05	3.6
Topeka	55,400	6	139	118	2.13	0		
Wichita	88,400	7	110	91	1.03	0		
Kentucky:								
Covington	58,300	5	95	70	1.20	1	.02	1.4
Henderson	12,600	3	16	8	.63	0		
Newport		5	49	25		0		
Paducah	25,900	7	32	53	2.05	0		
Louisiana:								
Baton Rouge	27,800	5	13	9	.32	0		
Lake Charles		3	5	2		1		50.0
Shreveport	57,900	3	18	36	.62	0		
Maine:								
Auburn	18,100	4	32	33	1.82	0		
Bangor	26,600	5	15	26	.98	1	.04	3.8
Bath	17,800	5	15	18	1.01	1	.06	5.6
Biddeford	18,500	5	9	14	.76	0		
Lewiston	34,900	6	96	51	1.46	0		
Portland	75,300	7	131	203	2.70	4	.05	2.0
Sanford	11,600	6	14	14	1.21	1	.09	7.1
South Portland		1	6	15				
Waterville	14,400	7	14	13	.90	0		
Westbrook				60		0		
Massachusetts:								
Adams	13,500	7	11	10	.74	0		
Amesbury	11,200	4	20	40	3.57	0		
Arlington	24,900	7	47	46	1.85	0		
Athol		1	37	7		1		14.3
Attleboro	20,600	7	35	40	1.94	1	.05	2.5
Belmont	15,300	5	34	24	1.57	1	.07	4.2
Beverly	22,700	7	42	107	4.71	2	.09	7.1
Braintree	13,200	5	37	18	1.36	0		
Brookton	65,300	7	148	69	1.06	1	.02	1.4
Brookline	42,700	7	65	54	1.26	0		
Chelsea	47,200	7	105	105	2.22	0		
Chicopee	41,900	7	42	66	1.58	1	.02	1.5
Clinton	14,200	7	26	108	7.61	0		
Danvers	11,800	7	22	59	5.00	0		
Dedham	13,900	5	35	28	2.01	0		
Easthampton	11,600	6	15	13	1.12	0		
Everett	42,100	7	110	184	4.37	2	.05	1.1
Framingham	21,100	7	45	141	6.68	0		
Gardner	18,700	7	32	26	1.39	0		
Gloucester	23,400			35	1.50	0		
Greenfield	15,200			77	5.07	0		
Haverhill	49,200	7	35	77	5.07	0		
Holyoke	60,300	7	50	52	.86	0		
Lawrence	93,500	5	84	173	1.85	5	.05	2.9
Leominster	22,100	7	48	18	.81	0		
Malden	51,800	7	153	159	3.07	2	.04	1.3
Marlboro	16,200	6	18	53	3.27	0		
Medford	47,600	7	105	153	3.21	0		
Melrose	20,200	7	43	57	2.82	2	.10	3.5
Methuen	20,600	6	55	89	4.32	2	.10	2.2
Milford	14,800	3	29	42	2.84	2	.14	4.8
Milton		1	34	23		0		
Newburyport	15,700	7	14	78	4.97	0		
Newton	53,000	7	117	104	1.96	0		
North Adams	22,700	7	13	12	.53	0		
Northampton	24,100	7	42	91	3.78	0		
Northbridge	10,100	7	11	7	.69	0		
Palmer		2	3	37		0		
Peabody	19,900	7	52	58	2.91	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued.								
Pittsfield	46,900	7	114	89	1.90	2	0.04	2.
Plymouth	13,200	5	19	17	1.29	0		
Quincy	60,100	7	141	129	2.15	0		
Revere	33,300	1	77	112	3.36	1	.03	.9
Salem	42,800	7	91	130	3.04	0		
Saugus	12,700	6	44	22	1.73	0		
Somerville	99,000	7	204	226	2.28	3	.03	1.3
Southbridge	15,500	7	13	1	.06	0		
Taunton	39,300	5	45	53	1.35	1	.03	2.0
Wakefield	15,600	5	48	51	3.27	0		
Waltham	34,700	7	70	122	3.52	0		
Watertown	23,800	7	31	62	2.43	0		
West Springfield	15,300	5	31	79	5.16			
Westfield	19,300	7	42	14	.73	0		
Winchester	11,600	7	21	16	1.38	0		
Winthrop	16,200	7	41	24	1.48	0		
Woburn	18,400	7	33	13	.71	0		
Michigan:								
Adrian	12,500	3	8	160	12.80	1	.08	.6
Ann Arbor	22,200	7	41	92	4.14	1	.05	1.1
Battle Creek	42,300	7	222	73	1.73	1	.02	1.4
Bay City	48,900	7	109	137	2.80	4	.08	2.9
Benton Harbor	14,000	7	37	10	.71	0		
Cadillac		3	10	26		0		
Hamtramck	81,700	5	38	20	.24	0		
Highland Park	72,300	7	169	137	1.89	2	.03	1.5
Holland	13,100	6	48	32	2.44	0		
Ironwood	17,400	7	99	78	4.48	0		
Ishpeming		5	25	12		0		
Jackson	58,000	4	151	183	3.16	3	.05	1.6
Kalamazoo	53,600	7	265	68	1.27	0		
Lansing	70,600	6	140	267	3.77	3	.04	1.1
Marquette	13,400	6	37	17	1.27	0		
Muskegon	43,100	6	90	109	2.53	0		
Muskegon Heights		2	89	28		0		
Pontiac	47,500	7	175	349	7.35	2	.04	.6
Port Huron	30,000	6	65	217	7.23	7	.23	3.2
River Rouge		2	40	41		2		4.9
Saginaw	72,100	5	212	68	.94	1	.01	1.5
Sault Ste. Marie		7	27	30		2		6.7
Minnesota:								
Albert Lea		1	24	3		0		
Austin	11,900	5	35	34	2.86			
Brainerd		1	14	16		0		
Faribault	12,300	4	33	20	1.63	0		
Hibbing	18,000	6	80	61	3.39	0		
Mankato	13,700	6	23	58	4.23	2	.15	3.4
Rochester	17,000	3	20	28	1.65	1	.06	3.6
St. Cloud	18,900	3	37	14	.74	1	.05	7.1
Virginia	16,000	1	230	66	4.12	1	.06	1.5
Winona	19,500	5	25	48	2.46			
Mississippi:								
Biloxi	12,600	4	2	3	.24	0		
Jackson	23,700	2	14	23	.97	1	.04	4.3
Laurel	15,700			5	.32			
Meridian	24,300	1	47	3	.12			
Natchez	13,100			3	.23	0		
Missouri:								
Independence	12,700	2	99	40	3.15	2	.16	5.0
Joplin		6	30	33		1		3.0
Moberly	13,900	5	39	34	2.45	0		
St. Joseph	78,300	7	109	88	1.12	0		
Springfield	42,100	5	43	141	3.35	3	.07	2.1
Montana:								
Anaconda	12,500	6	27	9	.72	0		
Butte	42,900	5	39	16	.37	0		
Great Falls	29,900	4	51	253	8.63	1	.03	.4
Helena		3	54	103		1		1.0
Missoula		7	26	43		0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Nebraska:								
Grand Island.....	15,600	7	17	17	1.09			
Lincoln.....	60,900	7	87	62	1.02	1	0.02	1.6
North Platte.....	13,700	3	26	17	1.24	0		
Nevada:								
Reno.....	12,700	7	15	17	1.34	1	.08	5.9
New Hampshire:								
Berlin.....	18,600	5	22	11	.59	0		
Claremont.....		2	7	36		0		
Concord.....	22,500	7	38	63	2.80	0		
Dover.....		7	6	27		0		
Keene.....	11,900	6	27	23	1.93	0		
Manchester.....	83,100	6	70	500	6.02	6	.07	1.2
Nashua.....	29,700	4	44	72	2.42	0		
Portsmouth.....	14,900	7	14	22	1.48			
New Jersey:								
Asbury Park.....	13,700	7	15	16	1.17	2	.15	12.5
Bayonne.....	88,800	6	78	149	1.68	1	.01	.7
Belleville.....	18,900	7	42	38	2.01	0		
Bloomfield.....	26,000	5	60	68	2.62	0		
Bridgeton.....	14,400	6	18	39	2.71	1	.07	2.6
Carteret.....	14,000	2	23	4	.29	0		
Clifton.....	34,700	3	40	152	4.38	2	.06	1.3
Collingswood.....		1	54	25				
Dover.....		2	12	26		0		
East Orange.....	60,000	7	104	206	3.43	1	.02	.5
Englewood.....	12,600	7	32	34	2.70	0		
Garfield.....	24,600	3	27	59	2.40	0		
Gloucester City.....	13,700	3	4	22	1.61	0		
Hackensack.....	19,700	6	39	28	1.42	0		
Harrison.....	16,400	6	33	66	4.02			
Hoboken.....		4	59	37		0		
Irvington.....	33,200	5	92	122	3.67	0		
Kearny.....	31,800	7	81	209	6.68	0		
Lodi.....		1	7	5		0		
Long Branch.....	13,600	7	32	10	.74	0		
Montclair.....	32,900	6	58	41	1.25	0		
Morristown.....	12,600	7	25	23	1.98	0		
New Brunswick.....	38,000	7	40	28	.74	0		
Nutley.....				51		0		
Orange.....	35,400	4	53	58	1.64	0		
Passaic.....	69,000	5	79	171	2.48	4	.06	2.3
Perth Amboy.....	47,100	7	87	40	.85	0		
Phillipsburg.....	18,600	4	22	25	1.34			
Plainfield.....	31,700	5	56	85	2.68	1	.03	1.2
Rahway.....	12,000	7	29	36	3.00	0		
Red Bank.....		1	10	11		1		9.1
Ridgefield Park.....		2	34	29				
Rutherford.....		2	33	60		0		
Summit.....	11,700	5	19	57	4.87	0		
Union City.....	63,100			50	.79			
West New York.....	39,200	7	36	100	2.55	1	.03	1.0
West Orange.....	18,200	7	43	65	3.57	0		
New Mexico:								
Albuquerque.....	21,000	2	23	67	3.19	0		
New York:								
Amsterdam.....	35,300	2	43	122	3.46			
Binghamton.....	71,900	5	123	249	3.46	2	.03	.8
Coboes.....	23,000	7	27	60	2.61	0		
Corning.....	15,700	6	8	7	.45	0		
Cortland.....	13,900	7	36	5	.36	0		
Dunkirk.....	19,900	6	62	75	3.77	0		
Elmira.....	48,400	5	46	53	1.10	1	.02	1.9
Freeport.....		1	10	31				
Geneva.....	15,900	6	25	8	.50	0		
Glens Falls.....	17,900	7	5	45	2.51	0		
Gloversville.....	22,100	7	10	27	1.22	0		
Hornell.....	15,800	6	13	5	.32	0		
Hudson.....	11,800	5	12	8	.68	0		
Ilion.....	10,400	2	7	10	.96	0		
Ithaca.....	18,900	7	48	41	2.17	0		
Jamestown.....	43,400	7	110	182	3.50	1	.02	.7

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
Johnson City		1	102	34		0		
Johnstown	10,700	4	2	27	2.52	0		
Kingston	28,100	6	24	97	3.45	1	0.04	1.0
Lackawanna	20,200	7	51	15	.74	0		
Little Falls	12,400	7	17	8	.65	0		
Lockport	21,700	5	70	41	1.89	0		
Middletown	20,400	7	30	34	1.67	0		
Mount Vernon	50,400	7	37	161	3.19	0		
New Rochelle	44,200	6	73	50	1.13	1	.02	2.0
Newburgh	30,400	7	41	207	6.81	0		
Niagara Falls	57,000	4	104	141	2.47	1	.02	.7
North Tonawanda	17,400	7	90	73	4.20	1	.06	1.4
Olean	21,300	5	35	80	3.76	3	.14	3.7
Peekskill	18,000	6	30	31	1.72	0		
Poughkeepsie	35,700	7	54	17	.48	1	.03	5.9
Rensselaer	11,400	3	21	13	1.14	0		
Rome	30,300	4	38	149	4.92	0		
Salamanca		1	47	8		0		
Saratoga Springs	13,900	7	14	74	5.32	1	.07	1.4
Schenectady	92,800	7	204	93	1.00	1	.01	1.1
Troy	72,200	7	50	90	1.25	1	.01	1.1
Watertown	32,800	5	60	66	2.01	1	.03	1.5
Watervliet	16,200	5	15	13	.80	1	.06	7.7
White Plains	27,400	6	40	35	1.28	1	.04	2.9
North Carolina:								
Asheville	31,500	7	42	39	1.24			
Charlotte	53,300	4	41	46	.86	0		
Greensboro	47,100	2	52	64	1.36	0		
High Point	23,600	1	48	69	2.92	0		
New Bern	12,200	2	2	3	.25	0		
Raleigh	30,400	7	43	38	1.25	0		
Rocky Mount	15,100	5	19	16	1.06	0		
Salisbury	17,700	3	24	21	1.19	0		
Wilmington	37,100	7	41	40	1.08	0		
Wilson	12,800	2	10	30	2.34	0		
Winston-Salem	69,000	6	57	73	1.06	0		
North Dakota:								
Fargo	24,900	3	35	139	5.58	0		
Ohio:								
Alliance	25,000	2	33	41	1.64	0		
Ashtabula	25,100	7	39	85	3.39	0		
Barberton	23,300	6	34	21	.90	0		
Bellaire	16,300	4	24	6	.37	0		
Bellefontaine				43		1		2.3
Bucyrus	11,700	5	29	32	2.74	0		
Cambridge	14,000	5	20	18	1.29	0		
Chillicothe	16,600	7	52	30	1.81	0		
Cleveland Heights	22,200	3	100	45	2.03	0		
Conneaut		2	17	111		1		.9
Coshocton	11,600	3	1	14	1.21	0		
Cuyahoga Falls	13,700	4	18	18	1.31	1	.07	5.6
East Cleveland	37,600	7	42	86	2.29	0		
East Liverpool	22,000	3	46	44	2.00	0		
East Youngstown (Campbell)	16,000	5	19	46	2.87	1	.06	2.2
Elyria	23,800	7	36	19	.80	0		
Findlay	18,200	7	18	30	1.65	1	.05	3.3
Fostoria		3	19	8		0		
Fremont	13,000	7	25	23	1.65	0		
Hamilton	42,400	5	41	33	.78	4	.00	12.1
Ironton	14,500	2	12	58	4.00	0		
Kemmore	19,400	4	40	57	2.94	2	.10	3.5
Lakewood	56,800	4	47	67	1.18	0		
Lancaster	16,100	3	13	19	1.18	0		
Lima	46,700	7	75	105	2.25	0		
Lorain	42,300	5	91	145	3.43	1	.02	.7
Mansfield	31,800	7	16	160	5.03	2	.06	1.2
Marietta	15,300	3	9	11	.72	0		
Marion	32,500	4	35	8	.25	0		
Martins Ferry	15,500	6	28	27	1.74	1	.06	3.7
Middletown	30,800	7	29	36	1.17	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Newark.....	30,500	7	53	63	2.07	0		
Niles.....	16,600	5	39	89	5.36			
Norwood.....	29,900	7	31	39	1.30	0		
Piqua.....	16,000	7	10	33	2.06			
Salem.....	11,100	5	63	20	1.80	0		
Sandusky.....	24,500	7	23	200	8.16	0		
Springfield.....	98,700	5	92	316	4.60			
Steubenville.....	32,000	7	35	15	.47	0		
Zanesville.....	30,400	7	39	144	4.74	0		
Oklahoma:								
Ardmore.....	17,200	1	5	35	2.03	5	0.29	14.3
Okmulgee.....	25,300	1	35	54	2.13	0		
Sapulpa.....	14,200	1	9	12	.85	0		
Oregon:								
Astoria.....	16,500	7	8	3	.18	0		
Eugene.....	11,400	7	28			21	1.84	
Pennsylvania:								
Allentown.....	92,200	4	180	34	.37	0		
Altoona.....	66,100	7	62	40	.61	1	.02	2.5
Beaver Falls.....	13,100	3	40	13	.99			
Braddock.....	21,700	7	32	35	1.61	0		
Bradford.....	15,800	6	20	27	1.71	0		
Butler.....	25,200	7	40	87	3.45	1	.04	1.1
Carbondale.....	19,500	7	12	5	.26			
Carlisle.....	11,400	7	18	168	13.86			
Carnegie.....	12,400	3	18	34	2.74	0		
Carrick.....	13,000	5	27	44	3.38			
Chambersburg.....	13,900	7	8	52	3.74	0		
Charleroi.....	12,600	7	19	5	.40			
Clairton.....	14,900	2	39	55	3.69	0		
Coatesville.....	16,500	6	25	11	.67	0		
Columbia.....				15				
Connellsville.....	14,200	6	54	94	6.57	0		
Dubois.....	14,300	3	28	21	1.47	0		
Duquesne.....	20,900	3	28	70	3.35	3	.14	4.3
Easton.....	36,800	6	26	19	.52	1	.03	5.3
Farrell.....	18,700	3	35	54	2.89	1	.05	1.9
Greensburg.....	16,100	1	32	76	4.72	0		
Harrisburg.....	83,400	7	124	426	5.11	2	.02	.5
Hazleton.....	36,100	7	27	6	.17	0		
Homestead.....	21,400	7	27	113	5.28	1	.05	.9
Jeannette.....	11,700	5	23	43	3.68	2	.17	4.7
Kingston.....	18,000	2	21	23	1.28	0		
Lancaster.....	56,500	4	106	59	1.04	2	.04	3.4
Lansford.....		5	2	1		0		
Latrobe.....				32				
Lewistown.....		3	28	122		1		.8
McKees Rocks.....	18,100	3	28	7	.39	0		
McKeesport.....	49,100	7	29	82	1.67	1	.02	1.2
Mendville.....	15,600	3	11	40	2.56			
Monessen.....	21,200	6	33	18	.85	0		
Mount Carmel.....		3	4	1		0		
Nanticoke.....	24,700	6	22	14	.57	0		
New Castle.....	49,800	6	97	219	4.40	3	.06	1.4
Norristown.....	34,800	7	36	8	.23	0		
North Braddock.....	16,700	7	27	26	1.56	0		
Oil City.....	23,300	5	38	59	2.53			
Olyphant.....	11,200	6	4	7	.62	1	.09	14.3
Phoenixville.....		4	7	3				
Pittston.....	19,800	7	7	10	.51			
Plymouth.....		6	11	9		1		11.1
Pottstown.....	18,500	2	8	8	.43	0		
Sharon.....	25,000	5	41	146	5.84	0		
Steelton.....		7	20	37		0		
Sunbury.....	16,800	7	25	85	5.06	1	.06	1.2
Swissvale.....	12,900	4	58	73	5.66	0		
Uniontown.....		5	63	49		0		
Vandergrift.....		1	27	27		1		3.7
Warren.....	15,100	7	32	33	2.19	0		
Washington.....	23,000	7	54	60	2.61			
Waynesboro.....				29				

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases re-ported	Cases per 1,000 inhab-itants	Deaths regis-tered	Deaths per 1,000 inhab-itants	Fatal-ities per 100 cases
Pennsylvania—Continued.								
West Chester		7	17	43				
Wilkes-Barre	77,600			74	0.95			
Wilkinsburg	27,400	3	46	89	3.25			
Windber		1	16	3		0		
Woodlawn	18,900	5	17	45	2.38	1	0.05	2.2
York	49,100	3	61	65	1.32	2	.04	3.1
Rhode Island:								
Central Falls	25,400	4	17	18	.71			
Cranston	34,500	7	38	52	1.51	0		
Newport	27,800	6	69	33	1.19	1	.04	3.0
Pawtucket	69,800	4	52	75	1.07	0		
Woonsocket	49,700	1	38	36	.72	1	.02	2.8
South Carolina:								
Anderson	11,100	4	7	6	.54	0		
Charleston	73,100	1	41	22	.30	0		
Florence	13,200	1	14	3	.23	0		
Greenville	27,300	6	23	9	.33	1	.04	11.1
Spartanburg	25,500	4	25	9	.35	0		
Sumter		2	6	3		0		
South Dakota:								
Aberdeen	15,000	2	74	45	3.00			
Sioux Falls	30,100	5	65	178	5.91	1	.03	.6
Tennessee:								
Chattanooga	66,000	4	53	116	1.74			
Knoxville	95,500	4	75	118	1.24	3	.03	2.5
Texas:								
Amarillo	17,800	6	41	51	2.87	1	.06	2.0
Beaumont	50,600	5	3	19	.38	0		
Cleburne	14,200	5	1	4	.28	0		
Eastland		1	5	10		0		
Galveston	48,400	7	10	8	.17	0		
Greenville	14,400	1	5	16	1.11	0		
Orange				8		0		
Palestine	11,400			4	.35			
Texarkana	12,400	6	10	9	.73	0		
Tyler	13,000	7	6	3	.23	0		
Waco	43,900	6	21	19	.43	0		
Utah:								
Ogden	36,900	7	19	29	.79	0		
Provo	11,200	2	10	2	.18	0		
Vermont:								
Barre		6	23	34		0		
Bennington		2	9	15		0		
Burlington	24,100	5	30	32	1.33	0		
Rutland	15,800	4	11	19	1.20	0		
Virginia:								
Alexandria	18,500	6	15	24	1.30	0		
Charlottesville	11,200	4	6	21	1.87	0		
Danville	23,000	7	30	24	1.04			
Lynchburg	30,400	6	33	75	2.47	1	.03	1.3
Newport News	47,100	6	30	21	.45	0		
Petersburg	35,700	7	30	16	.45	0		
Portsmouth	59,000	7	27	47	.80	0		
Roanoke	58,200	6	85	65	1.12	1	.02	1.5
Suffolk				4		0		
Washington:								
Aberdeen	16,200	6	9	13	.80	0		
Bremerton		2	17	19		0		
Everett	29,300	7	18	2	.07			
Hoquiam	11,100			3	.27	0		
Vancouver	14,500	6	23	35	2.41	0		
Walla Walla		3	2	6		0		
Yakima	22,700	7	23	31	1.37	0		
West Virginia:								
Bluefield	19,300	4	56	61	4.72	0		
Charleston	49,000	7	60	41	.84	0		
Clarksburg	30,400	3	66	23	.76	0		
Fairmount	21,000	5	35	36	1.71			
Huntington	63,500	3	36	96	1.51			
Martinsburg	13,500	5	16	24	1.78	1	.07	4.2
Morgantown	13,800	2	12	12	.87	2	.14	16.7
Parkersburg	21,300	5	21	52	2.44	1	.05	1.9
Wheeling		5	85	159		0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Wisconsin:								
Appleton.....	21,100	5	47	46	2.18	0		
Ashland.....		6	11	56				
Beloit.....	24,800	5	71	92	3.71	0		
Eau Claire.....	22,400	6	60	96	4.29	0		
Fond du Lac.....	26,000	4	32	40	1.54	0		
Green Bay.....	34,300	5	53	55	1.60	2	0.06	3.6
Janesville.....	20,800	6	45	35	1.68	1	.05	2.9
Kenosha.....	50,900	5	81	134	2.63	1	.02	.7
La Crosse.....	30,400	7	72	24	.79	0		
Madison.....	46,400	7	133	151	3.25			
Manitowoc.....	22,100	3	37	24	1.09	0		
Marinette.....		7	39	18		0		
Oshkosh.....	33,200	7	37	111	3.34	2	.06	1.8
Racine.....	67,700	6	405	104	1.54			
Sheboygan.....	33,500	6	87	166	4.96	4	.12	2.4
Superior.....		6	103	388		3		.8
Waukesha.....	14,700	1	191	37	3.52	0		
Wausau.....	20,100	7	38	211	10.50	1	.05	.5
West Allis.....	18,400	5	27	46	2.50	0		
Wyoming:								
Cheyenne.....	15,500			14	.90	0		

SEPTIC SORE THROAT

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Tuscaloosa.....	13,100	15	1.15	0		
California:						
Santa Ana.....	19,500	1	.05	1	.05	1.0
Colorado:						
Colorado Springs.....		2		0		
Connecticut:						
Danbury.....		2		0		
Fairfield.....	14,500	3	.21	1	.07	3.0
Manchester.....	21,000	1	.05			
Norwich.....	23,100	2	.09	0		
Stratford.....	16,100	1	.06	0		
Georgia:						
Lagrange.....	23,500	3	.13	0		
Illinois:						
Aurora.....	40,300	3	.07	0		
Danville.....	37,000	20	.54	0		
Quincy.....		1		1		1.0
Indiana:						
Jeffersonville.....		3				
Kansas:						
Lawrence.....	12,300	1	.08	0		
Kentucky:						
Henderson.....	12,600	1	.08	0		
Paducah.....	25,900	1	.04	0		
Maine:						
Auburn.....	18,100	5	.28	0		
South Portland.....		15				
Waterville.....	14,400	2	.14	0		
Massachusetts:						
Belmont.....	15,300	1	.07	0		
Beverly.....	22,700	3	.13	0		
Dedham.....	13,900	1	.07	0		
Frammingham.....	21,100	2	.09	0		
Haverhill.....	49,200	2	.04	0		
Lawrence.....	93,500	1	.01	1	.01	1.0
Medford.....	47,600	2	.04	0		

Reported Prevalence for the Year 1925—Continued

SEPTIC SORE THROAT—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Pesbody	19,900	2	0.10	0		
Salem	42,800			1	0.02	
Somerville	99,000	2	.02	0		
Taunton	39,300	1	.03	0		
Westfield	19,300	1	.05	0		
Winchester	11,000	1	.09	0		
Winthrop	16,200	1	.06	0		
Michigan:						
Muskegon	43,100	1	.02	0		
Pontiac	47,500	405	8.53	0		
Port Huron	30,000	102	3.40	0		
Mississippi:						
Biloxi	12,000	1	.08	0		
Missouri:						
Springfield	42,100	1	.02	0		
Montana:						
Butte	42,900	1	.02	0		
Nebraska:						
Lincoln	60,900	2	.03	2	.03	1.0
New Hampshire:						
Manchester	83,100	1	.01	0		
New Jersey:						
Belleville	18,900	1	.05	0		
East Orange	60,000			2	.03	
Montclair	32,900	2	.05	0		
Orange	35,400	1	.03	1	.03	1.0
Passaic	69,000			1	.01	
New York:						
Amsterdam	35,300	42	1.19	0		
Dunkirk	19,900	12	.60	0		
Elmira	48,400	4	.08	2	.04	2.0
Jamestown	43,400	4	.09	0		
Johnson City		1		0		
Kingston	28,100	1	.04	0		
Lackawanna	20,200	1	.05	0		
Mount Vernon	50,400	8	.16	1	.02	8.0
Newburgh	30,400	1	.03	0		
Olean	21,300	2	.09	0		
Rome	30,300	3	.10	0		
Saratoga Springs	13,900	1	.07	0		
Schenectady	92,800	3	.03	0		
Watertown	32,800			3	.09	
White Plains	27,400	3	.11	0		
North Carolina:						
Greensboro	47,100	1	.02	0		
Ohio:						
Fostoria		1		0		
Kenmore	19,400	7	.36	1	.05	7.0
Oklahoma:						
Ardmore	17,200	5	.29	0		
Pennsylvania:						
Pottstown	18,500			1	.05	
Sunbury	16,800	151	8.99			
Rhode Island:						
Cranston	34,500	1	.03	1	.03	1.0
Woonsocket	49,700			2	.04	
Virginia:						
Alexandria	18,500	8	.43	0		
West Virginia:						
Bluefield	19,300			2	.10	
Wisconsin:						
Marquette	13,600			1		

Reported Prevalence for the Year 1925—Continued

SMALLPOX

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,500	5	6	77	3.76	0		
Mobile	66,000	5	76	8	.12	0		
Montgomery	46,500	3	3	43	.92	0		
Tuscaloosa	13,100			179	13.66	2	0.15	1.1
Arizona:								
Phoenix	38,700			1	.03	0		
Tucson	26,700	4	23	6	.22	0		
Arkansas:								
Hot Springs		3	12	1				
Little Rock	74,200	7	11	2	.03	0		
California:								
Alameda	31,900	7	8	5	.16	0		
Alhambra		2	45	8		0		
Bakersfield	23,500	5	6	2	.09	0		
Berkeley	66,200	7	4	66	1.00	0		
Chico		2	2	2		0		
Eureka	13,500	6	3	4	.30	0		
Fresno	58,500	4	17	3	.05	0		
Glendale	21,300	5	5	27	1.27	0		
Long Beach	91,200	3	15	119	1.30	0		
Pasadena	56,700	7	10	29	.51	0		
Pomona	15,400	4	54	29	1.88	0		
Richmond	22,500	5	2	38	1.69	0		
Riverside		6	28	4		0		
Sacramento	72,300	5	10	120	1.66	0		
San Bernardino	22,800	6	7	69	3.03	0		
San Jose	43,600	3	18	56	1.28	0		
Santa Ana	19,500	5	11	22	1.13	0		
Santa Barbara	24,000	4	8	17	.71	0		
Stockton	47,300	4	33	8	.17	0		
Vallejo	26,600	4	2	1	.04	0		
Colorado:								
Pueblo	43,800	3	1	2	.05	0		
Connecticut:								
Norwich	23,100	7	0	1	.04	0		
Florida:								
St. Petersburg	26,800	2	38	80	3.21	0		
Tampa	94,700	3	2	31	.33	0		
West Palm Beach		2	2	1		0		
Georgia:								
Albany	13,500	4	5	1	.07	0		
Augusta	55,200	5	16	75	1.36	1	.02	1.3
Lagrange	23,500	2	23	10	.43	0		
Macon	58,200	7	22	34	.58	0		
Rome	13,900	5	6	2	.14	0		
Savannah	93,100	6	20	3	.03	0		
Idaho:								
Boise	23,000	4	27	46	2.00	0		
Pocatello	18,300	4	9	7	.38	0		
Illinois:								
Alton	26,800	4	8	137	5.11	1	.04	.7
Bloomington	30,400			109	3.59	1	.03	.9
Chicago Heights	22,100	4	2	2	.09	0		
Danville	37,000	6	6	6	.16	0		
Decatur	53,900	2	2	8	.15	0		
East St. Louis	71,400	4	20	101	1.41	1	.01	1.0
Elgin	33,400	5	3	1	.03	0		
Evanston	43,900	7	2	14	.32	1	.02	7.1
Freeport	20,700	2	7	2	.10	0		
Galesburg	24,800	4	9	1	.04	0		
Jacksonville	15,900	4	2	1	.06	0		
Joliet	40,600	4	5	23	.57	3	.07	13.0
Maywood	14,200	7	1	1	.07	0		
Murphysboro	12,500			4	.32	0		
Peoria	81,000	4	23	28	.34	0		
Quincy		7	14	8		0		
Rock Island	40,000	5	22	6	.15	0		
Rockford	76,500	5	10	6	.08	0		
Springfield	63,900	4	4	2	.03	0		
Waukegan	22,000	3	10	20	.91	0		

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana:								
Anderson.....	33,900	4	29	19	0.56	0		
Crawfordsville.....	10,500	5	2	1	.10	0		
Elwood.....	—	6	12	30	—	0		
Fort Wayne.....	97,800	4	59	13	.13	0		
Frankfort.....	13,100	7	5	5	.38	0		
Gary.....	76,900	4	44	32	.42	0		
Hammond.....	50,400	5	34	16	.32	0		
Huntington.....	15,900	3	8	26	1.64	0		
Jeffersonville.....	—	4	1	6	—	0		
Kokomo.....	36,900	5	14	105	2.85	0		
La Fayette.....	23,800	5	4	8	.34	0		
Logansport.....	23,100	5	32	173	7.49	0		
Mishawaka.....	16,700	7	9	4	.24	0		
Muncie.....	42,500	5	29	15	.35	0		
New Albany.....	—	5	2	6	—	0		
Newcastle.....	17,000	7	7	1	.06	0		
Peru.....	12,700	—	—	91	7.17	1	0.08	1.1
Richmond.....	30,500	7	17	7	.23	0		
South Bend.....	80,100	4	27	56	.70	1	.01	1.8
Terre Haute.....	71,100	6	45	177	2.49	0		
Iowa:								
Boone.....	12,800	4	26	37	2.89	0		
Burlington.....	26,400	7	20	7	.27	1	.04	14.3
Cedar Rapids.....	50,600	3	11	71	1.40	14	.28	19.7
Clinton.....	26,400	3	16	24	.91	0		
Council Bluffs.....	39,800	5	42	170	4.27	0		
Dubuque.....	41,000	4	8	2	.05	0		
Iowa City.....	15,300	4	1	1	.07	—	—	—
Marshalltown.....	16,900	3	4	1	.06	—	—	—
Mason City.....	22,700	7	84	85	3.74	4	.18	4.7
Waterloo.....	36,800	—	—	124	3.37	0		
Kansas:								
Arkansas City.....	14,000	—	—	2	.14	0		
Coffeyville.....	16,200	6	7	12	.74	0		
Emporia.....	12,200	2	22	3	.24	1	.08	33.3
Hutchinson.....	26,000	2	9	4	.15	—	—	—
Lawrence.....	12,300	7	6	5	.41	0		
Topeka.....	55,400	3	6	2	.04	0		
Wichita.....	88,400	7	253	5	.06	0		
Kentucky:								
Covington.....	58,300	4	12	11	.19	0		
Henderson.....	12,600	3	0	4	.32	0		
Newport.....	—	5	5	6	—	0		
Paducah.....	25,900	7	5	14	.15	0		
Louisiana:								
Baton Rouge.....	27,800	5	7	5	.18	0		
Lake Charles.....	—	—	—	5	—	0		
Shreveport.....	57,900	—	—	33	.57	2	.03	6.1
Massachusetts:								
Medford.....	47,600	7	0	1	.02	0		
Michigan:								
Ann Arbor.....	22,200	7	15	3	.14	0		
Battle Creek.....	42,300	5	25	3	.07	1	.02	33.3
Benton Harbor.....	14,000	7	2	22	1.57	0		
Highland Park.....	72,300	5	45	3	.04	0		
Jackson.....	58,000	4	27	2	.03	0		
Kalamazoo.....	53,600	7	34	39	.73	0		
Lansing.....	70,800	4	48	6	.08	0		
Marquette.....	13,400	6	18	1	.07	0		
Pontiac.....	47,500	5	31	20	.42	3	.06	15.0
Port Huron.....	30,600	6	5	2	.07	0		
River Rouge.....	—	2	36	4	—	0		
Saginaw.....	72,100	5	15	11	.15	0		
Sault Ste. Marie.....	—	5	6	1	—	0		
Minnesota:								
Austin.....	11,900	3	2	5	.42	0		
Faribault.....	12,300	2	5	3	.24	2	.10	66.7
Hibbing.....	18,000	5	6	2	.11	0		

¹ Nonresidents.

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Minnesota—Continued.								
Mankato	13,700	5	13	13	0.95	0		
Rochester	17,000	3	11	6	.35	1	0.06	16.7
St. Cloud	18,900	3	7	6	.32	3	.16	50.0
Virginia	16,000	1	41	4	.25	0		
Mississippi:								
Biloxi	12,600	3	1	7	.56	0		
Jackson	23,700	2	1	4	.17	0		
Laurel	15,700			2	.13			
Meridian	24,300	1	57	61	2.51			
Natchez	13,100			22	1.68	0		
Missouri:								
Independence	12,700	2	1	17	1.34	0		
Joplin		5	9	2		0		
Springfield	42,100			1	.02	0		
Montana:								
Butte	42,900	4	14	10	.23	0		
Great Falls	29,900	5	58	72	2.41	0		
Helena		2	11	36		0		
Missoula		6	19	4		0		
Nebraska:								
Lincoln	60,900	3	14	14	.23	0		
North Platte	13,700	2	2	5	.36	0		
Nevada:								
Reno	12,700	7	4	36	2.83	0		
New Hampshire:								
Portsmouth	14,900	7	0	1	.07			
New Jersey:								
Bayonne	88,800	6	0	10	.11	0		
Collingswood		1	0	2		0		
Gloucester City	13,700	3	0	7	.51	0		
Kearny	31,300	7	0	1	.03	0		
New Brunswick	38,000	7	0	1	.03	0		
Plainfield	31,700	7	0	1	.03	0		
Union City	63,100			1	.02			
New York:								
Amsterdam	35,300	4	0	3	.08	0		
Binghamton	71,900	7	1	1	.01	0		
Dunkirk	19,900			1	.05	0		
Geneva	15,900	6	0	3	.19	0		
Gloversville	22,100	7	1	1	.05	0		
Hudson	11,800	5	0	9	.76	0		
Johnstown	10,700	4	0	30	2.80	0		
Watertown	32,800	7	1	1	.03	0		
Watervliet	16,200	5	1	13	.80	0		
North Carolina:								
Asheville	31,500	7	7	10	.32			
Charlotte	53,300	4	25	14	.26	0		
Greensboro	47,100			18	.38	0		
High Point	23,600	1	214	5	.21	0		
New Bern	12,200	2	0	2	.16	0		
Raleigh	30,400	7	12	73	2.40	0		
Salisbury	17,700	3	11	4	.23	0		
Wilmington	37,100	7	5	66	1.78	0		
Wilson	12,800	2	50	2	.16	0		
Winston-Salem	69,000	3	58	259	3.46	1	.01	.4
North Dakota:								
Fargo	24,900	4	16	2	.08	0		
Ohio:								
Alliance	25,000	2	1	8	.32	5	.20	62.5
Barberton	23,300	6	3	60	2.58	0		
Bucyrus	11,700	4	9	2	.17	0		
Cambridge	14,000	3	6	24	1.71	0		
Chillicothe	16,600	7	12	32	1.93	0		
Conneaut		2	1	2		0		
East Liverpool	22,000	2	1	11	.50	0		
East Youngstown (Campbell)	16,000	5	11	4	.25	0		
Elyria	23,800	5	4	13	.55	0		
Findlay	18,250	7	5	3	.16	0		
Hamilton	42,400	7	102	188	4.43	0		
Kenmore	19,400	2	1	1	.05	0		

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Lancaster.....	16,100	3	9	110	6.83	0		
Lima.....	46,700			3	.06	0		
Lorain.....	42,300	4	2	2	.05	0		
Mansfield.....	31,800	7	5	37	1.16	0		
Marion.....	32,500	2	7	1	.03	0		
Martins Ferry.....	15,500	7	1	9	.58	0		
Middletown.....	30,800	5	34	23	.75	0		
Newark.....	30,500	5	3	18	.59	0		
Niles.....	16,600	5	1	135	8.13	1	0.06	0.7
Norwood.....	29,900	7	4	3	.10	0		
Piqua.....	16,000	4	2	2	.12			
Salem.....	11,100	5	0	1	.09	0		
Sandusky.....	24,500	7	12	182	7.43	0		
Springfield.....	68,700	3	5	8	.12	0		
Steubenville.....	32,000	5	15	9	.28	0		
Zanesville.....	30,400	5	17	2	.07	0		
Oklahoma:								
Ardmore.....	17,200	1	249	20	1.16	0		
Sapulpa.....	14,200	1	10	1	.07	0		
Oregon:								
Eugene.....	11,400	7	13	5	.44	0		
Pennsylvania:								
Beaver Falls.....	13,100	4	0	2	.15			
Braddock.....	21,700	7	1	2	.09	0		
Duquesne.....	20,900	4	1	1	.05	1	.05	100.0
Farrell.....	18,700	5	3	3	.16	0		
Greensburg.....	16,100	1	0	2	.12	0		
Meadville.....	15,600	3	4	1	.06			
Sharon.....	25,000	5	2	3	.12	1	.04	33.3
Washington.....	23,000	7	0	1	.04			
Rhode Island:								
Central Falls.....	25,400	4	0	43	1.69			
Pawtucket.....	69,800	6	0	11	.16	0		
Woonsocket.....	49,700	1	0	28	.56	0		
South Carolina:								
Anderson.....	11,100	2	1	7	.63	0		
Charleston.....	73,100	1	4	3	.04	0		
Florence.....	13,200	1	14	1	.08	0		
Greenville.....	27,300	5	21	138	5.05	0		
Spartanburg.....	25,500	2	6	14	.55	0		
Sumter.....		2	1	7		0		
South Dakota:								
Aberdeen.....	15,000	2	10	2	.13			
Sioux Falls.....	30,100	7	36	4	.13	0		
Tennessee:								
Chattanooga.....	66,600	3	65	171	2.57			
Knoxville.....	95,500	5	76	4	.04	0		
Texas:								
Amarillo.....	17,800	6	8	20	1.12	0		
Beaumont.....	50,600	5	10	70	1.38	0		
Cleburne.....	14,200	3	2	10	.70	0		
Galveston.....	48,400	7	4	49	1.01	0		
Orange.....		1	0	12		0		
Texarkana.....	12,400	6	22	4	.32	0		
Tyler.....	13,000	6	26	110	8.46	1	.08	.9
Waco.....	43,900	6	17	12	.27	0		
Utah:								
Ogden.....	36,900	4	30	3	.08	0		
Provo.....	11,200	2	1	4	.36	0		
Virginia:								
Alexandria.....	18,500	6	2	6	.32	0		
Danville.....	23,000	7	13	4	.17	0		
Lynchburg.....	30,400	6	10	6	.20	0		
Newport News.....	47,100	6	5	2	.04	0		
Petersburg.....	35,700	7	2	1	.03	0		
Roanoke.....	58,200	6	43	5	.09	0		
Suffolk.....				2		0		

1 Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Washington:								
Aberdeen	16,200	3	23	93	5.74	0		
Bremerton		2	1	5		0		
Everett	29,300	7	67	91	3.11	0		
Hoquiam	11,100	2	105	12	1.08	0		
Vancouver	14,500	6	15	19	1.31	0		
Walla Walla		3	3	5		0		
Yakima	22,700	4	20	8	.35	0		
West Virginia:								
Bluefield	19,300	3	43	48	2.49	1	0.05	2.1
Charleston	49,000	7	23	52	1.05	0		
Huntington	63,500	4	4	63	.99			
Parkersburg	21,300	5	9	2	.09	0		
Wisconsin:								
Appleton	21,100	5	1	26	1.23	0		
Ashland		6	6	4				
Beloit	24,800	7	7	1	.04	0		
Eau Claire	22,400	7	29	1	.04	0		
Fond du Lac	26,000	7	4	12	.45	0		
Green Bay	34,300	5	4	5	.15	0		
Janesville	20,800	4	6	2	.10	0		
Kenosha	50,900	7	18	100	1.96	0		
La Crosse	30,400	4	13	43	1.41	14	.13	9.3
Madison	46,400	6	40	3	.06			
Oshkosh	33,200	5	25	42	1.27	0		
Racine	67,700	6	55	67	.99	0		
Superior		3	103	11		2		
Wausau	20,100	7	5	5	.25	0		
West Allis	18,400	5	4	7	.38	3	.16	42.9
Wyoming:								
Cheyenne	15,500			1	.06	0		

TUBERCULOSIS (ALL FORMS)

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	31	1.51	29	1.41	1.1
Dothan	14,500	10	.69	8	.55	1.2
Florence	12,700	36	2.76	24	1.89	1.5
Mobile	65,000			65	.98	
Montgomery	46,500	74	1.59	42	.90	1.8
Selma	17,000			53	3.12	
Tuscaloosa	13,100	12	.92	10	.76	1.2
Arizona:						
Phoenix	38,700			421	10.88	
Tucson	26,700			377	14.12	
Arkansas:						
Hot Springs		3				
Little Rock	74,200	117	1.58	98	1.32	1.2
California:						
Alameda	31,900	33	1.03	12	.38	2.7
Alhambra		36		8		4.5
Bakersfield	23,500			54	2.30	
Berkeley	66,200	96	1.48	31	.47	3.2
Chico				4		
Eureka	13,500	45	3.33	19	1.41	2.4
Fresno	58,500	62	1.06	46	.79	1.3
Glendale	21,300			46	2.16	
Long Beach	91,200	93	1.02	47	.52	2.0
Pasadena	56,700	77	1.36	52	.92	1.5

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.						
Pomona.....	15,400	46	2.99	9	0.58	5.1
Richmond.....	22,500	10	.44	2	.09	5.0
Riverside.....	72,300	72		40		1.8
Sacramento.....	22,800			137	1.89	
San Bernardino.....	43,600			99	4.34	
San Jose.....	19,500	28	1.44	26	.60	
Santa Ana.....	24,000			19	.97	1.5
Santa Barbara.....	19,400			37	1.84	
Santa Monica.....	47,300	119	2.52	20	1.03	
Stockton.....	26,600			36	.76	3.3
Vallejo.....				14	.53	
Colorado:						
Boulder.....	11,800			15	1.27	
Colorado Springs.....		226		152		1.5
Greeley.....	12,500			14	1.12	
Pueblo.....	43,800			40	.91	
Trinidad.....	11,000			10	.91	
Connecticut:						
Danbury.....				19		
Fairfield.....	14,500	10	.69			
Greenwich.....	25,300	36	1.42	14	.55	2.6
Manchester.....	21,000	12	.57			
Meriden.....	36,300	22	.61			
Milford.....	13,500			2	.15	
New Britain.....	68,000	133	1.96	30	.44	4.4
New London.....	29,100	40	1.37	21	.72	1.9
Norwich.....	23,100	29	1.26	15	.65	1.9
Shelton.....		3		2		1.5
Stamford.....	40,700			20	.49	
Stratford.....	16,100	22	1.37	5	.31	4.4
Florida:						
St. Petersburg.....	26,800	26	.97	15	.56	1.7
Tampa.....	94,700			91	.96	
West Palm Beach.....				15		
Georgia:						
Albany.....	13,500			18	1.33	
Augusta.....	55,200			110	1.99	
Brunswick.....	16,800			17	1.01	
Lagrange.....	23,500	67	2.85	34	1.45	2.0
Macon.....	58,200	120	2.06	81	1.39	1.5
Rome.....	13,900	21	1.51	19	1.37	1.1
Savannah.....	93,100			161	1.73	
Idaho:						
Pocatello.....	18,300	3	.16	1	.05	3.0
Illinois:						
Alton.....	26,800	29	1.08	10	.37	2.9
Aurora.....	40,300	101	2.51	38	.94	2.7
Berwyn.....	18,900			8	.42	
Bloomington.....	30,400			14	.46	
Blue Island.....	13,200	16	1.21	16	1.21	1.0
Centralia.....	14,100	21	1.49			
Champaign.....	18,200	16	.88	8	.44	2.0
Chicago Heights.....	22,100			12	.54	
Cicero.....	62,200	84	1.35	14	.23	6.0
Danville.....	37,000	90	2.43	20	.54	4.5
Decatur.....	53,900	179	3.32	32	.60	5.6
East Moline.....		3		2		1.5
East St. Louis.....	71,400			70	.98	
Elgin.....	33,400	34	1.02	6	.18	5.7
Evanston.....	43,900	47	1.07	18	.41	2.6
Freeport.....	20,700			14	.68	
Galesburg.....	24,800			10	.40	
Granite City.....	18,200			9	.49	
Jacksonville.....	15,900	51	3.21	30	1.89	1.7
Joliet.....	40,600	57	1.40	15	.37	3.8
Kewanee.....	19,700	19	.96	6	.30	3.2
La Salle.....	13,900	15	1.08	9	.65	1.7
Maywood.....	14,200	9	.63	6	.42	1.5
Moline.....	33,900	38	1.12	25	.74	1.5
Murphysboro.....	12,500	6	.48	5	.40	1.2
Oak Park.....	51,400	25	.49	14	.27	1.8
Pekin.....	13,300			4	.30	
Peoria.....	81,000			24	.29	
Quincy.....		44		4		11.0
Rock Island.....	40,000	19	.47	2	.05	9.5

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued						
Rockford	76,500	183	2.39	35	0.46	5.2
Springfield	63,900	55	.86	46	.72	1.2
Streator	15,100	5	.33	4	.26	1.2
Waukegan	22,000	12	.55			
Indiana						
Anderson	33,900			25	.74	
Bloomington	12,600	25	1.98	19	1.51	1.3
Connersville	12,500	3	.24	3	.24	1.0
Crawfordsville	10,500			7	.67	
East Chicago	45,600			27	.59	
Elwood				7		
Fort Wayne	97,800			46	.47	
Frankfort	13,100			8	.61	
Gary	76,900			25	.33	
Hammond	50,400	46	.91	20	.40	2.3
Huntington	15,900			5	.31	
Jeffersonville		4		4		1.0
Kokomo	36,900			23	.62	
La Fayette	23,800	19	.80	13	.55	1.5
Logansport	23,100	8	.35	5	.22	1.6
Marion	26,300			20	.76	
Michigan City	20,300			19	.94	
Mishawaka	16,700			13	.78	
Muncie	42,500			22	.52	
New Albany				25		
Newcastle	17,000			13	.76	
Peru	12,700			10	.79	
Richmond	30,500			21	.69	
South Bend	80,100			36	.45	
Terre Haute	71,100			58	.82	
Wabash				2	.19	
Whiting	12,300			9	.74	
Iowa						
Boons	12,800			4	.31	
Burlington	26,400	70	2.65	16	.61	4.4
Cedar Rapids	50,600			22	.43	
Council Bluffs	39,800			20	.50	
Dubuque	41,000			30	.73	
Mason City	22,700			3	.13	
Muscatine	16,800	10	.60	6	.36	1.7
Ottumwa	26,400			7	.27	
Kansas						
Arkansas City	14,000			12	.86	
Coffeyville	16,200			8	.49	
Emporia	12,200	38	3.11			
Fort Scott	11,800	12	1.02	5	.42	2.4
Hutchinson	26,000	73	2.81			
Independence	10,900			11	1.01	
Lawrence	12,300	20	1.63	4	.33	5.0
Parsons	14,800	16	1.08	11	.74	1.5
Pittsburg	19,200	18	.94	6	.31	3.0
Topeka	55,400	110	1.99	36	.65	3.1
Wichita	88,400	114	1.29	40	.45	2.8
Kentucky						
Covington	58,300			74	1.27	
Henderson	12,600	15	1.19			
Newport		44		44		1.0
Paducah	25,900			54	2.08	
Louisiana						
Baton Rouge	27,800			18	.65	
Lake Charles		23		15		1.5
Shreveport	57,900			72	1.24	
Maine						
Auburn	18,100	11	.61	1	.06	11.0
Bangor	26,600	34	1.28	20	.75	1.7
Bath	17,900	7	.39	5	.28	1.4
Biddeford	18,500	28	1.51	13	.70	2.2
Lewiston	34,900	40	1.15	16	.46	2.5
Portland	75,300	73	.97	30	.40	2.4
Sanford	11,600	7	.60	4	.34	1.7
South Portland		13				
Waterville	14,400	5	.35	4	.28	1.2
Westbrook		3		1		

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts:						
Adams.....	13,500	25	1.85	9	0.67	2.8
Amesbury.....	11,200	12	1.07	1	.09	12.0
Arlington.....	24,900	59	2.37	5	.20	11.8
Athol.....	3	3		2		1.5
Attleboro.....	20,600	85	4.13	42	2.04	2.0
Belmont.....	15,300	27	1.76	7	.46	3.9
Beverly.....	22,700	41	1.81	7	.31	5.9
Braintree.....	13,200			43	3.26	
Brockton.....	65,300	84	1.29	23	.35	3.7
Brookline.....	42,700	46	1.08	24	.56	1.9
Chelsea.....	47,200	88	1.86	37	.78	2.4
Chicopee.....	41,900	79	1.89	37	.88	2.1
Clinton.....	14,200	14	.99	1	.07	14.0
Danvers.....	11,800	27	2.29	15	1.27	1.8
Dedham.....	13,900	8	.58	3	.22	2.7
Easthampton.....	11,600	18	1.55	10	.86	1.8
Everett.....	42,100	73	1.73	18	.43	4.1
Frammingham.....	21,100	54	2.56	14	.66	3.9
Gardner.....	18,700	56	2.99	11	.59	5.1
Gloucester.....	23,400	41	1.75	12	.51	3.4
Greenfield.....	15,200	11	.72	5	.33	2.2
Haverhill.....	49,200	78	1.59	73	1.48	1.1
Holyoke.....	60,300	76	1.26	68	1.13	1.1
Lawrence.....	93,500	148	1.58	53	.57	2.8
Leominster.....	22,100	30	1.36	13	.50	2.3
Malden.....	51,800	119	2.30	22	.42	5.4
Marlboro.....	16,200	18	1.11	10	.62	1.8
Medford.....	47,600	60	1.26	15	.32	4.0
Melrose.....	20,200	29	1.44	16	.79	1.8
Methuen.....	20,600	52	2.52	9	.44	5.8
Milford.....	14,800	16	1.08	15	1.01	1.1
Milton.....		12		2		6.0
Newburyport.....	15,700			11	.70	
Newton.....	53,000	65	1.23	23	.43	2.8
North Adams.....	22,700	17	.75	7	.31	2.4
Northampton.....	24,100	178	3.24	14	.58	5.6
Northbridge.....	10,100	6	.59	3	.30	2.0
Palmer.....		10		5		
Peabody.....	19,900	21	1.06	5	.25	4.2
Pittsfield.....	46,900	42	.90	27	.58	1.6
Plymouth.....	13,200	12	.91	7	.53	1.7
Quincy.....	60,100	81	1.35	29	.48	2.8
Revere.....	33,300	44	1.32	2	.06	22.0
Salem.....	42,800	72	1.68	32	.75	2.2
Saugus.....	12,700	8	.63	3	.24	2.7
Somerville.....	99,000	144	1.45	52	.53	2.8
Southbridge.....	15,500	7	.45	4	.26	1.7
Taunton.....	39,300	60	1.52	37	.94	1.6
Wakefield.....	15,600	17	1.09	6	.38	2.8
Waltham.....	34,700	38	1.10	21	.61	1.8
Watertown.....	25,500	40	1.57	4	.16	10.0
West Springfield.....	15,300	12	.78			
Westfield.....	19,300	25	1.30	1	.05	25.0
Winchester.....	11,600	12	1.03			
Winthrop.....	16,200	11	.68	5	.31	2.2
Woburn.....	18,400	13	.71	8	.43	1.6
Michigan:						
Adrian.....	12,500	15	1.20			
Ann Arbor.....	22,200	124	5.59	11	.50	11.3
Battle Creek.....	42,300	81	1.91	12	.28	6.7
Bay City.....	48,900	35	.72	29	.59	1.2
Benton Harbor.....	14,000	20	1.43	3	.21	6.7
Cadillac.....		1		1		1.0
Hamtramck.....	81,700	100	1.22	29	.35	3.4
Highland Park.....	72,300	61	.84	24	.33	2.5
Holland.....	13,100	13	.90	5	.38	2.6
Ironwood.....	17,400	22	1.26	19	1.09	1.2
Ishpeming.....		14		7		2.0
Jackson.....	58,000	55	.95	21	.36	2.6
Kalamazoo.....	53,600	56	1.04	28	.52	2.0
Lansing.....	70,800	109	1.54	25	.35	4.4
Marquette.....	13,400	17	1.27	7	.52	2.4
Muskegon.....	43,100	24	.56	18	.42	1.3

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan—Continued.						
Muskegon Heights		13		4		3.2
Pontiac	47,500	102	2.15	40	0.84	2.5
Port Huron	30,000	29	.97	19	.63	1.5
Elver Rouge		8		5		1.6
Saginaw	72,100	86	1.19	45	.62	1.9
Saulte Ste. Marie		18		6		3.0
Minnesota:						
Albert Lea		2		1		2.0
Austin	11,900	1	.08			
Brainerd				3		
Faribault	12,300			14	1.14	
Hibbing	18,000			8	.44	
Mankato	13,700			8	.58	
Rochester	17,000	64	3.76	122	1.29	2.9
Virginia	16,000	5	.31	5	.31	1.0
Winona	19,500	13	.67			
Mississippi:						
Biloxi	12,600			5	.40	
Jackson	23,700	106	4.47	11	.46	9.6
Laurel	15,700	71	4.52			
Meridian	24,300	29	1.19			
Natchez	13,100	33	2.52	19	1.45	1.7
Missouri:						
Independence	12,700			4	.31	
Joplin		6				
Moberly	13,900			15	.79	
St. Joseph	78,300			49	.63	
Springfield	42,100			38	.90	
Montana:						
Anaconda	12,500			8	.64	
Butte	42,900			86	2.00	
Great Falls	29,900			12	.40	
Helena				25		
Missoula		18		5		3.6
Nebraska:						
Lincoln	60,900	40	.66	25	.41	1.6
North Platte	13,700			5	.36	
Nevada:						
Reno	12,700			4	.31	
New Hampshire:						
Berlin	18,600			3	.16	
Claremont		47		6		
Concord	22,500			24	1.07	
Dover				11		
Keene	11,900			8	.67	
Manchester	83,100			29	.35	
Nashua	29,700			10	.34	
Portsmouth	14,900	90	6.04			
New Jersey:						
Asbury Park	13,700	31	2.26	13	.95	2.4
Bayonne	88,800	89	1.00	34	.38	2.6
Belleville	18,900	31	1.64	11	.58	2.8
Bloomfield	26,000	26	1.00	5	.19	5.2
Bridgeton	14,400	11	.76	7	.49	1.6
Carteret	14,000	20	1.43	6	.43	3.3
Clifton	34,700	49	1.41	18	.52	2.7
Collingswood				6		
Dover		15		5		3.0
East Orange	60,000	63	1.05	33	.55	1.9
Englewood	12,600	18	1.43	7	.56	2.6
Garfield	24,600	36	1.46	10	.41	3.6
Gloucester City	13,700	14	1.02	4	.29	3.5
Hackensack	19,700	22	1.12	12	.61	1.8
Harrison	16,400	28	1.71			
Hoboken		107		42		2.5
Irvinton	33,200	34	1.02	14	.42	2.4
Kearny	31,300	30	.96	10	.32	3.0
Lodi		26		8		3.2
Long Branch	13,600	28	2.06	8	.59	3.5
Montclair	32,900	62	1.88	25	.76	2.5
Morristown	12,600	29	2.30	3	.24	9.7
New Brunswick	38,000	78	2.05	15	.39	5.2
Nutley		20		3		6.7
Orange	35,400	71	2.01	23	.65	3.1
Passaic	69,000	70	1.01	31	.45	2.3

Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Perth Amboy	47,100	61	1.30	29	0.62	2.1
Phillipsburg	18,600	7	.38			
Plainfield	31,700	35	1.10	21	.66	1.7
Rahway	12,000	8	.67	8	.67	1.0
Red Bank		18		4		4.5
Ridgefield Park		7		5		1.4
Rutherford		3		1		3.0
Summit	11,700	18	1.54	8	.68	2.2
Union City	63,100	21	.33			
West New York	39,200	35	.89	11	.28	3.2
West Orange	18,200	21	1.15	3	.16	7.0
New Mexico:						
Albuquerque	21,000	406	19.33	262	12.48	1.5
New York:						
Amsterdam	35,300	54	1.53	17	.48	3.2
Binghamton	71,900	85	1.18	30	.28	4.2
Corning	15,700	20	1.27	5	.32	4.0
Cortland	13,800	14	1.01	6	.36	2.8
Dunkirk	19,900	32	1.61	13	.65	2.5
Elmira	48,400	66	1.36	13	.27	5.1
Freeport		25		3		8.3
Geneva	15,900	19	1.19	8	.50	2.4
Glens Falls	17,900	31	1.73	13	.73	2.4
Gloversville	22,100	20	.90	6	.27	3.3
Hornell	15,800			6	.38	
Hudson	11,800	47	3.98	12	1.02	3.9
Ilion	10,400	10	.96	8	.77	1.2
Ithaca	18,900	29	1.53	16	.85	1.8
Jamestown	43,400	51	1.18	15	.35	3.4
Johnson City		7		3		2.3
Johnstown	10,700	12	1.12	8	.75	1.5
Kingston	28,100	43	1.53	42	1.49	1.0
Lackawanna	20,200	59	2.92	8	.40	7.4
Little Falls	12,400	20	1.61	6	.48	3.3
Lockport	21,700	21	.97	8	.37	2.6
Middletown	20,400	29	1.42	10	.50	2.9
Mount Vernon	50,400	49	.97	21	.42	2.3
New Rochelle	44,200	53	1.20	17	.38	3.1
Newburgh	30,400	52	1.71	38	1.25	1.4
Niagara Falls	57,000	98	1.72	25	.44	3.9
North Tonawanda	17,400	27	1.55	11	.63	2.5
Olean	21,300	64	3.00	4	.19	16.0
Peekskill	18,000	29	1.61	23	1.28	1.3
Plattsburgh	11,600			10	.86	
Poughkeepsie	35,700	63	1.76	21	.59	3.0
Rensselaer	11,400	34	2.98	3	.26	11.3
Rome	30,300	48	1.58	27	.89	1.8
Salamancas		5		4		1.2
Saratoga Springs	13,900	22	1.58	20	1.44	1.1
Schenectady	92,800	115	1.24	36	.39	3.2
Troy	72,200	178	2.47	60	.83	3.0
Watertown	32,800	41	1.25	31	.95	1.3
Watervliet	16,200	30	1.85	11	.68	2.7
White Plains	27,400	46	1.68	12	.44	3.8
North Carolina:						
Asheville	31,500	471	14.95	152	4.83	3.1
Charlotte	53,300			43	.81	
Greensboro	47,100			36	.76	
High Point	23,600			19	.81	
New Bern	12,200			15	1.23	
Raleigh	30,400			51	1.68	
Rocky Mount	15,100			15	.99	
Salisbury	17,700	10	.56	6	.34	1.7
Wilmington	37,100			17	.46	
Wilson	12,800			23	1.80	
Winston-Salem	69,000	160	2.32	82	1.19	2.0
North Dakota:						
Fargo	24,900	6	.24	0		
Ohio:						
Ashtabula	25,100			9	.36	
Barberton	23,300	72	3.09	10	.43	7.2
Bellaire	16,300	11	.67	6	.37	1.8
Bellefontaine		5		4		1.2
Bucyrus	11,700	9	.77	6	.51	1.5
Cambridge	14,000			19	1.36	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Chillicothe	16,600	11	0.66	10	0.60	1.1
Cleveland Heights	22,200	17	.77	4	.18	4.2
Conneaut	4	4	—	2	—	2.0
Coshocton	11,600	16	1.38	3	.25	5.3
Cuyahoga Falls	13,700	27	1.97	1	.07	27.0
East Cleveland	37,600	45	1.20	11	.29	4.1
East Liverpool	22,000	28	1.27	25	1.14	1.1
East Youngstown (Campbell)	16,000	—	—	3	.19	—
Elyria	23,800	—	—	6	.25	—
Findlay	18,200	25	1.37	11	.60	2.3
Fostoria	8	8	—	4	—	2.0
Fremont	13,900	—	—	8	.58	—
Hamilton	42,400	—	—	46	1.08	—
Ironton	14,500	—	—	16	1.10	—
Kenmore	19,400	41	2.11	7	.36	5.9
Lakewood	56,800	18	.32	18	.32	1.0
Lancaster	16,100	22	1.37	10	.62	2.2
Lima	46,700	—	—	25	.54	—
Lorain	42,300	51	1.21	20	.47	2.5
Mansfield	31,800	33	1.04	24	.75	1.4
Marietta	15,300	—	—	6	.39	—
Marion	32,500	60	1.85	20	.62	3.0
Martins Ferry	15,500	—	—	12	.77	—
Middletown	30,800	37	1.20	21	.68	1.8
Newark	30,500	69	2.26	23	.75	3.0
Niles	16,600	8	.48	4	.24	2.0
Norwood	29,900	29	.97	10	.33	2.9
Piqua	16,000	12	.75	—	—	—
Salem	11,100	34	3.06	8	.72	4.2
Sandusky	24,500	—	—	11	.45	—
Springfield	68,700	—	—	48	.70	—
Steubenville	32,000	26	.81	10	.31	2.6
Zanesville	30,400	51	1.68	23	.76	2.2
Oklahoma:						
Ardmore	17,200	46	2.67	14	.81	3.3
Guthrie	11,800	—	—	15	1.27	—
Okmulgee	25,300	34	1.34	27	1.07	1.3
Sapulpa	14,200	6	.42	1	.07	6.0
Oregon:						
Astoria	16,500	—	—	5	.30	—
Eugene	11,400	—	—	7	.61	—
Pennsylvania:						
Allentown	92,200	—	—	72	.78	—
Altoona	65,100	34	.51	25	.38	1.4
Braddock	21,700	30	1.38	18	.83	1.7
Bradford	15,800	—	—	12	.76	—
Butler	25,200	—	—	18	.71	—
Canonsburg	13,500	—	—	5	.37	—
Carlisle	11,400	4	.35	—	—	—
Carnegie	12,400	—	—	5	.40	—
Carrick	13,000	2	.15	—	—	—
Charleroi	12,600	3	.24	—	—	—
Clairton	14,900	11	.74	3	.20	3.7
Coatesville	16,500	39	2.36	5	.30	7.8
Columbia	4	4	—	—	—	—
Connellsville	14,300	11	.77	9	.63	1.2
Duquesne	20,900	22	1.05	2	.10	11.0
Easton	36,800	—	—	24	.65	—
Farrell	18,700	9	.48	2	.11	4.5
Harrisburg	83,400	47	.56	39	.47	1.2
Hazleton	36,100	17	.47	—	—	—
Homestead	21,400	22	1.03	19	.89	1.2
Jeannette	11,700	—	—	5	.43	—
Kingston	18,000	—	—	9	.50	—
Lancaster	50,500	—	—	34	.60	—
Lewistown	—	—	—	15	—	—
McKees Rocks	18,100	19	1.05	4	.22	4.7
McKeesport	49,100	56	1.14	16	.33	3.5
Monessen	21,200	5	.24	2	.09	2.5
Mount Carmel	—	5	—	0	—	—
Nanticoke	24,700	—	—	14	.57	—
New Castle	49,800	—	—	24	.48	—
Norristown	34,800	—	—	21	.60	—
North Braddock	16,700	19	1.14	10	.60	1.9

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.						
Oil City	23,300	10	0.43			
Olyphant	11,200	12	1.07	6	0.54	2.0
Pittston	19,800	6	.30			
Plymouth		5				
Pottstown	18,500			6	.32	
Sharon	23,000			16	.64	
Steelton		15		15		1.0
Sunbury	16,800	11	.65	11	.65	1.0
Swissvale	12,900			9	.70	
Vandergrift				4		
Warren	15,100	74	4.90	8	.53	9.2
Washington	23,000	4	.17			
West Chester				7		
Wilkes-Barre	77,600	55	.71	41	.53	1.3
Wilkinsburg	27,400	15	.55	15	.55	1.0
Windber		2		2		
Woodlawn	18,900	11	.58	3	.16	3.7
York	49,100			25	.51	
Rhode Island:						
Cranston	34,500	13	.38	11	.32	1.2
Newport	27,800			24	.86	
Pawtucket	69,800			19	.27	
Woonsocket	49,700			27	.54	
South Carolina:						
Anderson	11,100	5	.45	2	.18	2.5
Charleston	73,100			135	1.85	
Greenville	27,300			19	.70	
Spartanburg	25,500			35	1.37	
Sumter				16		
South Dakota:						
Sioux Falls	30,100	25	.83	25	.83	1.0
Tennessee:						
Chattanooga	66,600	143	2.15			
Knoxville	95,500			110	1.15	
Texas:						
Beaumont	50,600			33	.65	
Cleburne	14,200	7	.49	4	.28	1.8
Corpus Christi	11,800	8	.68	5	.42	1.6
Galveston	48,400			43	.89	
Greenville	14,400			7	.49	
Orange		8		6		1.3
San Angelo				74		
Texarkana	12,400	7	.56			
Tyler	13,000			4	.32	
Waco	43,900			45	1.03	
Utah:						
Logan		1		1		1.0
Ogden	36,900			6	.16	
Provo	11,200			2	.18	
Vermont:						
Barre				33		
Burlington	24,100			14	.58	
Virginia:						
Alexandria	18,500			16	.80	
Charlottesville	11,200			9	.80	
Danville	23,000	63	2.74	16	.70	3.9
Lynchburg	30,400			31	1.02	
Newport News	47,100			74	1.57	
Petersburg	35,700	84	2.35	53	1.48	1.6
Portsmouth	59,000	84	1.42	55	.93	1.5
Roanoke	58,200			45	.77	
Suffolk				45		
Washington:						
Aberdeen	16,200	17	1.05	17	1.05	1.0
Bremerton		9		1		9.0
Everett	29,300	17	.58	1	.03	17.0
Vancouver	14,500			6	.41	
Walla Walla		28		21		1.3
Yakima	22,700	16	.70	10	.44	1.6
West Virginia:						
Bluefield	19,300			12	.62	
Charleston	40,000			43	.88	
Clarksburg	30,400			20	.66	
Martinsburg	13,500			15	1.11	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
West Virginia—Continued.						
Morgantown	13,800			11	0.80	
Parkersburg	21,300			10	.47	
Wheeling		184		46		4.0
Wisconsin:						
Appleton	21,100	14	0.66	12	.57	1.2
Beloit	24,800	20	.81	11	.44	1.8
Eau Claire	22,400	25	1.12	12	.54	2.1
Fond du Lac	26,000			2	.08	
Green Bay	34,300	26	.76	19	.55	1.4
Janesville	20,800			5	.24	
Kenosha	50,900	46	.90	15	.29	3.0
La Crosse	30,400	36	1.18	21	.69	1.7
Madison	46,400	35	.75			
Manitowoc	22,100	16	.72	16	.72	1.0
Marinette		37		16		2.3
Oshkosh	33,200	29	.87	12	.36	2.4
Racine	67,700	87	1.29	31	.46	2.8
Sheboygan	33,500	28	.84	15	.45	1.9
Superior				41		
Waukesha	14,700	10	.68	10	.68	1.0
Wausau	20,100	20	1.00	8	.40	2.5
West Allis	18,400	28	1.52	8	.43	3.5
Wyoming:						
Cheyenne	15,500			8	.52	

TUBERCULOSIS (PULMONARY)

Alabama:						
Anniston	20,500	31	1.51	29	1.41	1.1
Dothan	14,500	10	.69	8	.55	1.2
Florence	12,700	35	2.76	24	1.89	1.5
Mobile	66,000			62	.94	
Tuscaloosa	13,100	12	.92	10	.76	1.2
Arizona:						
Phoenix	38,700			303	7.83	
Arkansas:						
Little Rock	74,200	117	1.58	91	1.23	1.3
California:						
Alhambra		35		8		4.4
Bakersfield	23,500			50	2.13	
Berkeley	66,200	93	1.40	22	.33	4.2
Chico				4		
Glendale	21,300			42	1.97	
Long Beach	91,200	53	.58	39	.43	1.4
Pasadena	56,700			44	.78	
Pomona	15,400	46	2.99	9	.58	5.1
Riverside				31		
Sacramento	72,300			101	1.40	
San Bernardino	22,800			88	3.86	
Santa Ana	19,500	14	.72	12	.62	1.2
Santa Monica	19,400			16	.82	
Stockton	47,300	113	2.39	28	.59	4.0
Vallejo	26,000			9	.34	
Colorado:						
Boulder	11,800			14	1.19	
Greeley	12,500			13	1.04	
Pueblo	43,800			36	.82	
Trinidad	11,000			7	.64	
Connecticut:						
Danbury				14		
Fairfield	14,500	10	.69			
Greenwich	25,300	29	1.15	11	.43	2.6
Manchester	21,000	12	.57			
Meriden	36,300	22	.61			
Milford	13,500	6	.44	0		
New Britain	68,000	102	1.50	25	.37	4.1
New London	29,100	36	1.24	15	.52	2.4
Norwich	23,100	28	1.21	15	.65	1.9
Shelton		3		2		1.5
Stamford	40,700			20	.49	
Stratford	16,100	22	1.37	5	.31	4.4

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhab- itants	Deaths regis- tered, 1925	Deaths per 1,000 inhab- itants	Cases reported for each death regis- tered
Florida:						
Tampa	94,700			88	0.93	
West Palm Beach				9		
Georgia:						
Albany	13,500			16	1.19	
Augusta	55,200			91	1.65	
Brunswick	16,800			17	1.01	
Lagrange	23,500	63	2.68	32	1.36	2.0
Savannah	93,100			121	1.30	
Idaho:						
Pocatello	18,300	2	11	1	.05	2.0
Illinois:						
Alton	26,800			6	.22	
Aurora	40,300	93	2.31	35	.87	2.7
Berwyn	18,900	15	.79	7	.37	2.1
Bloomington	30,400	58	1.91	9	.30	6.4
Blue Island	13,200			12	.91	
Centralia	14,100	21	1.49			
Champaign	18,200			8	.44	
Chicago Heights	22,100			5	.23	
Cicero	62,200	73	1.17	14	.23	5.2
Danville	37,000	90	2.43	20	.54	4.5
Decatur	83,900			30	.36	
East Moline		3		2		1.5
East St. Louis	71,400			44	.62	
Elgin	33,400	34	1.02	4	.12	8.5
Freeport	20,700	5	.24			
Granite City	18,200			6	.33	
Jacksonville	15,900	51	3.21	26	1.64	2.0
Joliet	40,600			13	.32	
Kewanee	19,700	19	.96	6	.30	3.2
La Salle	13,900	13	.94	9	.65	1.4
Maywood	14,200			6	.42	
Moline	33,900	38	1.12	21	.62	1.8
Murphysboro	12,500			3	.24	
Oak Park	51,400	25	.49	14	.27	1.8
Pekin	13,300			4	.30	
Peoria	81,600			10	.12	
Quincy		44		4		11.0
Rock Island	40,000	19	.47	2	.05	9.5
Rockford	76,500			23	.30	
Springfield	63,900	51	.80	37	.58	1.4
Streator	15,100			4	.26	
Indiana:						
Anderson	33,900			25	.74	
Connersville	12,500	3	.24	3	.24	1.0
Crawfordsville	10,500			4	.38	
East Chicago	45,600			22	.48	
Elwood				6		
Fort Wayne	97,800			42	.43	
Frankfort	13,100			8	.61	
Gary	76,900	46	.60	22	.29	2.1
Huntington	15,900			5	.31	
Jeffersonville		2		2		
Kokomo	36,900			21	.57	
La Fayette	23,800	19	.80	13	.55	1.5
Logansport	23,100	6	.26	3	.13	2.0
Marion	26,300			15	.57	
Michigan City	20,300			16	.79	
Muncie	42,500			16	.38	
New Albany				19		
Richmond	30,500			16	.52	
Terre Haute	71,100			50	.70	
Wabash				1		
Whiting	12,200	15	1.23	7	.57	2.1
Iowa:						
Boone	12,800			3	.23	
Cedar Rapids	50,600			15	.30	
Council Bluffs	39,800			12	.30	
Dubuque	41,000			21	.51	
Muscatine	16,800	10	.60	4	.24	2.5

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:						
Coffeyville.....	16,200	22	1.36	8	0.49	2.7
Emporia.....	12,200	35	2.87	—	—	—
Fort Scott.....	11,800	12	1.02	5	.42	2.4
Lawrence.....	12,300	19	1.54	4	.33	4.7
Parsons.....	14,800	—	—	8	.54	—
Pittsburg.....	19,200	16	.83	4	.21	4.0
Kentucky:						
Covington.....	58,300	—	—	68	1.17	—
Henderson.....	12,600	4	.32	—	—	—
Newport.....	—	41	—	41	—	1.0
Louisiana:						
Baton Rouge.....	27,800	—	—	2	.07	—
Lake Charles.....	—	21	—	12	—	1.7
Shreveport.....	57,900	—	—	160	1.04	—
Maine:						
Auburn.....	18,100	—	—	1	.06	—
Bath.....	17,800	7	.39	5	.28	1.4
Biddeford.....	18,500	28	1.51	11	.59	2.5
Lewiston.....	34,900	28	.80	8	.23	3.5
Portland.....	73,300	50	.68	22	.29	2.3
Sanford.....	11,600	7	.60	4	.34	1.7
South Portland.....	—	13	—	—	—	—
Massachusetts:						
Adams.....	13,500	22	1.63	7	.52	3.1
Amesbury.....	11,200	10	.89	1	.09	10.0
Arlington.....	24,900	34	1.37	4	.16	8.5
Athol.....	—	3	—	2	—	1.5
Attleboro.....	20,600	69	3.35	39	1.89	1.8
Belmont.....	15,300	25	1.63	6	.39	4.2
Beverly.....	22,700	22	.97	7	.31	3.1
Braintree.....	13,200	—	—	35	2.65	—
Brocton.....	65,300	70	1.07	15	.23	4.7
Brookline.....	42,700	40	.94	22	.52	1.8
Chelsea.....	47,200	82	1.74	31	.66	2.6
Chilcopee.....	41,900	53	1.26	28	.67	1.9
Clinton.....	14,200	8	.56	1	.07	8.0
Danvers.....	11,800	26	2.20	11	.93	2.4
Dedham.....	13,900	3	.36	3	.22	1.7
Easthampton.....	11,600	14	1.21	6	.52	2.3
Everett.....	42,100	56	1.33	18	.43	3.1
Framingham.....	21,100	48	2.27	14	.66	3.4
Gardner.....	18,700	36	2.90	8	.43	7.0
Gloucester.....	23,400	35	1.50	11	.47	3.2
Greenfield.....	15,200	10	.66	4	.26	2.5
Haverhill.....	49,200	54	1.10	33	.67	1.6
Holyoke.....	60,300	64	1.06	56	.93	1.1
Lawrence.....	93,500	82	.88	41	.44	2.0
Leominster.....	22,100	23	1.04	10	.45	2.3
Malden.....	51,800	71	1.37	14	.27	5.1
Marlboro.....	16,200	16	.99	9	.56	1.8
Medford.....	47,600	50	1.05	0	—	—
Melrose.....	20,200	23	1.14	12	.59	1.9
Methuen.....	20,600	31	1.50	8	.39	3.9
Milford.....	14,800	14	.95	10	.68	1.4
Milton.....	—	9	—	2	—	4.5
Newburyport.....	15,700	—	—	7	.45	—
Newton.....	53,000	51	.96	20	.38	2.5
North Adams.....	22,700	17	.75	7	.31	2.4
Northampton.....	24,100	168	2.41	112	.50	4.8
Northbridge.....	10,100	4	.40	2	.20	2.0
Palmer.....	—	—	—	3	—	—
Peabody.....	19,900	14	.70	4	.20	3.5
Pittsfield.....	46,900	38	.81	24	.51	1.6
Plymouth.....	13,200	—	—	6	.45	—
Quincy.....	60,100	62	1.03	20	.33	3.1
Revere.....	33,300	32	.96	2	.06	16.0
Salem.....	42,800	56	1.31	20	.47	2.8
Saugus.....	12,700	8	.63	3	.24	2.7
Somerville.....	99,000	116	1.17	39	.39	3.0
Southbridge.....	15,500	7	.45	4	.26	1.7
Taunton.....	39,300	56	1.42	33	.84	1.7
Wakefield.....	15,600	11	.71	5	.32	2.2
Waltham.....	34,700	31	.89	12	.35	2.6

* Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Watertown	25,500	28	1.10	4	0.16	7.0
West Springfield	15,300	12	.78			
Westfield	19,300	24	1.24	1	.06	24.0
Winchester	11,600	7	.60	0		
Winthrop	16,200	8	.49	5	.31	1.6
Woburn	18,400	13	.71	8	.43	1.6
Michigan:						
Ann Arbor	22,200	92	4.14	8	.36	11.5
Bay City	48,900	33	.67	21	.43	1.6
Hamtramck	81,700			27	.33	
Highland Park	72,300			14	.19	
Holland	13,100	13	.99	5	.38	2.6
Ironwood	17,400	21	1.21	18	1.03	1.2
Ishpeming		14		7		2.0
Jackson	58,000	55	.95	20	.34	2.7
Kalamazoo	53,600	51	.95	25	.47	2.0
Lansing	70,800	87	1.23	14	.20	6.2
Marquette	13,400	16	1.19	7	.52	2.3
Muskegon Heights		13		4		3.2
River Rouge		5		3		1.7
Sault Ste. Marie		18		6		3.0
Minnesota:						
Albert Lea		1		1		1.0
Austin	11,900	1	.08			
Faribault	12,300			7	.57	
Mankato	13,700			5	.36	
Rochester	17,000	52	3.06	17	1.00	3.1
Virginia	16,000	5	.31	5	.31	1.0
Winona	19,500	5	.26			
Mississippi:						
Biloxi	12,600			5	.40	
Meridian	24,300	24	.99			
Natchez	13,100	28	2.14	18	1.37	1.6
Missouri:						
Independence	12,700			4	.31	
Joplin		6				
Moberly	13,900			4	.29	
St. Joseph	78,300			41	.52	
Springfield	42,100	60	1.19	30	.71	1.7
Montana:						
Anaconda	12,500			7	.56	
Butte	42,900			84	1.96	
Great Falls	29,900			10	.33	
Helena				21		
Nebraska:						
Lincoln	60,900	40	.66	25	.41	1.6
North Platte	13,700			5	.36	
Nevada:						
Reno	12,700			4	.31	
New Hampshire:						
Berlin	18,600	33	1.77	2	.11	16.5
Concord	22,500			22	.98	
Dover				8		
Keene	11,900	12	1.01	0		
Manchester	83,100			19	.23	
Nashua	29,700			5	.17	
Portsmouth	14,900	75	5.03			
New Jersey:						
Asbury Park	13,700	31	2.26	12	.88	2.6
Bayonne	88,800			30	.34	
Belleville	18,900	20	1.06	10	.53	2.0
Bloomfield	26,000	25	.96	5	.19	5.0
Bridgeton	14,400	11	.78	7	.49	1.6
Carteret	14,000	18	1.29			
Clifton	34,700	49	1.41	18	.52	2.7
Collingswood				4		
Dover		15		5		3.0
East Orange	60,000	58	.97	33	.65	1.8
Englewood	12,600			6	.48	
Gloucester City	13,700	14	1.02	4	.29	3.5
Harrison	16,400	28	1.71			
Hoboken		91				

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Irington	33,200	34	1.02	14	0.42	2.4
Kearny	31,300	12	.38	9	.29	1.3
Lodi	16	16		7		2.3
Long Branch	13,600	24	1.76	6	.44	4.0
Montclair	32,900	62	1.88	25	.76	2.5
Morristown	12,600	16	1.27	3	.24	5.3
Nutley	18	18		2		9.0
Orange	35,400	45	1.27	18	.51	2.5
Passaic	69,000	52	.75	21	.30	2.5
Phillipsburg	18,600	7	.38			
Plainfield	31,700	30	.95	17	.54	1.8
Rahway	12,000	6	.50	6	.50	1.0
Red Bank		18		4		4.5
Ridgefield Park				5		
Rutherford		3		1		3.0
Summit	11,700			8	.68	
Union City	63,100	4	.06			
New Mexico:						
Albuquerque	21,000			246	11.71	
New York:						
Amsterdam	35,300	52	1.47	15	.42	3.5
Binghamton	71,900	80	1.11	15	.21	5.3
Corning	15,700	19	1.21	4	.25	4.7
Cortland	13,900	13	.94	4	.29	3.2
Dunkirk	19,900	29	1.46	9	.45	3.2
Elmira	48,400	58	1.20			
Freeport		3		2		1.5
Geneva	15,900	7	.44	5	.31	1.4
Hornell	15,800			5	.32	
Ilion	10,400	10	.96	8	.77	1.2
Ithaca	18,900	23	1.22	15	.79	1.5
Jamestown	43,400	43	.99	12	.28	3.6
Johnson City		7		1		7.0
Johnstown	10,700	9	.84	7	.65	1.3
Kingston	28,100	43	1.53	42	1.49	1.0
Lackawanna	20,200	54	2.67	7	.35	7.7
Lockport	21,700	20	.92	7	.32	2.9
Mount Vernon	50,400	38	.75	17	.34	2.2
New Rochelle	44,200	49	1.11	12	.27	4.1
Niagara Falls	57,000	91	1.60	21	.37	4.3
North Tonawanda	17,400	24	1.38	7	.40	3.4
Olean	21,300	59	2.77	0		
Peekskill	18,000	29	1.61	23	1.28	1.3
Plattsburg	11,600			7	.60	
Poughkeepsie	35,700	50	1.40	12	.34	4.2
Rensselaer	11,400	19	1.67	2	.18	9.5
Rome	30,300	36	1.19	21	.69	1.7
Salamanca		5		4		1.2
Schenectady	92,800	108	1.16	30	.32	3.6
Watervliet	16,200	29	1.79	0		
White Plains	27,400	42	1.53	9	.33	4.7
North Carolina:						
Greensboro	47,100	41	.87	32	.68	1.3
High Point	23,000			17	.72	
New Bern	12,200			12	.98	
Raleigh	30,400			50	1.64	
Rocky Mount	15,100			15	.99	
Salisbury	17,700	10	.56	6	.34	1.7
Wilmington	37,100			12	.32	
Wilson	12,800			21	1.64	
Winston-Salem	69,000	148	2.14	72	1.04	2.1
Ohio:						
Ashtabula	25,100			8	.32	
Barberton	23,300	72	3.09	10	.43	7.2
Bellaire	16,300	9	.55	6	.37	1.5
Bucyrus	11,700	9	.77	4	.34	2.2
Cambridge	14,000			14	1.00	
Cleveland Heights	22,200	17	.77	4	.18	4.2
Coshocton	11,600	16	1.38	3	.26	5.3
East Cleveland	37,600	43	1.14	7	.19	6.1
East Liverpool	22,000			21	.95	
East Youngstown (Campbell)	16,000	9	.56	1	.06	9.0
Elyria	23,800	8	.34	6	.25	1.3
Fostoria		7		3		2.3

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhab- itants	Deaths regis- tered, 1925	Deaths per 1,000 inhab- itants	Cases reported for each death regis- tered
Ohio—Continued.						
Fremont	13,900			7	0.50	
Hamilton	42,400			30	.71	
Lakewood	56,800	14	0.25	14	.25	1.0
Lancaster	16,100	22	1.37	10	.62	2.2
Lima	46,700			23	.49	
Lorain	42,300	49	1.16	18	.43	2.7
Marietta	15,300			5	.33	
Marion	32,500	60	1.85	20	.62	3.0
Martins Ferry	15,500			11	.71	
Middletown	30,800	37	1.20	12	.39	3.1
Newark	30,500	69	2.26	23	.75	3.0
Norwood	29,900			10	.33	
Piqua	16,000	11	.69			
Salem	11,100	34	3.06	6	.54	5.7
Sandusky	24,500			11	.45	
Springfield	68,700			46	.67	
Steubenville	32,000	26	.81	10	.31	2.6
Zanesville	30,400	47	1.55	19	.62	2.5
Oklahoma:						
Ardmore	17,200	24	1.40	4	.23	6.0
Guthrie	11,800			15	1.27	
Okmulgee	25,300	7	.28	7	.28	1.0
Sapulpa	14,200	6	.42	1	.07	6.0
Oregon:						
Astoria	16,500			5	.30	
Eugene	11,400			5	.44	
Pennsylvania:						
Altoona	66,100	34	.51	25	.38	1.4
Braddock	21,700	20	.92	12	.55	1.7
Bradford	15,800	1	.06			
Butler	25,200			12	.48	
Canonsburg	13,500			4	.30	
Carnegie	12,400			3	.24	
Farrell	18,700	9	.48	2	.11	4.8
Harrisburg	83,400			34	.41	
Homestead	21,400	22	1.03	19	.89	1.2
Jeannette	11,700			5	.43	
Kingston	18,000	13	.72	8	.44	1.6
Lancaster	56,500	20	.35			
Lewistown				15		
McKeesport	49,100			13	.26	
Monessen	21,200	5	.24	2	.09	2.5
Mount Carmel		5		0		
Nanticoke	24,700			13	.53	
Norristown	34,800	2	.06	0		
North Braddock	16,700	19	1.14	10	.60	1.9
Oil City	23,300	10	.43			
Olyphant	11,200	12	1.07	4	.36	3.0
Pittston	19,800	6	.30			
Pottstown	18,500			6	.32	
Sharon	25,000	12	.48			
Steelton		15		15		1.0
Sunbury	16,800			6	.36	
Swissvale	12,900			9	.70	
Washington	23,000	4	.17			
West Chester				7		
Windber				2		
Woodlawn	18,000	11	.58	3	.16	3.7
Rhode Island:						
Cranston	34,500	13	.38			
Newport	27,800			20	.72	
Pawtucket	69,800			13	.19	
Woonsocket	49,700			15	.30	
South Carolina:						
Charleston	73,100			122	1.67	
Greenville	27,300			17	.62	
Spartanburg	25,500	1	.04			
Sumter				13		
South Dakota:						
Sioux Falls	30,100	20	.66	20	.66	1.0
Tennessee:						
Knoxville	95,500			89	.93	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Cleburne.....	14,200	7	0.49	4	0.28	1.7
Corpus Christi.....	11,800	6	.51	3	.25	2.0
Galveston.....	48,400			37	.76	
Greenville.....	14,400			7	.49	
Orange.....		8		6		1.3
San Angelo.....				52		
Texarkana.....	12,400	3	.24	0		
Utah:						
Logan.....		1		1		1.0
Provo.....	11,200			2	.18	
Vermont:						
Barre.....				18		
Burlington.....	24,100			11	.46	
Virginia:						
Charlottesville.....	11,200			9	.80	
Danville.....	23,000			16	.70	
Lynchburg.....	30,400	39	1.28	25	.82	1.6
Petersburg.....	35,700	76	2.13	45	1.26	1.7
Portsmouth.....	59,000	74	1.25	50	.85	1.5
Roanoke.....	58,200	42	.72	35	.60	1.2
Suffolk.....				45		
Washington:						
Aberdeen.....	16,200	11	.68	11	.68	1.0
Bremerton.....		6		1		6.0
Vancouver.....	14,500			4	.28	
Yakima.....	22,700	16	.70	6	.26	2.7
West Virginia:						
Bluefield.....	19,300			8	.41	
Clarksburg.....	30,400	17	.56	15	.49	1.1
Martinsburg.....	13,500			11	.81	
Morgantown.....	13,800	16	1.16	5	.36	3.2
Parkersburg.....	21,300			6	.28	
Wheeling.....		175		38		4.6
Wisconsin:						
Appleton.....	21,100	14	.66	12	.57	1.2
Beloit.....	24,800	20	.81	8	.32	2.5
Green Bay.....	34,300	20	.58	13	.38	1.5
Janesville.....	20,800			4	.19	
Kenosha.....	50,000	46	.90	0		
La Crosse.....	30,400	36	1.18	20	.66	1.8
Manitowish.....	22,100			16	.72	
Marquette.....				12		
Racine.....	67,700	80	1.18	24	.35	3.3
Superior.....				22		
Waukesha.....	14,700	1	.07			
Wausau.....	20,100			6	.30	
West Allis.....	18,400	28	1.52	8	.43	3.5
Wyoming:						
Cheyenne.....	15,500			4	.26	

TYPHOID FEVER

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	16	42	2.05	1	0.05	2.4
Dothan.....	14,500	2	11	4	.28	4	.28	100.0
Florence.....	12,700	1	11	6	.47	1	.08	16.7
Mobile.....	66,000	6	41	33	.50	7	.11	21.2
Montgomery.....	46,500	8	18	54	1.16	11	.24	20.4
Selma.....	17,000	1	11			4	.24	
Tuscaloosa.....	13,100			16	1.22	1	.08	6.2

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Arizona:								
Phoenix	38,700	2	5	7	0.18	0		
Tucson	26,700	5	12	71	2.66	5	0.19	7.0
Arkansas:								
Hot Springs		3	6	25				
Little Rock	74,200	7	63	128	1.73	17	.23	13.3
California:								
Alameda	31,900	7	3	6	.19	1	.03	16.7
Alhambra		2	10	2		0		
Bakersfield	23,500	6	1	2	.09	1	.04	50.0
Berkeley	66,200	7	14	17	.26	0		
Chico		2	2	4		1		25.0
Fresno	58,500	5	6	17	.29	1	.02	5.9
Glendale	21,300	4	6	2	.09	0		
Long Beach	91,200	7	17	17	.19	1	.01	5.9
Modesto		2	3	2		0		
Pasadena	56,700	7	9	10	.18	2	.04	20.0
Pomona	15,400	5	3	1	.06	0		
Riverside		7	9	14		1		7.1
Sacramento	72,300	7	47	44	.61	5	.07	11.4
San Bernardino	22,800	7	9			4	.18	
San Jose	43,600	5	5	6	.14	3	.07	50.0
Santa Ana	19,500	3	4	8	.41	1	.05	12.5
Santa Barbara	24,000	5	5			1	.04	
Stockton	47,300	4	58			4	.08	
Colorado:								
Boulder	11,800	5	7	3	.25	0		
Colorado Springs		7	15	23		4		17.4
Pueblo	43,800	4	25	62	1.42	11	.25	17.7
Trinidad	11,000	7	10	10	.91	1	.09	10.6
Connecticut:								
Danbury		4	9	3		2		66.7
Fairfield	14,500	4	2	3	.21	0		
Greenwich	25,300	7	3	2	.08	0		
Manchester	21,000	6	3	60	2.86			
Meriden	36,300	5	5	2	.06			
Milford	13,500	5	3	2	.15	0		
New Britain	68,000	6	10	12	.18	1	.01	8.3
New London	29,100	7	4	2	.07	1	.03	50.0
Norwich	23,100	7	5	9	.39	1	.04	11.1
Stamford	40,700	2	6	7	.17	1	.02	14.3
Stratford	16,100	4	2	5	.31	0		
Florida:								
St. Petersburg	26,800	2	6	58	2.16	6	.22	10.3
Tampa	94,700	3	35	52	.55	14	.15	26.9
West Palm Beach		2	3	5		3		60.0
Georgia:								
Albany	13,500	4	11	5	.37	0		
Augusta	55,200	5	48	51	.92	18	.33	35.3
Brunswick	16,800	7	18	12	.71	1	.06	8.3
Lagrange	23,500	2	13	18	.77	3	.13	16.7
Macon	58,200	7	42	88	1.51	21	.36	23.9
Rome	13,900	5	29	18	1.29	4	.29	22.2
Savannah	93,100	6	58	35	.38	19	.10	25.7
Idaho:								
Boise	23,000	6	5	7	.30	0		
Pocatello	18,300	6	5	6	.33	0		
Illinois:								
Alton	28,800	6	6			3	.11	
Aurora	40,300	6	18	9	.22	0		
Berwyn	18,900	3	0	2	.11	0		
Bloomington	30,400	5	4	4	.13	1	.03	25.0
Centralia	14,100	6	9	3	.21			
Champaign	18,200	7	6	4	.22	1	.05	25.0
Chicago Heights	22,100	4	1			1	.05	
Cicero	62,200	7	3	2	.03	0		
Danville	37,000	5	5	7	.19	1	.03	14.3
Decatur	53,900	4	18	9	.17	3	.06	33.3
East Moline		2	1	3		0		
East St. Louis	71,400	6	13	4	.06	4	.06	100.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois—Continued.								
Elgin	33,400	7	6	7	0.21	2	0.06	28.6
Evanston	43,900	7	5	8	.18	2	.05	25.0
Freeport	20,700	5	1	7	.34	1	.05	14.3
Galesburg	24,800	7	16	22	.89	4	.16	18.2
Granite City	18,200	4	3			1	.05	
Jacksonville	15,900	7	24	35	2.20	1	.06	2.9
Joliet	46,600	4	45	22	.64	6	.15	27.3
Kewanee	19,700	4	12	9	.46	0		
Maywood	14,200	7	1	1	.07	0		
Moline	33,900	7	14	2	.06		.03	50.0
Murphysboro	12,500	3	6	13	1.04	3	.24	23.1
Oak Park	51,400	7	5	5	.10	2	.04	40.0
Ottawa	11,500	5	1	6	.52	0		
Pekin	13,300	7	3	3	.23	0		
Peoria	81,600	6	9	8	.10	1	.01	12.5
Quincy		7	14	16		0		
Rock Island	40,000	6	8	9	.22	3	.07	33.3
Rockford	76,500	7	10	19	.25	2	.03	10.5
Springfield	63,900	6	16	12	.19	4	.06	33.3
Waukegan	22,000	4	13	7	.32	0		
Indiana:								
Connersville	12,500	1	2	2	.16	1	.08	50.0
East Chicago	45,000	7	10	01	.22	3	.07	30.0
Elwood		5	3	10		1		10.0
Fort Wayne	97,800	7	33	78	.78	9	.09	11.8
Gary	78,900	4	3			3	.04	
Hammond	50,400	5	32	15	.30	3	.06	20.0
Huntington	15,900	5	9	23	1.45	1	.06	4.3
Kokomo	36,900	7	11	1	.03	0		
LaFayette	23,800	7	7	3	.1	2	.08	66.7
Logansport	23,100	7	7	9	.39	0		
Michigan City	20,300	4	4	5	.25	1	.05	20.0
Mishawaka	16,700	6	4	7	.42	0		
Muncie	42,800	6	13	26	.61	3	.07	11.5
New Albany		4	3	2		1		50.0
Newcastle	17,000	7	3	7	.41	2	.12	28.6
Peru	12,700	2	3	1	.08	1	.08	100.0
Richmond	30,800	7	3	5	.16	0		
South Bend	80,100	5	11	7	.09	1	.01	14.3
Terre Haute	71,100	5	7			13	.18	
Whiting	12,200	4	2	1	.08	0		
Iowa:								
Burlington	26,400	6	4	4	.15	1	.04	25.0
Cedar Rapids	50,600	6	2	6	.12	2	.04	33.3
Clinton	26,400	3	2	1	.04	6		
Council Bluffs	39,800			5	.13	2	.05	40.0
Iowa City	15,300			1	.07			
Marshalltown	16,000	3	1	6	.36			
Mason City	22,700	6	1	5	.22	1	.04	20.0
Muscatine	16,800	5	5	2	.12	2	.12	
Ottumwa	26,400			6	.23	1	.04	100.7
Waterloo	36,800	3	25	6	.16	1	.03	16.7
Kansas:								
Arkansas City	14,000			5	.36	0		
Coffeyville	16,200	6	17	25	1.54	1	.06	4.0
Emporia	12,300	2	12	22	1.80	5	.41	22.7
Fort Scott	11,800	7	5	5	.42	0		
Hutchinson	26,000	5	13	37	2.10			
Independence	10,900					2	.18	
Lawrence	12,300	7	7	4	.33	3	.24	75.0
Leavenworth	20,000	7	3	3	.14			
Parsons	14,800	4	5	21	1.42	4	.27	19.0
Pittsburg	19,200	6	13	10	.52	2	.10	20.0
Topeka	55,400	6	21	22	.40	1	.02	4.5
Wichita	88,400	7	30	36	.41	4	.05	11.1
Kentucky:								
Covington	58,300	5	21	17	.29	6	.10	35.3
Henderson	12,600	3	5	4	.32	1	.08	25.0
Newport		4	17	16		6		37.5
Paducah	25,900	6	13	32	1.24	6	.23	18.7

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases re- ported	Cases per 1,000 inhab- itants	Deaths regis- tered	Deaths per 1,000 inhab- itants	Fatal- ities per 100 cases
Louisiana:								
Baton Rouge.....	27,800	5	12	5	0.18	11	0.04	20.3
Lake Charles.....		3	6	15		2		13.3
Shreveport.....	57,900	3	36	127	2.19	132	.55	25.2
Maine:								
Auburn.....	18,100	6	2	3	.17	0		
Bangor.....	28,600	5	11	10	.38	2	.08	20.0
Bath.....	17,800	5	5	1	.06	0		
Biddeford.....	18,500	5	6	8	.43	5	.27	62.5
Lewiston.....	34,900	5	9	6	.17	3	.09	50.0
Portland.....	75,300	7	34	57	.76	14	.19	24.6
Sanford.....	11,600	6	2	7	.60	2	.17	28.6
South Portland.....		1	2	3				
Waterville.....	14,400	7	5	10	.69	2	.14	20.0
Westbrook.....				3		0		
Massachusetts:								
Adams.....	15,500	7	9	1	.07	1	.07	100.0
Arlington.....	24,900	7	5	6	.24	0		
Attleboro.....	20,600	7	3	6	.29	1	.05	16.7
Beverly.....	22,700	7	5	7	.31	0		
Braintree.....	13,200	5	1			1	.08	
Brockton.....	65,300	7	9	3	.05	1	.02	33.3
Brookline.....	42,700	7	5	6	.14	1	.02	16.7
Chelsea.....	47,200	7	16	13	.28	2	.04	15.4
Chicopee.....	41,900	7	3	2	.05	0		
Danvers.....	11,800	7	2	7	.59	0		
Dedham.....	13,900	5	1	3	.22	2	.14	66.7
Easthampton.....	11,600	6	0	1	.09	0		
Everett.....	42,100	7	10	11	.26	0		
Framingham.....	21,100	7	4	2	.09	0		
Gardner.....	18,700	7	4	4	.21	0		
Gloucester.....	23,400			14	.60	1	.04	7.1
Greenfield.....	15,200		2	3	.20	0		
Haverhill.....	49,200	7	10	5	.10	0		
Holyoke.....	60,300	7	6	2	.03	1	.02	50.0
Lawrence.....	93,500	7	37	23	.25	1	.01	4.3
Leominster.....	22,100	6	4	2	.09	0		
Malden.....	51,800	7	11	8	.15	2	.04	25.0
Marlboro.....	16,200	6	6	3	.19	1	.06	33.3
Medford.....	47,600	7	6	6	.13	0		
Melrose.....	20,200	7	3	5	.25	0		
Methuen.....	20,600	6	2	3	.15	2	.10	66.7
Milford.....	14,800	7	1	2	.14	0		
Newburyport.....	15,700	7	8	2	.13	0		
Newton.....	53,000	7	9	10	.19	1	.02	10.0
North Adams.....	22,700	7	6	11	.48	1	.04	9.1
Northampton.....	24,100	7	5	6	.25	0		
Northbridge.....	10,100	7	2	1	.10	0		
Pittsfield.....	46,900	7	9	9	.19	2	.04	22.2
Plymouth.....	13,200	5	6	1	.08	0		
Quincy.....	60,100	7	9	23	.38	1	.02	4.3
Revere.....	33,300	1	3	6	.18	0		
Salem.....	42,800	7	4	3	.07	1	.02	33.3
Saugus.....	12,700	6	2	2	.16	0		
Somerville.....	99,000	7	15	13	.13	1	.01	7.7
Southbridge.....	15,500	7	10	3	.19	0		
Wakefield.....	15,600	5	4	4	.26	0		
Waltham.....	34,700	7	10	3	.09	0		
Watertown.....	25,500	7	3	1	.04	0		
West Springfield.....	15,300	2	2	1	.07			
Westfield.....	19,300	7	3	3	.16	1	.05	33.3
Winchester.....	11,600	7	1	2	.17	0		
Winthrop.....	16,200	7	1	5	.31	0		
Woburn.....	18,400	7	4	2	.11	0		
Michigan:								
Adrian.....	12,500	3	11	7	.56	0		
Ann Arbor.....	22,200	7	8	14	.63	2	.09	14.3
Battle Creek.....	42,300	7	10	22	.52	0		
Bay City.....	48,900	7	61	21	.43	5	.10	23.8

* Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Benton Harbor	14,000	6	4	2	0.14	2	0.14	100.0
Cadillac		4	3	5		1		20.0
Hamtramck	81,700	5	2	5	.06	2	.02	40.0
Highland Park	72,300	7	12	21	.29	3	.04	14.3
Ironwood	17,400	7	3	2	.12	0		
Ishpeming		6	1	4		1		25.0
Jackson	58,000	7	10	14	.24	3	.05	21.4
Kalamazoo	53,600	7	20	20	.37	2	.04	10.0
Lansing	70,800	6	24	24	.34	2	.03	8.3
Marquette	13,400	6	9	3	.22	0		
Monroe	14,200	3	4	3	.21			
Muskegon	43,100	6	22	7	.16	1	.02	14.3
Muskegon Heights		2	2	2		0		
Pontiac	47,500	7	12	8	.17	1	.02	12.5
Port Huron	30,000	6	9	5	.17	1	.03	20.0
River Rouge		2	11	7		0		
Saginaw	72,100	5	43	82	1.14	12	.17	14.6
Sault Ste. Marie		7	4	3		0		
Minnesota:								
Albert Lea		1	0	1		0		
Faribault	12,300	5	1	1	.06	1	.08	100.0
Hibbing	18,000	6	4	1	.06	1	.06	100.0
Rochester	17,000	3	6	18	.47	2	.12	25.0
Winona	19,500	6	2	3	.15			
Mississippi:								
Biloxi	12,600	4	9	3	.24	0		
Jackson	23,700	2	37	69	2.63	4	.17	6.7
Laurel	15,700			37	2.35			
Meridian	24,800	1	15	23	.95			
Natches	13,100			12	.92	1	.08	8.5
Missouri:								
Independence	12,700			7	.55	1	.08	14.3
Joplin		6	18	8				
Moberly	13,900	3	6	4	.29	1	.07	25.0
St. Joseph	78,300	7	14	6	.08	1	.01	16.7
Springfield	42,100	5	22	10	.24	5	.12	50.0
Montana:								
Anaconda	12,500	6	1	2	.16	0		
Great Falls	29,900	7	12	14	.47	1	.03	28.6
Helena		3	1	2		0		
Missoula		7	3	11		1		9.1
Nebraska:								
Grand Island	15,600	6	5	1	.06			
Lincoln	60,900	7	10	5	.08	2	.03	40.0
Nevada:								
Reno	12,700	7	11	1	.08	0		
New Hampshire:								
Berlin	18,600	4	3	5	.27	0		
Dover		6	5	4		2		50.0
Manchester	83,100	5	17	3	.04	2	.02	66.7
Nashua	29,700	3	1			1	.03	
Portsmouth	14,900	7	4	3	.20			
New Jersey:								
Asbury Park	13,700	7	3	10	.73	1	.07	10.0
Bayonne	88,800	6	4	10	.11	4	.05	40.0
Belleville	18,900	7	2	3	.16	0		
Bloomfield	26,000	7	2	3	.12	1	.04	33.3
Bridgeton	14,400	6	4	11	.76	3	.21	27.3
Clifton	34,700	5	4	6	.17	0		
Collingswood		1	2	2		0		
Dover		2	0	2		0		
East Orange	68,600	7	9	6	.10	0		
Englewood	12,600	7	5	8	.63	0		
Gloucester City	13,700	3	2	3	.22	0		
Hackensack	19,700	7	2	11	.56	0		
Harrison	16,400	6	1	1	.06			
Hoboken		5	7	19		2		10.5
Irvington	33,200	5	3	7	.21	0		
Kearny	31,300	7	1	5	.16	0		

* Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued.								
Lodi		1	2	2				
Long Branch	13,600	7	6	7	0.51	0		
Montclair	32,900	7	4	3	.09	1	0.03	33.3
Morristown	12,600	7	6	6	.48	0		
New Brunswick	38,000	7	4	23	.61	5	.13	21.7
Orange	35,400	6	2	4	.11	1	.03	25.0
Passaic	69,000	7	5	4	.06	1	.01	25.0
Perth Amboy	47,100	7	6	10	.21	1	.02	10.0
Phillipsburg	18,600	4	4	4	.22			
Plainfield	31,700	7	7	5	.16	1	.03	20.0
Rahway	12,000	7	6	1	.08	1	.08	100.0
Red Bank		1	1	2				
Ridgefield Park		2	3	2				
Rutherford		2	3	3		0		
Summit	11,700	5	4	8	.68	0		
Union City	63,100			2	.03			
West New York	39,200	7	1	6	.15	0		
New Mexico:								
Albuquerque	21,000	2	25	25	1.19	3	.14	12.0
New York:								
Amsterdam	35,300	4	6	11	.31	2	.06	18.2
Binghamton	71,900	7	14	13	.18	6	.08	46.2
Cohoes	23,000	6	4	3	.13	1	.04	33.3
Corning	15,700	5	6	10	.64	1	.06	10.0
Cortland	13,900	7	5	6	.43	0		
Dunkirk	19,900	7	3	3	.15	1	.05	33.3
Elmira	48,400	5	15	20	.41	4	.08	20.0
Freeport		1	3	1		0		
Geneva	15,900	6	6	5	.31	1	.06	20.0
Glens Falls	17,900	6	3	6	.34	0		
Gloversville	22,100	7	4	2	.09	0		
Hornell	15,800	6	4	2	.13	0		
Hudson	11,800	5	3	1	.08	0		
Ithaca	18,900	7	11	8	.42	0		
Jamestown	43,400	7	16	5	.12	0		
Johnson City		1	15	5		0		
Johnstown	10,700	4	0	3	.28	0		
Kingston	28,100	6	22	41	1.46	9	.32	22.0
Lackawanna	20,200	7	9	22	1.09	1	.05	4.5
Lockport	21,700	5	6	6	.28	0		
Middletown	20,400	7	3	9	.49	0		
Mount Vernon	50,400	7	6	12	.24	2	.04	1.7
New Rochelle	44,200	6	9	11	.25	1	.02	9.1
Newburgh	30,400	7	12	18	.59	2	.07	11.1
Niagara Falls	57,000	7	15	8	.14	2	.04	25.0
North Tonawanda	17,400	7	13	12	.69	1	.06	8.3
Olean	21,300	7	8	5	.23	1	.05	20.0
Peekskill	18,000	7	2	3	.17	0		
Plattsburg	11,600	6	7			1	.09	
Poughkeepsie	35,700	7	6	16	.45	1	.03	6.2
Rome	30,300	7	8	14	.46	1	.03	7.1
Salamanca		1	0	2		0		
Schenectady	92,800	7	15	20	.22	3	.03	15.0
Troy	72,200	7	26	17	.24	3	.04	17.6
Watertown	32,800	7	22	25	.76	2	.06	8.0
Watervliet	16,200	5	5	1	.06	0		
White Plains	27,400	7	3	10	.36	0		
North Carolina:								
Asheville	31,500	7	19	14	.44	1	.03	7.1
Charlotte	53,300	5	26	26	.49	3	.04	7.7
Greensboro	47,100	2	68	21	.45	2	.06	14.3
High Point	23,600	1	28	13	.55	2	.08	15.4
New Bern	12,200	2	8	1	.08	1	.08	100.0
Raleigh	30,400	7	12	17	.56	5	.16	29.4
Rocky Mount	15,100	4	5	14	.26	0		
Salisbury	17,700	3	4	1	.06	0		
Wilmington	37,100	7	27	3	.08	1	.03	33.3
Winston-Salem	69,000	6	59	21	.30	3	.04	14.3

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio:								
Alliance	25,000	4	3	1	0.04	0		
Ashtabula	25,100	7	17	27	1.08	6	0.24	22.2
Barberton	23,300	6	7	2	.09	0		
Bellaire	16,300	4	10	2	.12	0		
Bellefontaine				23		0		
Bucyrus	11,700	5	15	2	.17	1	.09	50.0
Cambridge	14,000	5	6	4	.29	1	.07	25.0
Chillicothe	16,600	7	11	14	.84	0		
Cleveland Heights	22,200	3	4	1	.05	0		
Conneaut		2	2	3		0		
Cuyahoga Falls	13,700	2	9	5	.36	1	.07	20.0
East Cleveland	37,600	5	5	6	.16	0		
East Liverpool	22,000	3	7	1	.06	1	.05	100.0
East Youngstown (Campbell)	16,000	5	3	1	.06	0		
Elyria	23,800	7	5	4	.17	2	.08	50.0
Findlay	18,200	7	2	5	.27	0		
Fostoria		2	4	5		0		
Fremont	13,900	7	14	3	.22	0		
Hamilton	42,400	7	7	8	.19	6	.14	
Ironton	14,500	2	6	25	1.72	1	.07	4.0
Kenmore	19,400	3	6	1	.05	0		
Lakewood	56,800	4	4	2	.04	0		
Lancaster	16,100	4	4	3	.19	1	.06	33.3
Lima	46,700	7	22	44	.94	2	.04	4.5
Lorain	42,300	7	15	5	.12	0		
Mansfield	31,800	7	12	16	.50	1	.03	6.2
Marietta	15,300	2	3			2	.13	
Marion	32,500	4	20	6	.18	3	.09	50.0
Martins Ferry	15,500	5	3	12	.77			
Middletown	30,800	7	10	13	.42	1	.03	7.7
Newark	30,500	7	16	5	.16	0		
Niles	16,600	5	3	3	.18	0		
Norwood	29,900	7	2	4	.13	1	.03	25.0
Piqua	16,000	7	12	2	.12	12		
Sandusky	24,500	7	12	64	2.61	8	.33	12.5
Springfield	68,700	7	13	11	.16	9		
Steuersville	32,000	7	12	12	.37	2	.06	16.7
Zanesville	30,400	6	10	13	.43	3	.10	23.1
Oklahoma:								
Ardmore	17,200	1	14	58	3.37	18	1.05	31.0
Guthrie	11,800					1	.08	
Okmulgee	23,300	1	15	47	1.86	2	.08	4.3
Sapulpa	14,200	1	5	7	.49	0		
Oregon:								
Eugene	11,400	7	10	12	1.05	2	.18	16.7
Pennsylvania:								
Allentown	92,200	4	32	38	.41	3	.03	7.9
Altoona	66,100	7	14	7	.11	3	.05	42.9
Beaver Falls	13,100	4	7	7	.53			
Braddock	21,700	7	8	3	.14	0		
Butler	25,200	7	13	9	.36	2	.08	22.2
Carbondale	19,500	5	2	6	.31			
Chelton	14,900	2	1	2	.13	0		
Coatesville	16,500	7	8	1	.06	0		
Columbia				5		3		
Connellsville	14,300	6	4	9	.63	0		
Dubois	14,300	4	3	4	.28			
Easton	30,800	6	10	6	.16	3	.08	50.0
Farell	18,700	5	5	2	.11	1	.05	50.0
Greensburg	16,100	1	0	1	.06	0		
Harrisburg	83,400	7	19	5	.06	0		
Harleton	20,100	5	5	8	.22	2	.06	25.0
Honestead	21,400	7	16	15	.70	2	.09	13.3
Jeannette	11,700	5	10	7	.60	1	.09	14.3
Lancaster	56,500	7	21	29	.51	9	.16	31.0
Lewistown		3	6	7		0		
McKees Rocks	18,100	3	0	1	.06	0		
McKeesport	49,100	7	9	13	.26	18	.16	61.5

Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
Meadville.....	15,600	3	3	1	0.06			
Monessen.....	21,200	6	2	2	.09	0		
New Castle.....	40,800	6	17	13	.26	3	0.06	23.1
Norristown.....	34,800	7	11	7	.20	2	.06	28.0
North Braddock.....	16,700	7	5	2	.12	0		
Oil City.....	23,300	7	3	3	.26			
Phoenixville.....		3	1	3				
Pittston.....	19,800	6	1	1	.05			
Plymouth.....		6	3	1		0		
Pottstown.....	18,500	2	4	3	.16	1	.05	33.3
Sharon.....	25,000	5	8	2	.08	2	.08	100.0
Steelton.....		7	2	1		0		
Sunbury.....	16,800	7	3	8	.48	3	.18	37.5
Swissvale.....	12,900	5	9	4	.31	0		
Uniontown.....		6	11	12				
Vandergrift.....		1	1	1		1		100.0
Warren.....	15,100	7	5	18	.53	0		
Washington.....	23,000	7	26	12	.52			
Waynesboro.....				1				
West Chester.....		7	4	2		1		50.0
Wilkes-Barre.....	77,600	2	10	11	.14	1	.01	9.1
Wilkinsburg.....	27,400	3	8	2	.07	1	.04	50.0
Woodlawn.....	18,900	5	5	1	.05	1	.05	100.0
York.....	49,100	6	27	62	1.26	4	.08	6.5
Rhode Island:								
Central Falls.....	25,400	4	2	5	.20			
Cranston.....	34,500	6	4	2	.06			
Newport.....	27,800	7	4	5	.18	2	.07	40.0
Pawtucket.....	69,800	6	8	1	.01	0		
Woonsocket.....	49,700	1	4	6	.12	2	.04	33.3
South Carolina:								
Anderson.....	11,100	4	11	9	.81			
Charleston.....	73,100	1	58	98	1.34	13	.18	13.3
Florence.....	13,200	1	13	19	1.44	1	.08	5.3
Greenville.....	27,300	6	17	46	1.68	8	.29	17.4
Spartanburg.....	25,500	4	13			3	.12	
Sumter.....		2	15	15		2		13.3
South Dakota:								
Aberdeen.....	15,000	4	1	1	.07			
Tennessee:								
Chattanooga.....	66,600	4	14	119	1.79			
Knoxville.....	95,500	6	60	162	1.59	20	.21	13.2
Texas:								
Amarillo.....	17,800	6	12	30	1.69	6	.34	20.0
Beaumont.....	50,600	4	8	8	.16	4	.08	50.0
Cleburne.....	14,200	5	10	6	.42	0		
Corpus Christi.....	11,800	4	1	5	.42	1	.08	20.0
Galveston.....	48,400	7	32	49	1.01	5	.10	10.2
Greenville.....	14,400					2	.14	
Orange.....				16		1		6.2
Palestine.....	11,400			3	.26			
San Angelo.....						4		
Texasarkana.....	12,400	5	5	27	2.18	2	.16	7.4
Tyler.....	13,000	7	6	14	1.08	2	.15	14.3
Waco.....	43,900	6	15	9	.21	3	.07	33.3
Utah:								
Logan.....		1	5			1		
Ogden.....	36,900	6	14	6	.16	1	.03	16.7
Vermont:								
Bennington.....		2	2	1		0		
Burlington.....	24,100	6	3	1	.04	0		
Rutland.....	15,600	4	4	2	.13	0		
Virginia:								
Charlottesville.....	11,200	4	5	15	1.34	1	.09	6.7
Danville.....	23,000	7	8	11	.48	5	.22	45.5
Lynchburg.....	30,400	6	19	36	1.18	3	.10	8.3
Newport News.....	47,100	6	14	5	.11	2	.04	40.0
Petersburg.....	35,700	7	25	31	.87	6	.17	19.4
Portsmouth.....	59,000	7	37	23	.39	4	.07	17.4
Roanoke.....	58,200	6	36	26	.45	6	.10	23.1
Suffolk.....				31		0		

1 Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Washington:								
Aberdeen.....	16,200	6	4	3	0.19	2	0.12	66.7
Bremerton.....		2	2	3		0		
Everett.....	29,300	7	5	13	.44			
Vancouver.....	14,500	5	4	7	.48	1	.07	14.3
Walla Walla.....		3	9	14		0		
Yakima.....	22,700	7	10	4	.18	1	.04	25.0
West Virginia:								
Bluefield.....	19,300	4	22	29	1.50	3	.16	10.3
Charleston.....	49,000	7	49	28	.57	2	.04	7.1
Clarksburg.....	30,400	3	9			10	.33	
Fairmont.....	21,000	7	26	19	.90			
Martinsburg.....	13,500	5	17	20	1.48	4	.30	20.
Morgantown.....	13,800	2	18	55	3.99	4	.29	7.3
Parkersburg.....	21,300	5	16	3	.14	1	.05	33.3
Wheeling.....		4	43	58		8		13.8
Wisconsin:								
Appleton.....	21,100	3	10	1	.05	0		
Eau Claire.....	22,400	7	5	1	.04	0		
Fond du Lac.....	26,000	6	4	4	.15	1	.04	25.0
Green Bay.....	34,300	7	7	6	.17	2	.06	33.3
Kenosha.....	50,000	7	4	8	.16	0		
La Crosse.....	30,400	7	5	9	.30	1	.03	11.1
Madison.....	46,400	7	1	5	.11			
Manitowoc.....	22,100	5	2	13	.59	3	.14	23.1
Marinette.....		7	4	4		0		
Oshkosh.....	33,200	7	6	6	.18	0		
Racine.....	67,700	6	7	8	.12	1	.01	12.5
Sheboygan.....	33,500	6	12	4	.12	1	.03	25.0
Wausau.....	20,100	7	8	6	.30	1	.05	16.7
Wyoming:								
Cheyenne.....	15,500			10	.65	1	.06	10.0

¹ Includes nonresidents.

TYPHUS FEVER

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
Georgia:			North Carolina:		
Augusta.....	1	0	Wilmington.....	1	0
Lagrange.....	5	0	Texas:		
Indiana:			Palestine.....	2	
East Chicago.....		1	Waco.....	1	0
Massachusetts:					
Winthrop.....	1	0			

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH

City	Estimated population July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases re-reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases re-reported for each death registered
Alabama:								
Anniston	20,500	3	13	9	0.44	2	0.10	4.5
Dothan	14,500	2	9	31	2.14	1	.07	31.0
Florence	12,700	1	10	20	1.57	1	.08	20.0
Mobile	66,060					7	.11	
Montgomery	46,500	2	45	23	.49	0		
Selma	17,000					4	.24	
Tuscaloosa	13,100			24	1.83	1	.08	24.0
Arizona:								
Phoenix	38,700	2	7	20	.52	6	.16	3.3
Tucson	20,700	2	7	10	.37	0		
Arkansas:								
Hot Springs				4				
Little Rock	74,200	3	17	10	.13	3	.04	3.3
California:								
Alameda	31,900	3	47	131	4.11	1	.03	131.0
Alhambra		2	30	86		0		
Bakersfield	23,500	2	4	22	.94	0		
Berkeley	66,200	3	159	648	9.79	1	.02	648.0
Chico		2	13	3		0		
Eureka	13,500	3	39	5	.37	0		
Fresno	58,500	2	32	83	1.42	0		
Glendale	21,300	3	46	116	5.45	0		
Long Beach	91,200	3	81	234	2.57	1	.01	234.0
Pasadena	56,700	3	222	410	7.23	7	.12	58.6
Pomona	15,400	3	23	34	2.21	0		
Richmond	22,500	3	3	6	.27	1	.04	6.0
Riverside		3	54	181		2		90.5
Sacramento	72,300	3	68	83	1.15	11	.15	7.5
San Bernardino	22,800	3	40	68	2.98	5	.22	13.6
San Jose	43,600	3	51	79	1.81	4	.09	19.7
Santa Ana	19,500	3	20	32	1.64	2	.10	16.0
Santa Barbara	24,000	1	5	76	3.16	2	.08	38.0
Santa Monica	19,400	2	26			2	.10	
Stockton	47,300	3	39	454	9.60	7	.15	64.9
Vallejo	26,000			5	.19	2	.08	2.5
Colorado:								
Boulder	11,800	3	69	26	2.20	0		
Colorado Springs		3	108	28		0		
Pueblo	43,800	3	9	37	.84	8	.18	4.6
Trinidad	11,000			27	2.45	3	.27	9.0
Connecticut:								
Danbury				4		1		4.0
Fairfield	14,500	3	24	63	4.34	0		
Greenwich	25,300	3	145	90	3.56	0		
Manchester	21,000	3	11	3	.14			
Meriden	36,300	2	67	131	3.61			
Milford	13,500	3	26	22	1.63	0		
New Britain	68,000	3	96	41	.60	3	.04	13.7
New London	29,100	3	116	205	7.08	0		
Norwich	23,100	3	15	8	.35	1	.04	8.0
Shelton		1	15	7		0		
Stamford	40,700	2	76	88	2.16	2	.05	44.0
Stratford	16,100	2	11	39	2.42	0		
Florida:								
St. Petersburg	26,800			24	.90	0		
Tampa	94,700	3	14	19	.20	8	.08	2.4
West Palm Beach		2	5	2		0		
Georgia:								
Albany	13,500			2	.15	1	.07	2.0
Augusta	55,200	1	2	15	.27	2	.04	7.5
Lagrange	23,600	1	13	7	.30	7	.30	1.0
Macon	58,200	3	311	107	1.84	0		
Rome	13,900	3	10	1	.07	1	.07	1.0
Savannah	93,100	3	28	64	.69	3	.03	21.3
Idaho:								
Boise	23,000	2	2	26	1.13	1	.04	26.0
Pocatello	18,300	2	20	10	.55	0		

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Num-ber of years	Cases	Cases re-ported	Cases per 1,000 in-habitants	Deaths regis-tered	Deaths per 1,000 in-habitants	Cases re-ported for each death regis-tered
Illinois:								
Alton.....	26,800	3	63	82	3.06	1	0.04	82.0
Aurora.....	40,300	2	106	117	2.90	1	.02	117.0
Berwyn.....	18,900	3	29	124	6.56	1	.05	124.0
Bloomington.....	30,400	3	100	149	4.90	0
Blue Island.....	13,200	3	17	15	1.14	0
Champaign.....	18,200	3	46	42	2.31	0
Chicago Heights.....	22,100	2	1	6	.27	1	.05	6.0
Cicero.....	62,200	3	105	76	1.22	1	.02	76.0
Danville.....	37,000	2	44	28	1.57	0
Decatur.....	53,900	2	51	102	1.89	0
East Moline.....	2	29	172	3	57.3
East St. Louis.....	71,400	3	32	7	.10	1	.01	7.0
Elgin.....	33,400	3	129	30	.90	0
Evanston.....	43,900	3	308	443	10.09	0
Freeport.....	20,700	2	77	97	4.69	0
Galesburg.....	24,800	3	115	22	.80	0
Jacksonville.....	15,900	3	21	116	7.30	0
Joliet.....	40,600	1	3	15	.37	0
Kewanee.....	19,700	2	22	65	3.30	0
La Salle.....	13,900	3	15	104	7.48	3	.22	34.7
Maywood.....	14,200	3	46	100	7.04	0
Moline.....	33,900	3	87	374	11.03	2	.06	187.0
Murphysboro.....	12,500	2	2	1	.08	0
Oak Park.....	51,400	3	401	464	9.03	0
Pekin.....	13,300	3	19	2	.15	0
Peoria.....	81,600	3	92	200	2.45	4	.05	50.0
Quincy.....	3	98	11	.29	0
Rock Island.....	40,000	3	121	251	6.27	0
Rockford.....	76,500	3	156	344	4.50	0
Springfield.....	63,900	3	208	65	1.02	1	.02	65.0
Streator.....	15,100	3	12	2	.13	0
Waukegan.....	22,000	2	29	66	3.00	0
Indiana:								
Anderson.....	33,900	2	68	19	.56	1	.03	19.0
Connersville.....	12,500	30	2.40	1	.08	30.0
Crawfordsville.....	10,500	3	10	2	.19	0
East Chicago.....	45,600	3	22	5	.11	4	.09	1.2
Elwood.....	2
Fort Wayne.....	97,800	3	118	76	.78	0
Frankfort.....	13,100	3	5	1	.08	0
Gary.....	76,900	1	10	24	.31	4	.05	6.0
Hammond.....	50,400	2	31	22	.44	1	.02	22.0
Kokomo.....	36,900	3	6	5	.14	0
La Fayette.....	23,800	3	5	7	.29	0
Logansport.....	23,100	6	.26	0
Michigan City.....	20,300	3	4	8	.39	1	.05	8.0
Mishawaka.....	16,700	3	13	6	.36	1	.06	6.0
Muncie.....	42,500	3	168	19	.45	0
Newcastle.....	17,000	3	4	1	.06
Peru.....	12,700	1	.08	0
Richmond.....	30,500	3	3	10	.33	0
South Bend.....	80,100	3	63	63	.66	0
Terre Haute.....	71,100	10	.14	1	.01	10.0
Iowa:								
Boone.....	12,800	1	7	3	.23	1	.08	3.0
Burlington.....	26,400	3	51	29	1.10	0
Cedar Rapids.....	50,600	52	1.03	0
Clinton.....	26,400	1	14	13	.49	1	.04	13.0
Council Bluffs.....	39,800	3	14	7	.18	0
Dubuque.....	41,000	3	14	15	.37	0
Fort Dodge.....	21,700	2	.09	0
Iowa City.....	15,300	3	5	24	1.57
Marshalltown.....	16,900	2	25	22	1.30
Muscatine.....	16,800	3	28	23	1.37	0
Waterloo.....	36,800	2	90	134	3.64	0

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:								
Arkansas City	14,000			2	0.14	0		
Coffeyville	16,200	3	31	10	.62	0		
Emporia	12,200	2	9	40	3.28	0		
Fort Scott	11,800	3	14	35	2.97	0		
Hutchinson	26,000	2	23	20	.77			
Lawrence	12,300	3	20	8	.65	0		
Leavenworth	20,900	3	18	19	.91			
Parsons	14,800	3	13	6	.41	0		
Pittsburg	19,200	3	5	9	.47	0		
Topeka	55,400	3	387	186	3.36	0		
Wichita	88,400	3	265	503	5.69	4	0.05	125.7
Kentucky:								
Covington	58,300	3	21	16	.27	2	.03	8.0
Newport		2	16	42		2		21.0
Paducah	23,900	3	44	94	3.63	0		
Louisiana:								
Baton Rouge	27,800	2	113			3	.11	
Lake Charles		2	10	19		1		19.0
Shreveport	57,900	2	8	11	.19	1	.02	11.0
Maine:								
Auburn	18,100	3	73	20	1.10	0		
Bangor	26,600	3	62	23	.86	0		
Bath	17,800	3	27	13	.73	0		
Biddeford	18,500	3	18	19	1.03	0		
Lewiston	34,900	3	119	17	.49	0		
Portland	75,300	3	153	105	1.39	2	.03	82.5
South Portland		1	2	31				
Waterville	14,400	3	36	40	2.78	0		
Massachusetts:								
Adams	13,500	3	11	13	.96	2	.15	6.5
Amesbury	11,200	2	15	9	.80	0		
Arlington	24,900	3	42	113	4.54	0		
Athol				4		0		
Attleboro	20,600	3	37	22	1.55	0		
Belmont	15,300	3	93	69	4.51	0		
Beverly	22,700	3	30	28	1.23	1	.04	28.0
Braintree	13,200	3	41	24	1.82	0		
Brockton	65,300	3	187	188	2.88	0		
Brookline	42,700	3	177	49	1.15	0		
Chelsea	47,200	3	48	97	2.06	1	.02	97.0
Chicopee	41,900	3	18	14	.33	1	.02	14.0
Clinton	14,200	3	13	8	.56	0		
Danvers	11,800	3	10	6	.51	0		
Dedham	13,900	3	14	29	2.09	0		
Easthampton	11,600	3	6	1	.09	0		
Everett	42,100	3	95	86	2.04	3	.07	28.7
Frammingham	21,100	3	41	70	3.32	0		
Gardner	18,700	3	20	50	2.67	3	.16	16.7
Gloucester	23,400			3	.13	0		
Greenfield	15,200	3	51	103	6.78	0		
Haverhill	49,200	3	149	98	1.99	1	.02	98.0
Holyoke	60,300	3	62	69	1.14	3	.05	69.0
Lawrence	93,500	3	173	175	1.87	4	.04	43.7
Leominster	22,100	3	39	2	.09	0		
Malden	51,800	3	78	86	1.66	0		
Marlboro	16,200	2	25	8	.49	0		
Medford	47,600	3	65	104	2.18	0		
Melrose	20,300	3	31	49	2.43	2	.10	24.5
Methuen	20,600	3	82	97	4.71	1	.05	97.0
Milford	14,800	3	10	16	1.08	1	.07	16.0
Milton		1	6	44		2		22.0
Newburyport	15,700	3	30	6	.38	0		
Newton	53,000	3	319	326	6.15	0		
North Adams	22,700	3	7	6	.26	1	.04	8.0
Northampton	24,100	3	34	15	.62	0		
Northbridge	10,100	3	16	35	3.47	0		
Palmer		2	2	2		0		
Peabody	19,900	3	26	13	.65	0		

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.								
Pittsfield	46,900	3	41	46	0.98	4	0.09	11.5
Plymouth	13,200	2	25	7	.53	0		
Quincy	60,100	3	165	194	3.23	3	.05	64.7
Revere	33,300			23	.69	1	.03	23.0
Salem	42,800	3	68	36	.84	3	.07	12.0
Saugus	12,700	3	28	20	1.57	0		
Somerville	99,000	3	69	184	1.86	5	.05	36.8
Taunton	39,300	3	29	4	.10	0		
Wakefield	15,600	3	16	12	.77	1	.06	12.0
Waltham	34,700	3	82	36	1.04	0		
Watertown	25,500	3	57	77	3.02	0		
West Springfield	15,300	2	20	11	.72			
Westfield	19,300	3	11	3	.16			
Winchester	11,600	3	32	37	3.19	0		
Winthrop	16,200	3	68	79	4.88	0		
Woburn	18,400	3	21	13	.71	0		
Michigan:								
Adrian	12,500	2	12	20	1.60	0		
Ann Arbor	22,200	3	48	81	3.65	1	.05	81.0
Battle Creek	42,300	3	104	62	1.47	0		
Bay City	48,900	3	84	102	2.09	1	.02	102.0
Benton Harbor	14,000	3	7	10	.71	0		
Hamtramck	81,700	3	24	17	.21	1	.01	17.0
Highland Park	72,300	3	175	276	3.82	0		
Holland	13,100	3	41	27	2.06	0		
Ironwood	17,400	3	24	19	1.09	1	.06	19.0
Ishpeming		3	7	2		0		
Jackson	58,000	3	137	289	4.98	4	.07	72.2
Kalamazoo	53,600	3	183	212	3.96	3	.06	70.7
Lansing	70,800	3	209	359	5.07	2	.03	179.5
Marquette	13,400	2	20	112	8.36	0		
Monroe	14,200			5	.35			
Muskegon	43,100	3	38	85	1.97	2	.05	42.5
Muskegon Heights		2	15	75		0		
Pontiac	47,500	3	166	124	2.61	2	.04	62.0
Port Huron	30,000	3	126	208	6.93	1	.03	208.0
River Rouge		2	3	2		1		2.0
Saginaw	72,100	3	145	107	1.48	4	.06	26.8
Sault Ste. Marie		3	9	22		0		
Minnesota:								
Albert Lea				4		0		
Austin	11,900			6	.50			
Brainerd				1		0		
Faribault	12,300	3	2	1	.08	0		
Hibbing	18,000			6	.33	0		
Rochester	17,000	2	9	119	7.00	0		
Winona	19,500	3	82	3	.15			
Mississippi:								
Biloxi	12,600	3	11	11	.87	0		
Jackson	23,700	2	127	173	7.30	0		
Laurel	15,700			71	4.52			
Meridian	24,300	1	126	95	3.91			
Natchez	13,100			40	3.05	0		
Missouri:								
Independence	12,700	2	26	40	3.15	0		
Moberly	13,900	3	13			1	.07	
St. Joseph	78,300	3	43	45	.57	5	.06	9.0
Springfield	42,100	2	15	5	.12	3	.07	1.7
Montana:								
Anaconda	12,500			11	.88	0		
Butte	42,900	3	0			3	.07	
Great Falls	29,900	3	45	157	5.25	1	.03	157.0
Helena	12,900	2	1	27		1		27.0
Missoula		1	9	14		4		8.5
Nebraska:								
Grand Island	15,600	3	1	22	1.41			
Lincoln	60,900	3	200	363	5.96	3	.05	121.0
North Platte	13,700	1	14	3	.22	0		

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Nevada:								
Reno	12,700	3	9	2	0.16	0		
New Hampshire:								
Concord	22,500	3	5	28	1.24	0		
Dover		3	20	2		0		
Keene	11,900	3	5	10	.84	0		
Manchester	83,100	2	19	11	.13	8	0.10	1.4
Nashua	20,700	3	5			5	.17	
Portsmouth	14,900	3	56	75	5.03	2	.13	37.5
New Jersey:								
Asbury Park	13,700	3	33	72	5.26	0		
Bayonne	88,800	2	20			8	.09	
Belleville	18,900	3	33	115	6.08			
Bloomfield	26,000	3	130	144	5.54	0		
Bridgeton	14,400	3	2	26	1.81	3	.21	8.7
Clifton	34,700	3	26	11	.32	0		
Collingswood		1	33	5		0		
Dover		2	56	93		1		93.0
East Orange	60,000	3	324	542	9.03	3	.05	542.0
Englewood	12,600	3	93	36	2.80	0		
Garfield	24,600	2	12	4	.16	0		
Gloucester City	13,700	2	9	6	.44	0		
Hackensack	19,700	3	62	44	2.23	0		
Harrison	16,400	3	26	52	3.17			
Hoboken		3	19	14		0		
Irvington	33,200	2	141	212	6.39	1	.03	212.0
Kearny	31,300	3	141	112	3.58	0		
Lodi		1	14	4		0		
Long Branch	13,600	3	49	149	10.96	0		
Montclair	32,900	3	112	330	10.03	0		
Morristown	12,600	3	25	90	7.14	0		
New Brunswick	38,000	3	0	1	.03	0		
Nutley				11		0		
Orange	35,400	3	189	153	4.32	1	.03	153.0
Passaic	69,000	3	95	60	.87	3	.04	20.0
Perth Amboy	47,100	3	11	9	.19	4	.08	2.2
Plainfield	31,700	3	66	185	5.84	5	.16	37.0
Rahway	12,000	3	6	7	.58	0		
Red Bank		1	18	7		0		
Ridgefield Park		2	23	10		0		
Rutherford		2	38	104		0		
Summit	11,700	3	77	9	.77	0		
Union City	63,100			7	.11			
West New York	39,200	3	4	2	.05	0		
West Orange	18,200	3	102	174	9.56	0		
New Mexico:								
Albuquerque	21,000			22	1.05	0		
New York:								
Amsterdam	35,300	3	91	20	.57	0		
Binghamton	71,900	3	330	244	3.39	3	.04	81.3
Cohoes	23,000	3	17	28	1.22	0		
Corning	15,700	2	35	6	.38	0		
Cortland	13,900	3	12	26	1.87	0		
Dunkirk	19,500	3	65	3	.30	0		
Elmira	48,400	2	188	143	2.95	0		
Freeport		1	40	10		0		
Geneva	15,900	2	25	12	.75	0		
Glens Falls	17,900	3	52	34	1.90	0		
Gloversville	22,100	3	44	61	2.76	0		
Hornell	15,800	3	139	309	19.56	2	.13	154.5
Hudson	11,800	3	34	13	1.10	0		
Ilion	10,400	1	15	72	6.92	0		
Ithaca	18,900	3	120	18	.95	0		
Jamestown	43,400	3	233	489	11.27	1	.02	489.0
Johnson City		1	9	47		0		
Johnstown	16,700			17	1.59	0		
Kingsford	28,100	2	53	21	.75	0		
Lackawanna	20,200	3	69	68	3.37	0		

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.								
Little Falls.....	12,400	3	19	20	1.61	0	—	—
Lockport.....	21,700	3	42	18	.83	0	—	—
Middletown.....	20,400	3	79	50	2.45	0	—	—
Mount Vernon.....	50,400	3	147	64	1.27	1	0.02	64.0
New Rochelle.....	44,200	3	90	42	.95	0	—	—
Newburgh.....	30,400	3	27	19	.62	0	—	—
Niagara Falls.....	57,000	3	121	19	.33	0	—	—
North Tonawanda.....	17,400	3	30	3	.17	0	—	—
Olean.....	21,300	3	174	19	.89	0	—	—
Peekskill.....	18,000	3	58	2	.11	0	—	—
Plattsburg.....	11,600	3	23	—	—	2	.17	—
Poughkeepsie.....	35,700	3	97	17	.48	0	—	—
Rensselaer.....	11,400	3	16	5	.44	0	—	—
Rome.....	30,300	3	23	2	.07	0	—	—
Salamanca.....	—	1	46	2	—	0	—	—
Saratoga Springs.....	13,900	3	76	67	4.82	0	—	—
Schenectady.....	92,800	3	296	276	2.97	2	.02	138.0
Troy.....	72,200	3	81	93	1.29	0	—	—
Watertown.....	32,800	3	156	222	6.77	0	—	—
Watervliet.....	16,200	3	18	3	.19	0	—	—
White Plains.....	27,400	3	128	121	4.42	0	—	—
North Carolina:								
Asheville.....	31,500	3	111	49	1.56	0	—	—
Charlotte.....	53,300	1	705	34	.64	1	.02	34.0
Greensboro.....	47,100	3	232	86	1.83	4	.08	21.5
High Point.....	23,600	1	229	24	1.02	1	.04	24.0
New Bern.....	12,200	2	47	4	.33	0	—	—
Raleigh.....	30,400	3	244	62	2.04	1	.03	62.0
Rocky Mount.....	15,100	2	275	10	.66	0	—	—
Salisbury.....	17,700	1	240	5	.28	0	—	—
Wilmington.....	37,100	3	215	72	1.94	3	.08	24.0
Winston-Salem.....	69,000	3	346	322	4.67	12	.17	25.8
North Dakota:								
Fargo.....	24,900	—	—	262	10.52	0	—	—
Ohio:								
Alliance.....	25,000	2	24	8	.32	0	—	—
Ashtabula.....	25,100	3	52	9	.36	0	—	—
Barberton.....	23,300	2	8	9	.39	0	—	—
Bellaire.....	16,300	3	37	5	.31	0	—	—
Bellefontaine.....	—	—	—	8	—	0	—	—
Bucyrus.....	11,700	3	31	31	2.65	1	.09	31.0
Cambridge.....	14,000	3	13	4	.29	3	.21	1.3
Chillicothe.....	16,600	3	8	7	.42	0	—	—
Cleveland Heights.....	22,200	3	158	213	9.59	0	—	—
Conneaut.....	—	2	14	21	—	0	—	—
Cuyahoga Falls.....	13,700	3	34	54	3.94	2	.15	27.0
East Cleveland.....	37,600	3	118	115	3.06	0	—	—
East Youngstown (Campbell).....	16,000	3	20	4	.25	0	—	—
Elyria.....	23,800	3	78	33	1.39	0	—	—
Findlay.....	18,200	3	99	23	1.26	0	—	—
Fostoria.....	—	1	2	3	—	0	—	—
Hamilton.....	42,400	2	6	7	.17	0	—	—
Ironton.....	14,500	1	2	13	.90	1	.07	13.0
Kenmore.....	19,400	3	97	98	5.05	1	.05	98.0
Lakewood.....	56,800	2	87	40	.70	0	—	—
Lima.....	46,700	3	37	44	.94	2	.04	22.0
Lorain.....	42,300	3	158	55	1.30	0	—	—
Mansfield.....	31,800	3	119	210	6.60	0	—	—
Marietta.....	15,300	1	74	7	.46	0	—	—
Marion.....	32,500	—	—	—	—	4	.12	—
Middletown.....	30,800	—	—	—	—	4	.13	—
Newark.....	30,500	3	71	35	1.15	1	.03	35.0
Niles.....	16,600	3	24	20	1.20	2	.12	10.0
Norwood.....	29,900	3	55	45	1.51	0	—	—
Salem.....	11,100	3	88	37	3.33	0	—	—
Sandusky.....	24,500	3	70	10	.41	0	—	—

Reported Prevalence for the Year 1925—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.								
Springfield	68,700	3	109	297	4.32	3	0.04	99.0
Steubenville	32,000	2	16	5	.16	2	.06	2.5
Zanesville	30,400	3	9	3	.10	1	.03	3.0
Oklahoma:								
Ardmore	17,200	1	30	20	1.16	2	.12	10.0
Okmulgee	25,300			36	1.42	0		
Sapulpa	14,200	1	20	1	.07	0		
Oregon:								
Eugene	11,400	2	6	18	1.58	0		
Pennsylvania:								
Allentown	92,200	2	178	196	2.13	5	.05	39.2
Altoona	66,100	3	76	39	.59	0		
Beaver Falls	13,100	3	11	7	.53			
Braddock	21,700	3	48	7	.32	0		
Bradford	15,800	2	82	72	4.56	0		
Butler	25,200	3	53	96	3.81	1	.04	96.0
Canonsburg	13,500	2	2			2	.15	
Carlisle	11,400	3	49	14	1.23			
Carnegie	12,400	3	18	34	2.74	3	.24	11.3
Carrick	13,000	2	17	17	1.31			
Chambersburg	13,900	2	6	22	1.58	0		
Charleroi	12,000	2	12	27	2.14			
Clairton	14,900	2	20	20	1.34	0		
Coatesville	16,500	3	18	29	1.76	2	.12	14.5
Columbia				4				
Connellsville	14,300	3	9	7	.49	0		
Dubois	14,300	2	17	13	.91			
Duquesne	20,900	2	11	3	.14	1	.05	3.0
Easton	26,800	2	85	65	1.77	3	.08	21.7
Farrell	18,700	3	37	3	.16	0		
Greensburg	16,100	1	7	6	.37	0		
Harrisburg	83,400	3	188	180	2.16	0		
Hazleton	36,100	3	28	31	.86	0		
Homestead	21,400	3	31	9	.42	0		
Jeannette	11,700	3	5	2	.17	0		
Kingston	18,000	2	39	88	4.89	1	.06	88.0
Lancaster	56,500	3	139	151	2.67	0		
Latrobe				35		1		35.0
Lewistown		2	15	23		0		
McKees Rocks	18,100	2	21	18	.99	0		
McKeesport	49,100	3	48	33	.67	0		
Meadville	15,600			7	.45			
Monessen	21,200	3	43	6	.28	0		
New Castle	49,800	3	44	9	.18	4	.08	2.2
Norristown	34,800	3	77	223	6.41	5	.14	44.6
North Braddock	16,700	3	43	8	.48	0		
Oil City	23,300	3	175	131	5.62			
Olyphant	11,200	1	2	3	.27	2	.18	1.5
Phoenixville		3	32	75				
Pittston	19,800	2	6	4	.20			
Plymouth		1	18	2		0		
Pottstown	18,500	2	30	32	1.73	1	.05	32.0
Sharon	25,000	3	23	9	.36	0		
Steelton		3	19	2		0		
Sunbury	16,800	3	32	57	3.39	1	.06	57.0
Swissvale	12,900	3	49	19	1.47	1	.08	19.0
Uniontown		3	19	33		0		
Vandergrift		1	6	6		0		
Warren	15,100	3	40	102	6.75	2	.13	51.0
Washington	23,000	3	79	193	8.39			
Waynesboro				19				
West Chester		3	34	31		2		15.5
Wilkes-Barre	77,600	1	43	265	3.41	6	.09	44.2
Wilkinsburg	27,400	1	91	53	1.93	1	.04	53.0
Windber		1	9	35		1		35.0
Woodlawn	18,900	3	25	35	1.85	0		
York	49,100	2	45	61	1.24	0		

Reported Prevalence for the Year 1925—Continued
WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Rhode Island:								
Cranston	34,500	3	8	1	0.03	1	0.03	1.0
Pawtucket	69,800			64	.92	1	.01	64.0
Woonsocket	49,700					3	.06	
South Carolina:								
Charleston	73,100	1	38	17	.23	4	.05	4.2
Greenville	27,300	3	102	59	2.16	1	.04	59.0
Spartanburg	25,500	2	8	22	.86	1	.04	22.0
Sumter		2	6	26		0		
South Dakota:								
Aberdeen	15,000	3	31	46	3.07			
Tennessee:								
Chattanooga	66,600			24	.36			
Knoxville	95,500			35	.37	12	.13	2.9
Texas:								
Cleburne	14,200			70	4.93	0		
Corpus Christi	11,800	2	10	30	2.54	0		
Galveston	48,400	3	0	1	.02	0		
Palestine	11,400			37	3.25			
San Angelo						2		
Waco	43,900			6	.14	0		
Utah:								
Ogden	36,900	3	117	74	2.01	0		
Provo	11,200	2	16	81	7.23	0		
Vermont:								
Barre		3	34	14		1		14.0
Bennington		2	96	15		0		
Burlington	24,100	3	97	16	.66	0		
Rutland	15,800	1	30	124	7.85	2	.13	62.0
Virginia:								
Alexandria	18,500	3	12	9	.49	0		
Charlottesville	11,200	2	7	1	.09	1	.09	1.0
Danville	23,000	3	41	4	.17	0		
Lynchburg	30,400	3	243	180	5.92	6	.20	30.0
Newport News	47,100	3	129	338	7.18	3	.06	112.7
Petersburg	35,700	3	62	26	.73	1	.03	26.0
Portsmouth	59,000					4	.07	
Roanoke	58,200	2	65	62	1.07	8	.14	7.8
Suffolk				4		0		
Washington:								
Aberdeen	16,200			3	.19	0		
Bremerton		2	62	68		1		68.0
Everett	29,300	3	23	68	2.32	0		
Vancouver	14,500	2	1	45	3.10	1	.07	45.0
Walla Walla		3	5	15		0		
Yakima	22,700	3	103	118	5.20	0		
West Virginia:								
Bluefield	19,300	1	1	4	.21	0		
Charleston	49,000	3	63	77	1.57	1	.02	77.0
Clarksburg	30,400	3	259	302	9.93	5	.16	60.4
Fairmont	21,000	3	31	48	2.29			
Morgantown	13,800	1	12	16	1.16	1	.07	16.0
Wheeling		3	61	41		0		6.8
Wisconsin:								
Appleton	21,100	3	33	26	1.23	0		
Beloit	24,800	3	112	193	7.78	0		
Eau Claire	22,400	3	63	12	.54	0		
Green Bay	34,300	3	30	127	3.70	1	.03	127.0
Janesville	20,800	3	79	72	3.46	0		
Kenosha	50,900	3	238	246	4.83	1	.02	246.0
La Crosse	30,400	3	110	93	3.06	0		
Madison	46,400	3	274	307	6.62			
Manitowoc	22,100	2	43	6	.27	0		
Marinette				21		0		
Oshkosh	33,200	3	53	52	1.57	0		
Racine	67,700	3	208	228	3.37	3	.04	78.0
Sheboygan	33,500	3	15	56	1.67	2	.06	26.0
Superior		2	11	19		1		19.0
Waukesha	14,700	1	5	9	.61	0		
Wausau	20,100	3	78	118	5.87	1	.05	118.0
West Allis	18,400	3	25	45	2.45	0		
Wyoming:								
Cheyenne	15,500			8	.52	0		

DEATHS DURING WEEK ENDED OCTOBER 2, 1926

Summary of information received by telegraph from industrial insurance companies for week ended October 2, 1926, and corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)

	Week ended Oct. 2, 1926	Corresponding week, 1925
Policies in force.....	65, 147, 117	61, 172, 480
Number of death claims.....	11, 041	10, 164
Death claims per 1,000 policies in force, annual rate.....	8. 8	8. 7

Deaths from all causes in certain large cities of the United States during the week ended October 2, 1926, infant mortality, annual death rate, and comparison with corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)

City	Week ended Oct. 2, 1926		Annual death rate per 1,000 cor- responding week, 1925	Deaths under 1 year		Infant mortality rate, week ended Oct. 2, 1926
	Total deaths	Death rate		Week ended Oct. 2, 1926	Corre- sponding week, 1925	
Total (66 cities).....	6, 127	11. 0	10. 9	838	878	67
Akron.....	37			10	11	108
Albany.....	25	11. 0	15. 5	3	1	62
Atlanta.....	69			13	8	
White.....	39			8		
Colored.....	30	(^b)		5		
Baltimore.....	195	12. 6	12. 2	35	38	107
White.....	140			25		94
Colored.....	55	(^b)		10		150
Birmingham.....	58	14. 3	16. 5	14	14	
White.....	24			4		
Colored.....	34	(^b)				
Boston.....	176	11. 7	13. 2	28	44	78
Bridgeport.....	22			4	2	68
Buffalo.....	143	13. 7	13. 7	20	20	84
Cambridge.....	16	6. 8	10. 5	1	3	18
Camden.....	26	10. 3	16. 2	9	13	151
Canton.....	17	8. 1	8. 3	2	5	44
Chicago.....	587	10. 0	9. 3	75	91	66
Cincinnati.....	100	12. 7	13. 0	8	7	50
Cleveland.....	169	9. 2	10. 9	28	29	73
Columbus.....	75	13. 7	11. 9	19	7	178
Dallas.....	41	10. 7	11. 1	16	16	
White.....	34			15		
Colored.....	7	(^b)		1		
Dayton.....	48	14. 1	9. 9	7	3	115
Denver.....	77	14. 1	11. 1	7	9	
Des Moines.....	28	10. 0	11. 4	1	2	17
Detroit.....	260	10. 9	10. 7	50	54	81
Duluth.....	19	8. 8	9. 0	2	5	46
El Paso.....	19	9. 1	14. 4	2	2	
Erie.....	29			7	3	137
Fall River.....	30	11. 9	9. 3	6	5	94
Flint.....	21	8. 0	10. 0	6	6	102
Fort Worth.....	22	7. 2	8. 9	4	3	
White.....	18			4		
Colored.....	4	(^b)		0		
Grand Rapids.....	28	9. 4	10. 9	3	10	43
Houston.....	53			9	7	
White.....	27			6		
Colored.....	26	(^b)		3		
Indianapolis.....	83	11. 8	9. 7	10	9	76
White.....	75			10		87
Colored.....	8	(^b)		0		0
Jersey City.....	60	9. 8	8. 4	10	7	76
Kansas City, Kans.....	32	14. 3	12. 6	5	2	97
White.....	22			4		89
Colored.....	10	(^b)		1		152
Kansas City, Mo.....	84	11. 7	12. 9	21	7	
Los Angeles.....	201			12	14	33
Louisville.....	82	13. 7	13. 6	9	6	77
White.....	69			7		68
Colored.....	13	(^b)		2		140

Footnotes at end of table.

Deaths from all causes in certain large cities of the United States during the week ended October 2, 1926, infant mortality, annual death rate, and comparison with corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)—Continued

City	Week ended Oct. 2, 1926		Annual death rate per 1,000 corresponding week, 1925	Deaths under 1 year		Infant mortality rate, week ended Oct. 2, 1926 ¹
	Total deaths	Death rate ²		Week ended Oct. 2, 1926	Corresponding week, 1925	
Lowell.....	34			3	5	58
Lynn.....	13	6.5	15.7	2	2	53
Memphis.....	52	15.3	13.7	8	5	
White.....	25			6	2	
Colored.....	27	(³)		2		
Milwaukee.....	85	8.6	10.5	21	21	99
Minneapolis.....	88	10.6	8.2	9	10	50
Nashville.....	49	18.6	15.7	6	9	
White.....	26			5		
Colored.....	23	(⁴)		1		
New Bedford.....	18			3	2	52
New Haven.....	38	10.9	11.1	2	5	27
New Orleans.....	133	16.6	15.6	18	14	
White.....	74			7		
Colored.....	59	(⁵)		11		
New York.....	1,145	10.1	9.8	144	129	59
Bronx Borough.....	146	8.5	8.5	20	10	67
Brooklyn Borough.....	395	9.2	8.1	54	48	55
Manhattan Borough.....	486	13.5	13.0	61	59	68
Queens Borough.....	82	5.6	7.4	9	10	41
Richmond Borough.....	36	13.1	13.6	0	2	0
Newark, N. J.....	83	9.4	8.6	9	15	43
Norfolk.....	36	10.8	7.4	5	5	101
White.....	12			1		33
Colored.....	24	(⁶)		4		212
Oakland.....	55	11.0	7.8	3	2	35
Oklahoma City.....	14			1	3	
Omaha.....	55	13.3	11.6	6	6	64
Paterson.....	31	11.3	8.8	7	4	118
Philadelphia.....	425	11.0	11.2	53	59	71
Pittsburgh.....	136	11.1	14.0	17	22	56
Portland, Oreg.....	62			5	2	50
Providence.....	63	11.9	7.6	13	3	106
Richmond.....	48	13.2	14.0	8	8	100
White.....	29			5		97
Colored.....	19	(⁷)		3		104
Rochester.....	80	13.0	11.0	8	5	63
St. Louis.....	190	11.9	10.6	20	12	
St. Paul.....	40	8.4	11.4	5	6	44
Salt Lake City.....	29	11.4	11.1	4	3	61
San Antonio.....	33	8.4	11.8	3	9	
San Diego.....	32	15.2	11.8	2	2	42
San Francisco.....	126	11.6	10.2	4	4	24
Schenectady.....	16	9.0	9.6	1	4	29
Seattle.....	62			5	1	48
Somerville.....	17	8.9	10.0	0	3	0
Spokane.....	26	12.4	15.3	1	3	23
Springfield, Mass.....	22	7.9	10.3	0	5	0
Syracuse.....	45	12.8	11.2	3	7	38
Tacoma.....	23	11.3	12.0	1	1	24
Toledo.....	79	14.0	12.7	10	14	96
Trenton.....	36	14.0	11.1	4	4	68
Utica.....	34	17.2	13.3	4	5	91
Washington, D. C.....	123	12.1	12.3	24	25	137
White.....	79			12		100
Colored.....	44	(⁸)		12		219
Waterbury.....	11			1	4	24
Wilmington, Del.....	18	7.6	10.7	3	6	67
Worcester.....	44	11.9	12.0	2	7	24
Yonkers.....	16	7.2	9.6	1	5	23
Youngstown.....	33	10.4	13.0	6	11	76

¹ Annual rate per 1,000 population.

² Death under 1 year per 1,000 births. Cities left blank are not in the registration area for births.

³ Data for 64 cities.

⁴ Deaths for week ended Friday, Oct. 1, 1926.

⁵ In the cities for which deaths are shown by color, the colored population in 1920 constituted the following percentages of the total population: Atlanta 31, Baltimore 15, Birmingham 39, Dallas 15, Fort Worth 14, Houston 25, Indianapolis 11, Kansas City, Kans. 14, Louisville 17, Memphis 38, Nashville 30, New Orleans 26, Norfolk 38, Richmond 32, and Washington, D. C. 25.

PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES

CURRENT WEEKLY STATE REPORTS

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers

Reports for Week Ended October 9, 1926

ALABAMA		CONNECTICUT	
	Cases		Cases
Chicken pox.....	1	Cerebrospinal meningitis.....	1
Diphtheria.....	41	Chicken pox.....	9
Influenza.....	25	Conjunctivitis (infectious).....	1
Malaria.....	127	Diphtheria.....	17
Measles.....	6	German measles.....	1
Mumps.....	4	Influenza.....	5
Ophthalmia neonatorum.....	1	Malaria.....	1
Pellagra.....	7	Measles.....	20
Pneumonia.....	22	Mumps.....	1
Scarlet fever.....	13	Pneumonia (broncho).....	7
Tuberculosis.....	33	Pneumonia (lobar).....	12
Typhoid fever.....	63	Poliomyelitis.....	1
Whooping cough.....	6	Scarlet fever.....	28
		Tetanus.....	1
ARKANSAS		Tuberculosis (all forms).....	24
Cerebrospinal meningitis.....	1	Typhoid fever.....	4
Chicken pox.....	13	Whooping cough.....	22
Diphtheria.....	14		
Hookworm disease.....	1	DELAWARE	
Influenza.....	18	Diphtheria.....	4
Malaria.....	125	Poliomyelitis.....	2
Mumps.....	8	Scarlet fever.....	8
Pellagra.....	11	Tuberculosis.....	1
Poliomyelitis.....	1	Typhoid fever.....	4
Scarlet fever.....	5	Whooping cough.....	1
Tuberculosis.....	5		
Typhoid fever.....	24	FLORIDA	
Whooping cough.....	25	Diphtheria.....	19
		Influenza.....	4
COLORADO		Malaria.....	7
Chicken pox.....	8	Measles.....	1
Diphtheria.....	18	Mumps.....	1
Measles.....	3	Pneumonia.....	6
Mumps.....	2	Scarlet fever.....	5
Paratyphoid fever.....	1	Smallpox.....	4
Pneumonia.....	2	Tetanus.....	1
Scarlet fever.....	25	Tuberculosis.....	21
Septic sore throat.....	1	Typhoid fever.....	11
Tuberculosis.....	21	Vincent's angina.....	1
Typhoid fever.....	8		
Vincent's angina.....	2	GEORGIA	
Whooping cough.....	3	Cerebrospinal meningitis.....	1
		Conjunctivitis (acute).....	2

GEORGIA	Cases	IOWA	Cases
Diphtheria	46	Chicken pox	0
Dysentery	2	Diphtheria	26
Hookworm disease	2	German measles	1
Influenza	20	Measles	4
Malaria	88	Mumps	2
Measles	3	Scarlet fever	32
Mumps	2	Smallpox	1
Paratyphoid fever	2	Tuberculosis	10
Pellagra	4	Typhoid fever	9
Pneumonia	12	Whooping cough	1
Scarlet fever	22		
Septic sore throat	20	KANSAS	
Smallpox	3	Chicken pox	17
Trachoma	1	Diphtheria	20
Tuberculosis	15	German measles	1
Typhoid fever	46	Influenza	2
Typhus fever	1	Measles	6
Whooping cough	12	Mumps	1
		Pneumonia	8
IDAHO		Poliomyelitis:	
Cerebrospinal meningitis—Shoshone County	2	Dighton	1
Chicken pox	6	Horton	1
Diphtheria	6	Hutchinson	2
Influenza	2	Scarlet fever	40
Measles	4	Smallpox	4
Mumps	5	Tuberculosis	19
Scarlet fever	6	Typhoid fever	18
Tuberculosis	5	Whooping cough	29
Typhoid fever	3		
Whooping cough	1	LOUISIANA	
		Diphtheria	22
ILLINOIS		Hookworm disease	76
Cerebrospinal meningitis—Rock Island County	1	Influenza	23
Chicken pox	63	Malaria	32
Diphtheria	88	Pneumonia	16
Influenza	12	Scarlet fever	5
Lethargic encephalitis:		Smallpox	2
Alexander County	1	Tuberculosis	47
Cook County	2	Typhoid fever	27
Measles	78	Whooping cough	4
Mumps	23		
Pneumonia	103	MARYLAND	
Poliomyelitis:		Cerebrospinal meningitis	1
Cook County	4	Chicken pox	11
Lawrence County	1	Diphtheria	20
Richland County	1	Dysentery	4
Winnebago County	1	Influenza	7
Scarlet fever	168	Lethargic encephalitis	1
Smallpox	1	Malaria	1
Tuberculosis	307	Measles	5
Typhoid fever	104	Mumps	2
Whooping cough	161	Paratyphoid fever	2
		Pneumonia (broncho)	15
INDIANA		Pneumonia (lobar)	9
Cerebrospinal meningitis	2	Poliomyelitis	2
Chicken pox	21	Scarlet fever	30
Diphtheria	65	Tuberculosis	53
Influenza	16	Typhoid fever	39
Measles	20	Whooping cough	82
Pneumonia	2		
Poliomyelitis	3	MASSACHUSETTS	
Scarlet fever	62	Cerebrospinal meningitis	3
Smallpox	2	Chicken pox	14
Tuberculosis	44	Conjunctivitis (suppurative)	6
Typhoid fever	71	Diphtheria	62
Whooping cough	46	German measles	9
		Influenza	18

1 Week ended Friday.

MASSACHUSETTS—continued		Cases	NEBRASKA		Cases
Lethargic encephalitis	2	Chicken pox	2
Malaria	1	Diphtheria	3
Measles	15	Scarlet fever	23
Mumps	64	Smallpox	1
Ophthalmia neonatorum	28	Trachoma	4
Pneumonia (lobar)	44	Typhoid fever	7
Poliomyelitis	6	Whooping cough	11
Scarlet fever	143			
Tuberculosis (pulmonary)	115	NEW JERSEY		
Tuberculosis (other forms)	25	Chicken pox	61
Typhoid fever	35	Diphtheria	83
Whooping cough	70	Influenza	2
			Measles	38
MICHIGAN			Pneumonia	48
Diphtheria	153	Poliomyelitis	1
Measles	24	Rabies	2
Pneumonia	36	Scarlet fever	57
Scarlet fever	153	Typhoid fever	33
Smallpox	7	Whooping cough	113
Tuberculosis	73			
Typhoid fever	24	NEW MEXICO		
Whooping cough	58	Cerebrospinal meningitis	1
			Diphtheria	13
MINNESOTA			Malaria	1
Chicken pox	38	Measles	1
Diphtheria	48	Mumps	2
Influenza	1	Pellagra	1
Measles	26	Pneumonia	2
Poliomyelitis	3	Scarlet fever	13
Scarlet fever	144	Tuberculosis	33
Smallpox	1	Typhoid fever	24
Tuberculosis	38	Whooping cough	1
Typhoid fever	6			
Whooping cough	28	NEW YORK		
			(Exclusive of New York City)		
MISSISSIPPI			Cerebrospinal meningitis	1
Diphtheria	33	Chicken pox	108
Scarlet fever	15	Diphtheria	52
Smallpox	5	Dysentery	3
Typhoid fever	40	German measles	10
			Influenza	1
MISSOURI			Malaria	10
(Exclusive of Kansas City)			Measles	141
Chicken pox	6	Mumps	46
Diphtheria	24	Pneumonia	126
Influenza	2	Poliomyelitis	32
Malaria	3	Scarlet fever	82
Measles	8	Septic sore throat	4
Mumps	2	Smallpox	1
Poliomyelitis	2	Trachoma	1
Scarlet fever	41	Typhoid fever	39
Tetanus	2	Vincent's angina	14
Trachoma	1	Whooping cough	244
Tuberculosis	29			
Typhoid fever	37	NORTH CAROLINA		
Whooping cough	22	Chicken pox	10
			Diphtheria	209
MONTANA			German measles	6
Cerebrospinal meningitis	1	Malaria	23
Chicken pox	16	Measles	8
Diphtheria	5	Poliomyelitis	6
Measles	8	Scarlet fever	102
Poliomyelitis	3	Septic sore throat	2
Scarlet fever	46	Smallpox	27
Smallpox	5	Typhoid fever	63
Tuberculosis	22	Whooping cough	134
Typhoid fever	7			
Whooping cough	8			

OKLAHOMA		Cases	TENNESSEE—continued		Cases
(Exclusive of Oklahoma City and Tulsa)			Diphtheria	95	
Cerebrospinal meningitis—Delaware County	1		Influenza	15	
Diphtheria	34		Malaria	104	
Influenza	58		Measles	9	
Malaria	177		Mumps	1	
Pellagra	9		Ophthalmia neonatorum	1	
Pneumonia	12		Pellagra	7	
Polioimyelitis—Craig County	1		Pneumonia	15	
Scarlet fever	21		Polioimyelitis—Dyer County	1	
Typhoid fever	109		Scarlet fever	50	
OREGON			Smallpox	3	
Cerebrospinal meningitis	1		Tuberculosis	34	
Chicken pox	14		Typhoid fever	119	
Diphtheria	11		Whooping cough	91	
Influenza	10		TEXAS		
Lethargic encephalitis	1		Chicken pox	2	
Measles	6		Diphtheria	40	
Mumps	14		Dysentery	10	
Pneumonia	14		Influenza	17	
Polioimyelitis	3		Measles	2	
Scarlet fever	45		Mumps	1	
Smallpox	17		Pellagra	1	
Tuberculosis	14		Pneumonia	5	
Typhoid fever	9		Scarlet fever	19	
Whooping cough	5		Smallpox	5	
PENNSYLVANIA			Tetanus	1	
Chicken pox	80		Tuberculosis	1	
Diphtheria	136		Typhoid fever	56	
German measles	4		Whooping cough	15	
Impetigo contagiosa	11		UTAH		
Malaria	3		Chicken pox	16	
Measles	162		Diphtheria	10	
Mumps	47		German measles	5	
Ophthalmia neonatorum	5		Influenza	1	
Pneumonia	31		Measles	26	
Polioimyelitis:			Mumps	2	
Belleville	1		Pneumonia	3	
Cambria	1		Scarlet fever	5	
Philadelphia	1		Smallpox	2	
Scabies	6		Typhoid fever	3	
Scarlet fever	114		Whooping cough	14	
Tetanus—McDonald	1		VERMONT		
Trachoma—Philadelphia	1		Chicken pox	8	
Tuberculosis	63		Diphtheria	1	
Typhoid fever	117		Measles	53	
Whooping cough	201		Mumps	11	
SOUTH DAKOTA			Polioimyelitis	1	
Chicken pox	2		Scarlet fever	2	
Diphtheria	3		Typhoid fever	2	
Measles	92		Whooping cough	52	
Pneumonia	3		VIRGINIA		
Polioimyelitis	1		Polioimyelitis—Shenandoah County	1	
Scarlet fever	43		WASHINGTON		
Tetanus	1		Cerebrospinal meningitis:		
Tuberculosis	2		Bellingham	1	
Typhoid fever	3		Spokane	2	
Whooping cough	20		Chicken pox	37	
TENNESSEE			Diphtheria	41	
Cerebrospinal meningitis—Maury County	1		German measles	2	
Chicken pox	3		Measles	5	

¹ Deaths.

WASHINGTON—continued	Cases
Mumps.....	14
Scarlet fever.....	47
Smallpox.....	17
Tuberculosis.....	60
Typhoid fever.....	6
Whooping cough.....	12

WEST VIRGINIA

Chicken pox.....	9
Diphtheria.....	50
Influenza.....	21
Measles.....	19
Scarlet fever.....	48
Tuberculosis.....	11
Typhoid fever.....	67
Whooping cough.....	48

WISCONSIN

Milwaukee:	
Chicken pox.....	6
Diphtheria.....	11
German measles.....	1
Influenza.....	1
Measles.....	2
Mumps.....	13
Pneumonia.....	9
Scarlet fever.....	20

WISCONSIN—continued	Cases
Milwaukee—Continued.	
Tuberculosis.....	5
Typhoid fever.....	2
Whooping cough.....	37

Scattering:

Cerebrospinal meningitis.....	2
Chicken pox.....	18
Diphtheria.....	19
Influenza.....	16
Measles.....	159
Mumps.....	6
Pneumonia.....	4
Scarlet fever.....	47
Smallpox.....	6
Tuberculosis.....	27
Typhoid fever.....	6
Whooping cough.....	95

WYOMING

Chicken pox.....	3
Diphtheria.....	1
Measles.....	1
Mumps.....	1
Scarlet fever.....	15
Typhoid fever.....	2
Whooping cough.....	3

Reports for Week Ended October 2, 1926

ALABAMA

	Cases
Chicken pox.....	1
Diphtheria.....	70
Influenza.....	10
Lethargic encephalitis.....	1
Malaria.....	126
Measles.....	7
Mumps.....	3
Ophthalmia neonatorum.....	1
Pellagra.....	6
Pneumonia.....	21
Scarlet fever.....	13
Smallpox.....	1
Tetanus.....	1
Tuberculosis.....	50
Typhoid fever.....	116
Whooping cough.....	33

DISTRICT OF COLUMBIA

Diphtheria.....	16
Measles.....	1
Pneumonia.....	11
Poliomyelitis.....	1
Scarlet fever.....	12
Tuberculosis.....	21
Typhoid fever.....	7
Whooping cough.....	27

NORTH DAKOTA

	Cases
Chicken pox.....	2
Diphtheria.....	1
Measles.....	20
Mumps.....	31
Paratyphoid fever.....	1
Pneumonia.....	1
Scarlet fever.....	37
Tuberculosis.....	4
Typhoid fever.....	6
Whooping cough.....	16

SOUTH CAROLINA

Chicken pox.....	1
Dengue.....	2
Diphtheria.....	88
Hookworm disease.....	41
Influenza.....	197
Malaria.....	580
Measles.....	5
Paratyphoid fever.....	4
Pellagra.....	59
Poliomyelitis.....	4
Scarlet fever.....	12
Smallpox.....	1
Tuberculosis.....	40
Typhoid fever.....	107
Whooping cough.....	36

SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cerebro-spinal meningitis	Diphtheria	Influenza	Malaria	Measles	Pellagra	Poliomyelitis	Scarlet fever	Smallpox	Typhoid fever
<i>August, 1926</i>										
Delaware.....		5					5	9	0	5
<i>September, 1926</i>										
Arizona.....	0	6			14		1	13	0	10
Connecticut.....	6	42	3	4	26		11	89	0	34
District of Columbia	0	48	1		3	3	1	25	0	24

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended September 25, 1926, 38 States reported 1,277 cases of diphtheria. For the week ended September 26, 1925, the same States reported 1,272 cases of this disease. Ninety-six cities, situated in all parts of the country and having an aggregate population of more than 29,600,000, reported 615 cases of diphtheria for the week ended September 25, 1926. Last year for the corresponding week they reported 541 cases. The estimated expectancy for these cities was 786 cases. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-seven States reported 793 cases of measles for the week ended September 25, 1926, and 330 cases of this disease for the week ended September 26, 1925. Ninety-six cities reported 211 cases of measles for the week this year, and 193 cases last year.

Poliomyelitis.—The health officers of 38 States reported 117 cases of poliomyelitis for the week ended September 25, 1926. The same States reported 284 cases for the week ended September 26, 1925.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-eight States—this year, 1,235 cases; last year, 1,018 cases; 96 cities—this year, 452 cases; last year, 327 cases; estimated expectancy, 404 cases.

Smallpox.—For the week ended September 25, 1926, 38 States reported 123 cases of smallpox. Last year for the corresponding week they reported 102 cases. Ninety-six cities reported smallpox for the week as follows: 1926, 17 cases; 1925, 31 cases; estimated expectancy, 22 cases. No deaths from smallpox were reported by these cities for the week this year.

Typhoid fever.—One thousand two hundred and thirty-eight cases of typhoid fever were reported for the week ended September 25, 1926, by 38 States. For the corresponding week of 1925, the same States reported 1,222 cases of this disease. Ninety-six cities re-

ported 249 cases of typhoid fever for the week this year and 248 cases for the corresponding week last year. The estimated expectancy for these cities was 221 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia were reported for the week by 90 cities, with a population of more than 28,900,000 as follows: 1926, 393 deaths; 1925, 295 deaths.

City reports for week ended September 25, 1926

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1917 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

Division, State, and city	Population July 1, 1925 estimated	Chick- en pox, cases re- ported	Diphtheria		Influenza		Meas- les, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
			Cases, es- timated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported			
NEW ENGLAND									
Maine:									
Portland	75,333	1	1	0	0	0	0	0	0
New Hampshire:									
Concord	22,546	0	0	0	0	0	0	0	0
Manchester	83,007		3	0	0	0	0		0
Vermont:									
Barre	10,008	0	0	0	0	0	0	0	0
Burlington	24,089	0	0	0	0	0	0	0	3
Massachusetts:									
Boston	779,620	10	34	13	9	1	7	5	19
Fall River	128,993	0	3	2	0	0	1	1	1
Springfield	142,065	3	2	0	1	1	0	0	0
Worcester	190,757	0	5	9	0	0	2	0	2
Rhode Island:									
Pawtucket	69,760	0	1	1	0	0	0	0	0
Providence	267,918	0	4	3	1	0	3	0	0
Connecticut:									
Bridgeport	(1)	0	6	2	0	0	2	0	0
Hartford	160,197	0	5	0	0	0	0	0	8
New Haven	178,927	1	3	1	0	0	1	0	2
MIDDLE ATLANTIC									
New York:									
Buffalo	538,016	0	16	3		0	1	1	7
New York	5,873,356	14	112	88	8	3	3	14	85
Rochester	316,786	0	6	0		2	2	0	4
Syracuse	182,003	3	6	0		0	2	3	2
New Jersey:									
Camden	128,642	1	3	5	0	0	0	0	2
Newark	452,513	2	11	7	2	0	0	2	4
Trenton	132,020	0	4	2	0	0	0	0	2
Pennsylvania:									
Philadelphia	1,979,364	10	54	24		2	5	3	21
Pittsburgh	631,563	11	19	10		0	5	0	12
Reading	112,707	2	3	1		0	0	0	2
EAST NORTH CENTRAL									
Ohio:									
Cincinnati	409,333	0	12	3	0	0	2	2	3
Cleveland	936,485	8	32	24	0	3	2	0	6
Columbus	279,836	2	5	2	0	0	1	0	1
Toledo	287,380	1	11	4	0	0	1	0	2

¹ No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Population July 1, 1925, estimated	Chick- en pox, cases re-ported	Diphtheria		Influenza		Meas- les, cases re-ported	Mumps, cases re-ported	Pneu- monia, deaths re-ported
			Cases, esti- mated expect- ancy	Cases re-ported	Cases re-ported	Deaths re-ported			
EAST NORTH CENTRAL— continued									
Indiana:									
Fort Wayne.....	97,846	0	3	1	0	0	0	0	0
Indianapolis.....	358,819	0	9	9	0	0	0	0	7
South Bend.....	80,091	0	1	3	0	0	2	0	0
Terre Haute.....	71,071	0	1	0	0	0	1	0	1
Illinois:									
Chicago.....	2,995,239	22	86	50	1	1	14	9	28
Peoria.....	81,564	0	1	0	0	0	2	4	1
Springfield.....	63,923	1	2	1	1	0	4	0	1
Michigan:									
Detroit.....	1,245,824	5	39	78	1	1	2	0	11
Flint.....	130,316	0	8	3	0	0	1	0	1
Grand Rapids.....	153,698	0	3	1	0	0	0	0	0
Wisconsin:									
Kenosha.....	50,891	1	1	0	0	0	2	0	0
Madison.....	46,385	1	1	0	0	0	0	0	0
Milwaukee.....	509,192	3	15	8	0	0	3	4	7
Racine.....	67,707	0	1	1	0	0	1	2	0
Superior.....	39,671	0	1	4	0	0	0	0	0
WEST NORTH CENTRAL									
Minnesota:									
Duluth.....	110,502	0	2	3	0	0	3	0	1
Minneapolis.....	425,435	6	24	16	0	0	0	2	6
St. Paul.....	246,001	2	17	10	0	1	1	2	11
Iowa:									
Davenport.....	52,469	0	1	0	0	0	3	0	0
Des Moines.....	141,441	0	6	0	0	0	0	0	0
Sioux City.....	76,411	0	2	1	0	0	0	0	0
Waterloo.....	36,771	0	1	1	0	0	0	0	0
Missouri:									
Kansas City.....	367,481	0	7	6	3	3	2	0	2
St. Joseph.....	78,342	0	2	1	0	0	0	1	0
St. Louis.....	821,543	1	27	25	0	0	4	5	0
North Dakota:									
Fargo.....	26,403	1	0	0	0	0	0	3	0
Grand Forks.....	14,811	0	0	0	0	0	0	0	0
South Dakota:									
Aberdeen.....	15,036	0	0	0	0	0	1	2	0
Nebraska:									
Lincoln.....	60,941	1	1	2	0	0	0	1	1
Omaha.....	211,768	0	14	2	0	0	0	0	4
Kansas:									
Topeka.....	55,411	0	1	2	0	0	0	0	0
Wichita.....	88,367	0	2	2	0	0	4	1	2
SOUTH ATLANTIC									
Delaware:									
Wilmington.....	122,049	0	1	0	0	0	0	0	1
Maryland:									
Baltimore.....	796,296	1	17	14	2	1	0	1	10
Cumberland.....	33,741	0	0	0	0	0	0	0	0
Frederick.....	72,035	0	0	0	0	0	0	0	0
District of Columbia:									
Washington.....	497,906	1	7	8	0	0	2	0	9
Virginia:									
Lynchburg.....	30,395	0	1	4	0	0	0	0	0
Norfolk.....	(1)	0	2	3	0	0	0	0	3
Richmond.....	186,403	0	16	13	0	1	0	0	2
Roanoke.....	58,208	0	5	4	0	0	0	0	1
West Virginia:									
Charleston.....	49,019	0	2	0	0	1	0	0	0
Huntington.....	63,485	0	2	0	0	0	0	0	0
Wheeling.....	56,208	1	2	1	0	0	1	0	0
North Carolina:									
Raleigh.....	30,371	0	3	7	0	0	0	0	1
Wilmington.....	37,061	0	1	0	0	2	0	0	1
Winston-Salem.....	69,031	2	3	2	0	0	0	0	0

1 No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Population July 1, 1925, estimated	Chick- en pox, cases re- ported	Diphtheria		Influenza		Meas- les, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
			Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported			
SOUTH ATLANTIC—CON.									
South Carolina:									
Charleston.....	73,125	0	0	0	13	0	0	0	
Columbia.....	41,225	0	1	2	0	0	0	0	
Greenville.....	27,311	0	1	1	0	0	0	0	
Georgia:									
Atlanta.....	(1)	0	6	8	5	0	1	2	
Brunswick.....	16,809	0	1	0	0	0	0	0	
Savannah.....	93,134	0	2	0	6	0	0	0	
Florida:									
Miami.....	69,754	0		12	0	0	0	0	
St. Petersburg.....	26,847		0		0	0			
Tampa.....	94,743	1	1	1	0	0	2	0	
EAST SOUTH CENTRAL									
Kentucky:									
Covington.....	58,309		2						
Louisville.....	305,935	0	8	6	0	0	0	1	
Tennessee:									
Memphis.....	174,533	0	7	0	0	1	2	1	
Nashville.....	136,220	0	3	9	0	0	0	0	
Alabama:									
Birmingham.....	205,670	2	6	6	1	0	0	2	
Mobile.....	65,955	0	2	0	0	1	0	0	
Montgomery.....	46,481	0	2	5	0	0	0	0	
WEST SOUTH CENTRAL									
Arkansas:									
Fort Smith.....	31,643	0	1	0	0		0	0	
Little Rock.....	74,216	0	1	0	0	0	0	0	
Louisiana:									
New Orleans.....	414,493	0	8	5	0	0	0	0	
Shreveport.....	57,857	0	0	0	0	0	0	1	
Oklahoma:									
Oklahoma City.....	(1)	1	2	2	6	0	0	0	
Texas:									
Dallas.....	194,450	0	5	4	5	4	0	0	
Galveston.....	48,375	0	0	0	0	0	0	0	
Houston.....	164,954	0	2	4	0	0	0	0	
San Antonio.....	198,069	0	0	3	0	1	0	0	
MOUNTAIN									
Montana:									
Billings.....	17,971	0	0	0	0	0	0	0	
Great Falls.....	29,883	2	1	0	0	1	0	0	
Helena.....	12,037	0	0	0	0	0	0	0	
Missoula.....	12,668	0	0	0	0	0	0	0	
Idaho:									
Boise.....	23,042	0	0	2	0	0	0	0	
Colorado:									
Denver.....	280,911	0	12	8	0		5	0	
Pueblo.....	43,787	0	4	0	0	0	1	0	
New Mexico:									
Albuquerque.....	21,000	1	0	1	0	0	0	1	
Arizona:									
Phoenix.....	38,669	0	1	0	0	0	0	0	
Utah:									
Salt Lake City.....	130,948	4	3	5	0	0	7	1	
Nevada:									
Reno.....	12,665	0	0	0	0	0	0	0	
PACIFIC									
Washington:									
Seattle.....	(1)	5	5	7	0		2	8	
Spokane.....	108,897	0	3	1	0		2	0	
Tacoma.....	104,455	0	3	9	0	0	0	1	
Oregon:									
Portland.....	282,383	1	5	4	0	0	5	1	
California:									
Los Angeles.....	(1)	5	27	39	9	0	2	6	
Sacramento.....	72,260	0	2	6	0	0	13	9	
San Francisco.....	557,530	16	14	17	2	2	96	7	

¹ No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuberculosis, deaths reported	Typhoid fever			Whooping cough, cases reported	Deaths, all causes
	Cases, estimated expectancy	Cases reported	Cases, estimated expectancy	Cases reported	Deaths reported		Cases, estimated expectancy	Cases reported	Deaths reported		
NEW ENGLAND											
Maine:											
Portland.....	1	0	0	0	0	0	1	1	0	6	15
New Hampshire:											
Concord.....	1	0	0	0	0	0	0	0	0	0	5
Manchester.....	1	2	0	0	0	0	0	0	0	0	10
Vermont:											
Barre.....	1	0	0	0	0	1	0	0	0	2	1
Burlington.....	1	0	0	0	0	0	0	0	0	0	7
Massachusetts:											
Boston.....	16	14	0	0	0	21	5	3	1	36	238
Fall River.....	1	1	0	0	0	3	3	0	0	2	27
Springfield.....	3	1	0	0	0	0	0	0	0	1	28
Worcester.....	3	5	0	0	0	1	1	0	1	3	47
Rhode Island:											
Pawtucket.....	1	2	0	0	0	0	0	0	0	0	14
Providence.....	3	2	0	0	0	2	1	0	0	5	48
Connecticut:											
Bridgeport.....	2	4	0	0	0	2	0	0	0	2	20
Hartford.....	2	0	0	0	0	5	2	0	0	1	—
New Haven.....	2	1	0	0	0	1	3	0	0	0	56
MIDDLE ATLANTIC											
New York:											
Buffalo.....	8	2	0	1	0	14	3	1	0	8	116
New York.....	40	51	0	0	0	184	41	50	4	38	1,201
Rochester.....	4	2	0	0	0	0	1	4	0	5	51
Syracuse.....	5	0	0	0	0	4	2	3	0	16	34
New Jersey:											
Camden.....	2	3	0	0	0	1	2	1	0	6	31
Newark.....	6	4	0	0	0	4	2	4	0	37	79
Trenton.....	0	2	0	0	0	3	1	0	0	7	30
Pennsylvania:											
Philadelphia.....	23	38	0	0	0	28	14	21	0	42	424
Pittsburgh.....	17	10	0	0	0	7	4	7	0	27	161
Reading.....	0	0	0	0	0	0	3	0	0	9	33
EAST NORTH CENTRAL											
Ohio:											
Cincinnati.....	6	1	0	0	0	7	2	2	0	6	120
Cleveland.....	13	8	1	0	0	17	4	12	0	54	187
Columbus.....	4	7	0	0	0	5	1	1	0	5	78
Toledo.....	5	6	1	0	0	4	3	2	1	11	76
Indiana:											
Fort Wayne.....	1	1	1	0	0	1	1	1	1	0	17
Indianapolis.....	5	1	1	1	0	8	3	4	0	6	105
South Bend.....	2	2	0	0	0	0	0	0	0	2	15
Terre Haute.....	0	2	0	0	0	1	1	0	0	2	20
Illinois:											
Chicago.....	45	46	1	0	0	39	7	10	0	55	619
Peoria.....	4	1	0	0	0	0	0	1	0	3	23
Springfield.....	1	2	0	0	0	1	1	0	0	7	17
Michigan:											
Detroit.....	31	29	2	0	0	24	6	4	0	78	278
Flint.....	4	3	0	1	0	1	1	1	0	1	20
Grand Rapids.....	4	2	0	0	0	2	1	1	0	3	27
Wisconsin:											
Kenosha.....	1	1	0	0	0	0	0	0	0	19	7
Madison.....	1	—	0	—	—	—	—	—	—	—	—
Milwaukee.....	15	11	1	0	0	3	0	1	0	60	89
Racine.....	2	0	0	0	0	0	0	1	0	4	7
Superior.....	1	2	0	0	0	1	0	0	0	0	9
WEST NORTH CENTRAL											
Minnesota:											
Duluth.....	4	8	0	0	0	1	1	0	0	0	26
Minneapolis.....	17	27	0	0	0	4	2	1	0	0	88
St. Paul.....	8	18	2	0	0	3	2	3	0	14	69

¹ Pulmonary tuberculosis only.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis, deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
WEST NORTH CENTRAL—CON.											
Iowa:											
Davenport	0	1	0	0			0	0		0	
Des Moines	5	0	0	0			0	0		0	
Sioux City	1	0	0	0			0	0		1	
Waterloo	1	0	0	0			0	0		9	
Missouri:											
Kansas City	4	0	0	0	0	3	3	2	2	1	84
St. Joseph	2	1	0	0	0	0	0	1	0	0	13
St. Louis	15	16	0	1	0	4	6	4	2	16	187
North Dakota:											
Fargo	0	0	0	0	0	0	0	1	0	2	5
Grand Forks	0	4	0	0			0	0	0	0	
South Dakota:											
Aberdeen	1	0	1	0			0	0		0	
Nebraska:											
Lincoln	1	1	0	0	0	0	0	0	0	4	14
Omaha	2	3	1	0	0	2	1	0	0	2	36
Kansas:											
Topeka	2	0	0	0	0	1	1	1	0	7	9
Wichita	2	3	1	0	0	1	2	0	0	5	31
SOUTH ATLANTIC											
Delaware:											
Wilmington	1	2	0	0	0	0	1	1	0	0	22
Maryland:											
Baltimore	7	7	0	0	0	21	11	9	1	61	210
Cumberland	0	0	0	0	0	1	1	0	0	0	15
Frederick	0	0	0	0	0	0	0	0	0	2	0
District of Colum- bia:											
Washington	6	7	0	0	0	10	5	6	1	8	116
Virginia:											
Lynchburg	1	2	0	0	0	0	1	3	0	0	11
Norfolk	1	1	0	0	0	3	1	2	0	4	
Richmond	5	3	0	0	0	3	2	1	0	0	46
Roanoke	2	1	0	1	0	0	2	0	1	0	26
West Virginia:											
Charleston	1	3	0	0	0	0	2	0	1	3	18
Huntington	0	3	0	0	0	2	0	0	0	0	15
Wheeling	2	2	0	0	0	1	2	2	0	0	15
North Carolina:											
Raleigh	1	0	0	0	0	1	0	1	0	9	10
Wilmington	1	2	0	0	0	1	0	0	0	5	8
Winston-Salem	1	9	1	0	0	1	2	1	0	6	13
South Carolina:											
Charleston	0	0	0	1	0	1	3	4	0	0	18
Columbia	0	0	0	0	0	0	1	0	0	0	
Greenville	0	2	0	0	0	0	0	1	0	2	12
Georgia:											
Atlanta	4	1	0	0	0	0	4	18	2	1	56
Brunswick	0	0	0	0	0	0	0	0	0	0	2
Savannah	1	0	0	1	0	5	1	0	0	0	31
Florida:											
Miami		0		0	0	0		1	0	2	103
St. Petersburg	0		0		0	0	0		0		4
Tampa	0	0	0	0	0	3	0	0	0	1	45
EAST SOUTH CENTRAL											
Kentucky:											
Covington	1		0				0				
Louisville	2	7	0	0	0	8	5	6	1	3	73
Tennessee:											
Memphis	2	2	1	0	0	8	5	0	1	17	58
Nashville	3	3	0	0	0	4	5	16	4	10	39
Alabama:											
Birmingham	5	4	1	0	0	4	6	2	0	2	49
Mobile	0	0	0	0	0	1	1	0	0	0	18
Montgomery	1	0	0	0	0	0	0	8	0	0	5

City reports for week ended September 25, 1926—Continued

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Poliomyelitis (infantile paralysis)		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, estimated expectancy	Cases	Deaths
MIDDLE ATLANTIC									
New York:									
Buffalo.....	1	0	0	0	0	0	0	13	0
New York.....	8	4	3	1	0	0	13	9	3
Rochester.....	0	0	0	0	0	0	1	1	0
Syracuse.....	0	0	0	0	0	0	1	2	0
New Jersey:									
Newark.....	0	0	2	0	0	0	0	0	0
Pennsylvania:									
Philadelphia.....	0	0	0	0	0	0	1	1	0
EAST NORTH CENTRAL									
Ohio:									
Cincinnati.....	1	0	0	0	0	0	0	0	0
Cleveland.....	0	0	0	0	0	0	1	3	0
Columbus.....	1	1	0	0	0	0	0	0	0
Illinois:									
Chicago.....	0	0	1	1	0	1	5	2	1
Michigan:									
Detroit.....	0	0	2	0	0	1	1	3	0
Flint.....	0	0	0	0	0	0	0	1	1
WEST NORTH CENTRAL									
Iowa:									
Waterloo.....	0	0	1	0	0	0	0	0	0
Missouri:									
Kansas City.....	2	0	0	0	0	0	1	0	0
St. Louis.....	0	0	0	0	0	0	1	1	0
SOUTH ATLANTIC									
Maryland:									
Baltimore.....	0	1	0	0	0	0	1	2	0
Virginia:									
Lynchburg.....	0	0	0	0	0	1	0	0	0
Norfolk.....	0	0	0	0	0	0	0	2	2
Roanoke.....	0	0	0	0	0	2	0	0	0
North Carolina:									
Wilmington.....	1	0	0	0	0	0	0	0	0
Winston-Salem.....	0	0	0	0	1	2	0	0	0
Georgia:									
Savannah.....	1	1	0	0	0	0	0	2	0
Florida:									
Miami.....	0	0	0	0	1	0	0	0	0
Tampa.....	0	2	0	0	0	0	0	0	0
EAST SOUTH CENTRAL									
Tennessee:									
Memphis.....	0	0	0	0	0	1	0	0	0
Alabama:									
Birmingham.....	0	0	0	0	2	0	0	0	0
Mobile.....	0	0	1	0	0	1	0	0	0
WEST SOUTH CENTRAL									
Arkansas:									
Little Rock.....	0	0	0	0	0	3	0	0	0
Louisiana:									
New Orleans.....	2	0	0	0	0	0	0	1	0
Shreveport.....	0	0	0	0	0	1	0	0	0
Texas:									
Dallas.....	0	0	0	0	0	1	0	1	0
Houston.....	0	2	0	0	0	0	0	0	0
MOUNTAIN									
Arizona:									
Phoenix.....	0	0	0	0	0	1	0	0	0
PACIFIC									
Washington:									
Seattle.....	0	0	0	0	0	0	1	1	0
Oregon:									
Portland.....	0	0	0	0	0	0	0	2	0
California:									
Los Angeles.....	1	1	0	0	0	0	1	2	0
San Francisco.....	1	0	2	0	0	0	0	0	0

The following table gives the rates per 100,000 population for 101 cities for the five-week period ended September 25, 1926, compared with those for a like period ended September 26, 1925. The population figures used in computing the rates are approximate estimates as of July 1, 1925 and 1926, respectively, authoritative figures for many of the cities not being available. The 101 cities reporting cases had an estimated aggregate population of nearly 30,000,000 in 1925 and nearly 30,500,000 in 1926. The 95 cities reporting deaths had more than 29,200,000 estimated population in 1925 and more than 29,730,000 in 1926. The number of cities included in each group and the estimated aggregate populations are shown in a separate table below.

*Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925*¹

DIPHTHERIA CASE RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
101 cities.....	72	65	70	74	92	76	95	84	97	108
New England.....	41	50	43	26	74	38	139	35	81	73
Middle Atlantic.....	63	56	61	59	89	53	83	63	81	69
East North Central.....	68	75	57	101	70	80	76	95	101	129
West North Central.....	117	81	100	66	143	75	145	95	153	127
South Atlantic.....	68	62	106	69	119	137	88	111	109	128
East South Central.....	37	57	32	42	74	104	74	116	58	143
West South Central.....	92	34	31	60	119	86	57	77	75	69
Mountain.....	166	73	305	91	194	173	217	237	189	137
Pacific.....	105	92	76	135	75	92	130	97	102	213

MEASLES CASE RATES

	27	27	22	25	22	26	29	28	35	37
101 cities.....	27	27	22	25	22	26	29	28	35	37
New England.....	86	38	50	33	91	35	108	19	177	38
Middle Atlantic.....	34	15	25	17	25	11	34	10	33	7
East North Central.....	30	32	20	30	16	18	22	21	22	22
West North Central.....	4	20	6	10	4	10	8	12	6	28
South Atlantic.....	23	15	23	9	21	19	15	9	29	11
East South Central.....	11	36	0	31	0	16	5	17	11	11
West South Central.....	0	4	0	0	4	4	4	4	0	0
Mountain.....	28	27	0	36	9	100	59	73	28	118
Pacific.....	6	94	26	92	8	139	14	225	19	310

¹ The figures given in this table are rates per 100,000 population, annual basis, and not the number of cases reported. Populations used are estimated as of July 1, 1925, and 1926, respectively.

² Greenville, S. C., not included.

³ Madison, Wis., not included.

⁴ Spokane, Wash., not included.

⁵ Helena, Mont., not included.

⁶ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁷ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁸ Pittsburgh, Pa., not included.

⁹ Racine, Wis., not included.

¹⁰ Madison, Wis., and Racine, Wis., not included.

¹¹ Covington, Ky., not included.

¹² Tacoma, Wash., not included.

Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925—Continued

SCARLET FEVER CASE RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
101 cities.....	² 45	¹ 55	⁴ 54	51	51	58	¹ 60	¹ 67	¹ 63	⁷ 80
New England.....	67	54	46	59	62	80	60	76	46	71
Middle Atlantic.....	27	32	30	25	31	32	46	44	48	¹ 54
East North Central.....	45	¹ 55	58	59	57	62	58	¹ 64	65	¹⁰ 81
West North Central.....	110	133	123	131	102	93	133	129	135	153
South Atlantic.....	² 39	58	56	38	54	56	36	49	61	79
East South Central.....	26	62	131	57	110	100	53	¹¹ 127	74	¹¹ 88
West South Central.....	18	26	35	26	31	47	40	30	13	52
Mountain.....	28	64	74	82	37	73	¹ 161	82	¹ 85	118
Pacific.....	66	75	⁴ 50	70	36	89	64	¹² 123	77	119

SMALLPOX CASE RATES

	¹ 8	¹ 4	⁴ 5	2	5	2	¹ 6	¹ 1	¹ 5	⁷ 3
101 cities.....										
New England.....	0	0	0	0	0	0	0	0	0	0
Middle Atlantic.....	1	0	0	1	0	0	0	0	0	¹ 1
East North Central.....	8	¹ 7	5	0	2	2	2	¹⁰ 2	2	¹⁰ 1
West North Central.....	4	0	4	0	0	2	2	0	2	2
South Atlantic.....	¹ 12	9	2	9	12	2	12	9	6	6
East South Central.....	53	0	11	10	21	0	37	¹¹ 0	32	¹¹ 0
West South Central.....	13	9	4	4	4	0	4	4	0	13
Mountain.....	9	0	9	0	18	0	¹⁰ 0	0	¹ 38	0
Pacific.....	28	13	⁴ 38	13	41	16	47	¹¹ 0	39	19

TYPHOID FEVER CASE RATES

	² 45	¹ 40	¹ 28	40	41	45	¹ 49	¹ 53	¹ 44	⁷ 44
101 cities.....										
New England.....	26	19	29	12	34	17	29	33	22	9
Middle Atlantic.....	30	39	29	34	27	34	35	55	34	¹ 45
East North Central.....	26	¹ 18	17	20	20	20	18	¹ 28	29	¹⁰ 26
West North Central.....	35	42	22	42	57	50	57	26	16	26
South Atlantic.....	¹ 89	56	58	92	48	105	104	81	88	92
East South Central.....	163	233	168	176	226	285	194	¹¹ 264	200	¹¹ 176
West South Central.....	106	39	167	43	70	39	159	69	97	77
Mountain.....	111	18	28	9	129	18	¹ 85	82	¹ 94	36
Pacific.....	52	38	¹ 29	46	28	27	28	¹² 37	22	22

INFLUENZA DEATH RATES

	² 3	¹ 3	2	3	4	4	¹ 5	¹ 4	¹ 3	⁷ 6
95 cities.....										
New England.....	0	0	0	0	2	0	0	0	0	5
Middle Atlantic.....	3	3	3	2	3	4	6	3	3	¹ 4
East North Central.....	4	¹ 3	3	4	7	4	4	¹ 3	4	¹⁰ 3
West North Central.....	2	8	2	4	0	0	6	4	4	8
South Atlantic.....	² 2	2	2	0	0	0	2	6	2	9
East South Central.....	5	0	0	16	5	0	5	¹¹ 6	0	¹¹ 11
West South Central.....	15	5	5	9	5	19	10	24	0	24
Mountain.....	9	18	18	9	28	36	¹ 19	0	¹ 9	9
Pacific.....	0	0	0	0	4	0	0	¹² 8	4	7

¹ Greenville, S. C., not included.

² Madison, Wis., not included.

³ Spokane, Wash., not included.

⁴ Helena, Mont., not included.

⁵ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁶ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁷ Pittsburgh, Pa., not included.

⁸ Racine, Wis., not included.

⁹ Madison, Wis., and Racine, Wis., not included.

¹⁰ Covington, Ky., not included.

¹¹ Tacoma, Wash., not included.

Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925—Continued

PNEUMONIA DEATH RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
95 cities.....	61	48	70	51	61	51	60	53	54	65
New England.....	41	33	53	50	50	40	67	54	53	76
Middle Atlantic.....	65	56	84	59	68	65	61	51	66	68
East North Central.....	50	38	59	34	46	37	44	41	39	46
West North Central.....	54	42	32	36	36	30	46	51	26	55
South Atlantic.....	80	58	54	64	60	41	81	54	86	79
East South Central.....	63	47	131	52	142	42	70	50	42	88
West South Central.....	106	76	73	52	82	104	77	123	48	90
Mountain.....	74	73	83	64	37	64	113	118	76	55
Pacific.....	62	21	95	78	91	57	62	57	51	78

¹ Greenville, S. C., not included.

² Madison, Wis., not included.

³ Helena, Mont., not included.

⁴ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁵ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁶ Pittsburgh, Pa., not included.

⁷ Racine, Wis., not included.

⁸ Madison, Wis., and Racine, Wis., not included.

⁹ Covington, Ky., not included.

¹⁰ Tacoma, Wash., not included.

Number of cities included in summary of weekly reports, and aggregate population of cities in each group, approximated as of July 1, 1925 and 1926, respectively

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases		Aggregate population of cities reporting deaths	
			1925	1926	1925	1926
Total.....	101	95	29,900,058	30,427,598	29,221,531	29,733,613
New England.....	12	12	2,176,124	2,206,124	2,176,124	2,206,124
Middle Atlantic.....	10	10	10,346,970	10,476,970	10,346,970	10,476,970
East North Central.....	16	16	7,481,656	7,655,436	7,481,656	7,655,436
West North Central.....	12	10	2,550,024	2,589,131	2,431,253	2,468,448
South Atlantic.....	21	21	2,716,070	2,776,070	2,716,070	2,776,070
East South Central.....	7	7	993,103	1,004,963	993,103	1,004,963
West South Central.....	8	6	1,184,057	1,212,067	1,078,198	1,103,695
Mountain.....	9	9	563,912	572,773	563,912	572,773
Pacific.....	6	4	1,888,142	1,994,084	1,434,245	1,460,144

FOREIGN AND INSULAR

THE FAR EAST

Reports for two weeks ended September 18, 1926.—The following reports for the weeks ended September 11 and September 18, 1926, were transmitted by the Far Eastern Bureau of the Secretariat of the League of Nations, located at Singapore, to the headquarters at Geneva:

Week Ended September 11, 1926

Maritime towns	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Egypt: Alexandria.....	0	0	0	0	1	0
British India:.....						
Bombay.....		0		0	5	3
Madras.....		0		0	3	0
Rangoon.....	11	0		0	1	0
Tuticorin.....		0		0	3	0
Negapatam.....		0		1	0	0
Siam: Bangkok.....	0	0	7	4	4	3
Dutch East Indies: Cheribon.....	0	0	0	0	2	0
China:.....						
Amoy.....	0	0	53		0	0
Shanghai.....	0	0	57	21	0	0
Manchuria: Harbin.....	0	0	27	7	0	0
Kwantung: Dairen.....	0	0	3	1	0	0

Telegraphic reports from the following maritime towns indicated that no case of plague, cholera, or smallpox was reported during the week:

ASIA

Arabia.—Aden.
Iraq.—Basra.
British India.—Karachi, Chittagong, Cochin, Vizagapatam.
Ceylon.—Colombo.
Federated Malay States.—Port Swettenham.
Straits Settlements: Penang, Singapore.
Dutch East Indies.—Batavia, Surabaya, Samarang, Belawan Deli, Palembang, Sabang, Makassar, Banjarmasin, Tarakan, Padang Samarinda, Pontianak, Menado, Balikpapan.
Sarawak.—Kuching.
British North Borneo.—Sandakan, Jesselton, Kudat, Tawao.
Portuguese Timor.—Dilly.
Philippine Islands.—Manila, Iloilo, Jolo, Cebu, Zamboanga.
French Indo-China.—Saigon and Cholon, Turane.
China.—Hongkong.
Formosa.—Keelung.
Japan.—Yokohama, Osaka, Nagasaki, Moji, Kobe, Niigata, Tsuruga, Hakodate, Simonoseki.

Korea.—Chemulpo, Fusan.

Manchuria.—Antung, Mukden, Changchun.

Kwantung.—Port Arthur.

U. S. S. R.—Vladivostok.

AUSTRALASIA AND OCEANIA

Australia.—Adelaide, Melbourne, Sydney, Brisbane, Rockhampton, Townsville, Port Darwin, Broome, Fremantle, Garnarvon, Thursday Island.

New Guinea.—Port Moresby.

New Zealand.—Auckland, Wellington, Christchurch, Invercargill, Dunedin.

New Caledonia.—Noumea.

Fiji.—Suva.

Hawaii.—Honolulu.

Society Islands.—Papeete.

AFRICA

Egypt.—Port Said, Suez.

Anglo-Egyptian Sudan.—Port Sudan, Suakin.

Eritrea.—Massaua.

French Somaliland.—Jibuti.

British Somaliland.—Berbera.

Italian Somaliland.—Mogadiscio.

Kenya.—Mombasa.

Zanzibar.—Zanzibar.

Tanganyiki.—Dar-es-Salaam.

Seychelles.—Victoria.

Mauritius.—Port Louis.

Portuguese East Africa.—Mozambique, Beira, Lourenço-Marques.

Union of South Africa.—Durban, East London, Port Elizabeth, Cape Town.

Reports had not been received in time for distribution from:

British India.—Calcutta.

French Indo-China.—Haiphong.

Madagascar.—Tamatave, Majunga.

Week Ended September 18, 1926

Maritime towns	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Egypt: Alexandria	0	0	0	0	4	0
British India:						
Bombay		3		0	3	1
Madras		0		1	5	1
Rangoon		8		0	0	0
Tuticorin		0		0	1	0
Negapatam		0		3	4	1
Ceylon: Colombo	0	0	0	0	2	0
Straits Settlements: Penang	0	0	0	0	1	0
Siam: Bangkok	0	0	2	1	8	4
Dutch East Indies: Cheribon ¹	1	0	0	0	0	0
China:						
Amoy	0	0	50		0	0
Shanghai	0	0	66	20	0	0
Kwantung: Dairen	0	0	1	0	0	0

¹ One infected rat was found in the port during the week.

Telegraphic reports from the following maritime towns indicated that no case of plague, cholera, or smallpox was reported during the week:

ASIA

- Arabia*.—Aden.
- Iraq*.—Basra.
- British India*.—Karachi, Chittagong, Cochin, Vizagapatam.
- Federated Malay States*.—Port Swettenham.
- Straits Settlements*.—Singapore.
- Dutch East Indies*.—Batavia, Surabaya, Samarang, Belawan Deli, Palembang, Sabang, Makassar, Banjarmasin, Tarakan, Padang, Samarinda, Pontianak, Menado, Balikpapan.
- Sarawak*.—Kuching.
- British North Borneo*.—Sandakan, Jesselton, Kudat, Tawao.
- Portuguese Timor*.—Dilly.
- Philippine Islands*.—Manila, Iloilo, Jolo, Cebu, Zamboanga.
- French Indo-China*.—Saigon and Cholon, Turane, Haiphong.
- China*.—Hongkong.
- Formosa*.—Keelung.
- Japan*.—Yokohama, Osaka, Nagasaki, Moji, Kobe, Niigata, Tsuruga, Hakodate, Simonoseki.
- Korea*.—Chemulpo, Fusan.
- Manchuria*.—Antung, Mukden, Changchun.
- Kwantung*.—Port Arthur.
- U. S. S. R.*—Vladivostok.

AUSTRALASIA AND OCEANIA

- Australia*.—Adelaide, Melbourne, Sydney, Brisbane, Rockhampton, Townsville, Port Darwin, Broome, Fremantle, Carnarvon, Thursday Island.
- New Guinea*.—Port Moresby.
- New Zealand*.—Auckland, Wellington, Christchurch, Invercargill, Dunedin.
- New Caledonia*.—Noumea.
- Fiji*.—Suva.
- Hawaii*.—Honolulu.
- Society Islands*.—Papeete.

AFRICA

- Egypt*.—Port Said, Suez.
- Anglo-Egyptian Sudan*.—Port Sudan, Suakin.
- Eritrea*.—Massaua.
- French Somaliland*.—Jibuti.
- British Somaliland*.—Berbera.
- Italian Somaliland*.—Mogadiscio.
- Kenya*.—Mombasa.
- Zanzibar*.—Zanzibar.
- Tanganyiki*.—Dar-es-Salaam.
- Seychelles*.—Victoria.
- Mauritius*.—Port Louis.
- Portuguese East Africa*.—Mozambique, Beira, Laurenço-Marques.
- Union of South Africa*.—Durban, East London, Port Elizabeth, Cape Town.

Reports had not been received in time for distribution from:

- British India*.—Calcutta.
- Manchuria*.—Harbin.
- Madagascar*.—Tamatave, Majunga.

CANADA

Communicable diseases—Week ended September 25, 1926.—The Canadian Ministry of Health reports cases of certain communicable diseases in seven Provinces of Canada for the week ended September 25, 1926 as follows:

Diseases	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	Total
Influenza	8							8
Lethargic encephalitis						2		2
Poliomyelitis				12				12
Smallpox				3	1		4	8
Typhoid fever	1	12	4	25	7	4	1	54

Communicable diseases—Ontario—September, 1926 (comparative).—During the month of September, 1926, communicable diseases were reported in the Province of Ontario, Canada, as follows:

Disease	September, 1926		September, 1925	
	Cases	Deaths	Cases	Deaths
Cerebrospinal meningitis	4		4	1
Chancroid	3			
Chicken pox	123		85	
Diphtheria	239	18	271	16
German measles	7		1	
Gonorrhea	133		134	
Influenza	6			10
Lethargic encephalitis			9	
Measles	149		59	
Mumps	15		29	
Pneumonia		88		85
Poliomyelitis	22		37	
Scarlet fever	141		162	5
Septic sore throat			4	
Smallpox	23		25	
Syphilis	89		79	
Tuberculosis	117	43	148	62
Typhoid fever	94	3	130	8
Whooping cough	232	10	295	7

Smallpox.—Smallpox was reported present in the Province of Ontario during the month of September, 1926, in 10 localities. The largest number of cases was reported at Peterboro, viz, 10.

Vital statistics—Quebec—July, 1926.—Births and deaths in the Province of Quebec for the month of July have been reported as follows:

Estimated population	2,570,000	Deaths from—Continued.	
Births	6,702	Diphtheria	19
Birth rate per 1,000 population	31.29	Heart diseases	326
Deaths (all causes)	2,668	Influenza	36
Death rate per 1,000 population	12.45	Measles	25
Deaths under 1 year	763	Scarlet fever	4
Infant mortality rate	113.84	Syphilis	7
Deaths from—		Tuberculosis (pulmonary)	216
Cancer	128	Tuberculosis (other forms)	75
Cerebrospinal meningitis	13	Typhoid fever	16
Diabetes	26	Whooping cough	30

CHINA

Cholera—Tsingtao—August 30, 1926.—On August 30, 1926, cholera was reported present at Tsingtao, China. The first case was reported in the person of an American, who died of the disease the day after his arrival in the city and is believed to have become infected en route to Tsingtao. The next occurrence was in the Japanese community, with about 10 fatalities. Among the Chinese population from 30 to 40 deaths from cholera were reported daily, the greater number occurring in villages in the immediate vicinity of the city. A second case in a foreigner occurred in a British subject.

Precautions against spread.—Cholera inoculation was administered to the police, military, and civil employees, but was not compulsory; orders were published forbidding use of uncooked food and fruits; quarantine supervision was exercised over arrivals from Amoy, Shanghai, and other ports in south China.

CHOSEN

Cholera—North Heian Province—September 9-16, 1926.—During the period September 9 to 16, 1926, 70 cases of cholera with 30 deaths, estimated, were reported in the North Heian Province, Chosen.

ESTHONIA

Communicable diseases—July, 1926.—During the month of July, 1926, communicable diseases were reported in the Republic of Esthonia as follows: Cases—diphtheria, 36; leprosy, 1; measles, 192; paratyphoid fever, 17; scarlet fever, 169; tuberculosis, 155; typhoid fever, 34. Population, 1,107,059.

JAMAICA

Smallpox (alastrim)—Other communicable diseases—August 1-28, 1926.—During the period August 1 to 28, 1926, 93 cases of smallpox, reported as alastrim, were reported in the island of Jamaica, occurring at localities other than Kingston. Cases of other communicable diseases were reported as follows:

Disease	Kingston	Other localities	Disease	Kingston	Other localities
Cerebrospinal meningitis		1	Scarlet fever	1	
Chicken pox		5	Tuberculosis (pulmonary)	7	37
Measles	3	22	Typhoid fever	9	89
Ophthalmia neonatorum		1	Yaws		2
Pneumonia		9			

PANAMA CANAL

Communicable diseases—August, 1926.—During the month of August, 1926, communicable diseases were reported in the Canal Zone and at Colon and Panama, as follows:

Disease	Canal Zone		Colon		Panama		Infected in other localities		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Diphtheria.....	1		1		13	1	2		17	1
Dysentery.....	1				6	1		1	7	2
Hookworm disease.....					55	1			55	1
Leprosy.....		1								1
Malaria.....	139	1	5		17	3	32	2	193	6
Measles.....	1		3		23		2		29	
Pneumonia ¹		3		6		25		3		37
Tuberculosis ¹		4		6		22		3		35
Whooping cough.....	2		1		4		1		8	

¹ Only deaths reported.

PERU

Plague—August, 1926.—During the month of August, 1926, 21 cases of plague with 9 deaths were reported in Peru. The occurrence was in the Departments of Cajamarca and Lima and was distributed as follows: *Cajamarca*—In the Province of Contumaza, 1 case; *Lima*—Chancay Province, cases, 5, deaths, 2; Lima Province, at Chosica, cases, 6, deaths, 1; Lima City, cases, 2, deaths, 1; country district of Lima, cases, 7, deaths, 5.

SALVADOR

Quarantine against Guatemala—Smallpox.—According to information dated September 7, 1926, quarantine was in force at that date in the Republic of Salvador against arrivals from Guatemala on account of smallpox.

SIERRA LEONE

Sleeping sickness—August, 1926.—During the month of August, 1926, a case of sleeping sickness was reported in Sierra Leone, West Africa, occurring at Kpai, Kennema District.

UNION OF SOUTH AFRICA

Plague—Cape Province—Orange Free State—August 15–21, 1926.—During the week ended August 21, 1926, three cases of plague, occurring in Europeans, were reported in the Union of South Africa, of which two cases, fatal, occurred in the Cape Province, in Calvinia district, and one case in the Orange Free State, in Hoopstad district. The occurrence was on farms.

Smallpox.—New cases of smallpox were reported in Cape Province, August 15 to 21, 1926, in two districts.

Typhus fever.—During the same period new cases of typhus fever were reported in the Transvaal. Occurrence of typhus fever during the month of July, 1926, was reported as follows: *Cape Province*—Cases, 58; deaths, 15. *Natal*—Cases, 23; deaths, 2. *Orange Free State*—Cases, 7. *Transvaal*—cases, 2. The occurrence was in the colored or native population.

YUGOSLAVIA

Communicable diseases—August, 1926.—During the month of August, 1926, communicable diseases were reported in Yugoslavia as follows:

Disease	Cases	Deaths	Disease	Cases	Deaths
Anthrax.....	40	6	Measles.....	86	1
Cerebrospinal meningitis.....	1	1	Scarlet fever.....	326	51
Diphtheria.....	120	18	Tetanus.....	32	21
Dysentery.....	236	27	Typhoid fever.....	322	13
Glanders.....	2	2	Typhus fever.....	1	—
Lethargic encephalitis.....	1	—	Whooping cough.....	215	153

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

The reports contained in the following tables must not be considered as complete or final as regards either the lists of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended October 15, 1926¹

CHOLERA

Place	Date	Cases	Deaths	Remarks
China:				
Amoy.....	Aug. 22-Sept. 4.....	54	—	Present; not epidemic.
Foochow.....	Aug. 15-Sept. 4.....	—	—	
Swatow.....	Aug. 22-Sept. 4.....	16	—	
Tsingtao.....	Aug. 30.....	—	—	American, 1 case, 1 death; Japanese settlement, 10 deaths; Chinese, 30 to 40 deaths daily; estimated.
Chosen:				
North Heian Province.....	Sept. 3-16.....	70	30	Deaths estimated.
India:				Aug. 1-7, 1926: Cases, 2,457; deaths, 1,577.
Madras.....	Aug. 29-Sept. 4.....	1	1	
Philippine Islands:				
Pampanga Province.....	July 25-31.....	1	1	
Siam.....				Aug. 15-21, 1926: Cases, 83; deaths, 62. Apr. 1-Aug. 21, 1926: Cases, 7,466; deaths, 4,007.

PLAGUE

Place	Date	Cases	Deaths	Remarks
Azores:				
Fayal Island—				
Horta.....	Aug. 23-29.....	1	1	
British East Africa:				
Kenya—				
Kisumu.....	Aug. 17.....	1	—	
India:				Aug. 1-7, 1926: Cases, 228; deaths, 186.
Bombay.....	Aug. 15-21.....	1	1	
Madras Presidency.....	Aug. 8-14.....	69	46	
Peru:				Aug., 1926: Cases, 21; deaths, 9.
Departments—				
Cajamarca.....				Aug., 1926: Cases, 1.
Contumaza Province.....	Aug. 1-31.....	1	—	At Jandon.

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received During Week Ended October 15, 1926—Continued

PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
Pera—Continued.				
Departments—Continued.				
Lima				Aug., 1926: Cases, 20; deaths, 9.
Chanéay Province—				
Huacho	Aug. 1-31	3	1	
Huaral	do	2	1	
Lima Province—				
Chosica	do	6	1	
Lima City	do	2	1	
Country estates.	do	7	5	
Turkey:				
Constantinople	Aug. 29-Sept. 4	1	1	
Union of South Africa:				
Cape Province—				
Calvinia District	Aug. 15-21	2	2	In Europeans. On farms.
Orange Free State—				
Hoopstad District	do	1		European. On farm.

SMALLPOX

Canada:				
Alberta				Sept. 19-25, 1926: Cases, 4.
Calgary	Sept. 19-25	5		
British Columbia—				
Vancouver	Sept. 6-12	1		
Manitoba	Sept. 19-25	1		
Ontario	do	3		Sept. 1-30, 1926: Cases, 23; corresponding period, 1925—cases, 25.
Peterboro	Sept. 1-30	10		
Saskatchewan—				
Regina	Sept. 19-25	1		
China:				
Chungking	Aug. 15-21			Present.
France:				
Paris	Sept. 1-10	2		
Great Britain:				
England and Wales				Aug. 29-Sept. 18, 1926: Cases, 305.
Sheffield	Sept. 5-11	1		
India:				
Bombay	Aug. 15-21	2	2	Aug. 1-7, 1926: Cases, 2,012; deaths, 637.
Madras	Aug. 29-Sept. 4	6	2	
Jamaica				Aug. 1-14, 1926: Cases, 31. Reported as alastrim.
Mexico:				
Guadalajara	Sept. 14-27		2	
San Luis Potosi	Sept. 19-25		1	
Siam				Aug. 15-21, 1926: Cases, 18; deaths, 4. Apr. 1-Aug. 21, 1926: Cases, 544; deaths, 209.
Union of South Africa:				
Cape Province	Aug. 15-21			Outbreaks.

TYPHUS FEVER

Algeria:				
Algiers	July 21-31	1		
Mexico:				
Mexico City	Sept. 5-18	16		Including municipalities in Federal District.
Palestine:				
Jerusalem	Aug. 31-Sept. 6	1		
Union of South Africa:				
Cape Province				July, 1926: Cases, 90; deaths, 17. Native.
Natal				July, 1926: Cases, 58; deaths, 15.
Orange Free State				July, 1926: Cases, 23; deaths, 2.
Transvaal				July, 1926: Cases, 7.
Do				July, 1926: Cases, 3.
Yugoslavia	Aug. 15-21			Outbreaks.
				Aug., 1926: 1 case.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926¹

CHOLERA

Place	Date	Cases	Deaths	Remarks
Ceylon.....				Apr. 18-May 20, 1926: Cases, 31; deaths, 29.
China:				
Amoy.....	Aug. 8-21.....	13		Stated to be present in epidemic form.
Canton.....	June 1-30.....	38	14	
Nanking.....	July 25-Aug. 7.....			Present.
Shanghai.....	Reported July 20.....	25	8	
Do.....	July 25-Aug. 28.....	32	327	Cases, foreign; deaths, native and foreign.
Swatow.....	July 11-Aug. 14.....	20	63	
Tsingtao.....	do.....	3	3	
Chosen:				
Shingishu.....	Sept. 13.....	19		Including places in vicinity.
French Settlements in India.....				Mar. 7-June 26, 1926: Cases, 31; deaths, 30.
India:				Apr. 25-June 26, 1926: Cases, 18,526; deaths, 11,531. June 27-July 31, 1926: Cases, 9,035; deaths, 5,587.
Bombay.....	May 30-June 5.....	1	1	
Do.....	July 18-31.....	2	2	
Calcutta.....	Apr. 4-May 29.....	478	418	
Do.....	June 13-26.....	73	69	
Do.....	June 27-Aug. 21.....	242	215	
Madras.....	May 16-June 5.....	2	1	
Do.....	Aug. 1-7.....	1	1	
Rangoon.....	May 9-June 26.....	67	44	
Do.....	June 27-Aug. 8.....	28	27	
Indo-China:				
Salgon.....	May 2-15.....	52	48	
Do.....	May 22-June 26.....	42	32	
Do.....	June 27-Aug. 14.....	31	17	
Japan.....				To September 10, 1926: Cases, 35.
Ken (Prefecture)—				
Hiroshima.....	To Sept. 10.....	1		
Hyogo.....	do.....	7		
Kagakawa.....	do.....	8		
Kanagawa.....	do.....	3		Including Yokohama.
Kochi.....	do.....	1		
Ookayama.....	do.....	7		
Osaka.....	do.....	6		
Wakayama.....	do.....	2		
Philippine Islands:				
Manila.....	May 18-24.....	2	2	
Do.....	June 27-Aug. 21.....	9	2	
Provinces—				
Albay.....	Apr. 18-24.....	1	1	
Davao.....	May 23-29.....	1		
Mindoro.....	Feb. 21-Mar. 6.....	3	3	
Rizal.....	July 18-24.....	1		
Romblon.....	Dec. 14-31.....	42	43	
Do.....	Jan. 2-23.....	16	12	
Slam.....				Aug. 1-7, 1926: Cases, 47; deaths, 38.
Bangkok.....	May 2-June 12.....	1,325	736	
Do.....	June 20-26.....	56	26	
Do.....	June 27-Aug. 7.....	77	28	
Straits Settlements:				
Singapore.....	July 4-17.....	2	1	
On vessel:				
Steamship Macedonia.....	Aug. 5.....	1		At Yokohama, Japan. Vessel sailed from Singapore, July 18, 1926.

PLAGUE

Algeria:				
Algiers.....	June 21-30.....	1		Under date of July 16, 2 cases reported.
Do.....	July 1-20.....	1		
Bona.....	Aug. 14.....	1		
Philippeville.....	Sept. 7.....	1		
Azores:				
Fayal Island—				
Horta.....	Aug. 2-8.....	1	1	
St. Michaels Island.....	May 9-June 26.....	4	1	
Do.....	June 27-July 10.....	3	1	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
British East Africa:				
Kisumu.....	May 16-22.....	1	1	
Uganda.....	Mar. 1-May 31.....	414	322	
Canary Islands:				
Teneriffe.....	Aug. 2.....	2		
Ceylon:				
Colombo.....	May 29-June 5.....	1	1	
Chile:				
Iquique.....	June 20-26.....		1	
China:				
Amoy.....	Apr. 18-June 26.....	40	30	
Do.....	June 27-Aug. 7.....	28		
Foochow.....	June 6-July 31.....			Several cases. Not epidemic.
Nanking.....	May 9-Aug. 7.....			Prevalent.
Swatow.....	July 25-31.....	14		
Ecuador:				
Chimborazo.....	January-June.....	9	2	January-June, 1926: Cases, 385; deaths, 154.
Guayaquil.....	May 16-June 30.....	6		Rats taken, 766.
Do.....	July 1-Aug. 31.....	12	3	Rats taken, 30,914; found infected, 31.
Leon.....	January-June.....	43	19	Rats taken, 41,321; found infected, 59.
Loja.....	do.....	176	75	Localities, 2.
Tungurahua.....	do.....	83	29	Cantons, 2.
Egypt:				At Ambato, Huachi, and Picay-hua. Rats taken, 1,542.
City.....				Jan. 1-Aug. 12, 1926: Cases, 115.
Alexandria.....	July 27-Aug. 12.....	4	1	
Suez.....	May 21-July 1.....	9	5	
Do.....	July 29.....	2		
Provinces—				
Behera.....	July 23-Aug. 15.....	4	1	
Beni-Suef.....	May 23-June 8.....	8	2	
Charkiah.....	July 27.....	1	1	
Gharbieh.....	June 2.....	1	1	
Minieh.....	July 24.....	1	1	
France:				
Marseille.....	July 8.....	1	1	Reported July 24.
St. Denis.....	Reported Aug. 2.....	1		Vicinity of Paris.
St. Ouen.....	Aug. 14.....	2		Suburb of Paris.
Great Britain:				
Liverpool.....	Aug. 29-Sept. 4.....	2	1	
Greece:				
Athens.....	Apr. 1-May 31.....	16	4	Including Piræus.
Do.....	Aug. 1-31.....	9	2	Do.
Patras.....	May 27-June 12.....	4	1	
Do.....	July 25-Sept. 4.....	7	4	
Zante.....	May 17.....	1		
Hawaii:				
Hamakua.....	June 9.....			1 plague rodent trapped near Hamakua Mill.
Paauihau.....	July 18-24.....			Plague-infected rat trapped.
India:				
Bombay.....	May 2-June 26.....	16	15	Apr. 25-June 16, 1926: Cases, 53,001; deaths, 41,576.
Do.....	July 18-Aug. 14.....	4	4	June 27-July 31, 1926: Cases, 1,107; deaths, 676.
Karachi.....	May 23-June 26.....	15	13	
Do.....	July 11-17.....	1	1	
Madras Presidency.....	Apr. 25-June 26.....	162	93	
Do.....	July 4-Aug. 7.....	195	93	
Rangoon.....	May 9-June 26.....	20	15	
Do.....	June 27-Aug. 21.....	47	38	
Indo-China:				
Salgon.....	May 23-June 26.....	8	3	
Do.....	July 18-Aug. 7.....	2	1	
Iraq:				
Bagdad.....	Apr. 18-June 12.....	161	108	
Do.....	July 18-31.....	2	2	
Japan:				
Yokohama.....	July 2-30.....	9	5	
Do.....	Aug. 7.....	2		Total, July 2-Aug. 10, 1926: Cases, 9; deaths, 8.
Java:				
Batavia.....	Apr. 24-June 19.....	65	65	
Do.....	June 26-Aug. 20.....	44	42	
Cheribon.....	Apr. 11-24.....	3	3	
East Java and Madura.....	June 13-19.....	1	1	
Do.....	July 25-31.....	1	1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
Madagascar:				
Ambositra Province.....	May 1-15.....	4	4	Septicemic.
Antsirabi Province.....	June 16-30.....	4	4	
Itasy Province.....	do.....	17	10	
Majunda Province.....	do.....	10	6	
Mananjary Province.....	do.....	1	1	
Moramanga Province.....	Apr. 1-15.....	2	2	Do.
Tananarive Province.....				Apr. 1-June 30, 1926: Cases, 130;
Tamatave (Port).....	May 16-31.....	1	1	deaths, 130.
Tananarive Town.....	Apr. 1-June 30.....	7	7	
Nigeria				
				Feb. 1-Apr. 30, 1926: Cases, 115;
				deaths, 92.
Peru				
Departments—				
Ancash.....	May 1-31.....			May-June, 1926: Cases, 57;
Cajamarca.....	May 1-June 30.....	10	4	deaths, 16.
Huacho.....	July 1-31.....	1		Present.
Huaral.....	do.....	5	2	
Huarmey.....	do.....			Do.
Ica.....	May 1-31.....	1		
Libertad.....	do.....	4		Pacasmayo, cases, 2; Trujillo
Lima.....	May 1-June 30.....	29	12	district, cases, 2.
Do.....	July 1-31.....	8	2	
Haciendas.....	do.....	7	3	
Piura.....	June 1-30.....	13		In Huancabamba district.
Russia				
Senegal				
				Jan. 1-Mar. 31, 1926: Cases, 37.
				Nov. 1-30, 1926: Cases, 3; deaths,
				2. Mar. 1-Apr. 30, 1926: Cases,
				15; deaths, 4.
Siam:				
Bangkok.....	May 23-June 26.....	2	2	
Do.....	July 18-24.....	1	1	
Straits Settlements:				
Singapore.....	May 2-8.....	1	1	
Do.....	July 4-17.....	1	1	
Syria:				
Beirut.....	July 1-Aug. 10.....	2		
Tunisia.....	May 11-June 30.....	174		
Do.....	July 1-20.....	12		
Kairouan.....	June 9.....	3		9 cases 33 miles south of Kai-
				rouan.
Turkey:				
Constantinople.....	Aug. 1-28.....	4	1	
Union of South Africa:				
Cape Province.....	May 16-22.....	5	3	
Calvinia District.....	June 13-26.....	12	6	
Do.....	June 27-Aug. 14.....	2	1	
Williston District.....	June 13-26.....	2		
Do.....	June 27-July 3.....	1		
Orange Free State—				
Hoopstad District—				
Protestpan.....	May 9-22.....	3	3	
On vessel:				
Steamship Zaria.....	Sept. 1926.....	2	2	At Liverpool, England, from
				Lagos, Nigeria, West Africa.
				Four plague-infected rats found
				on board.

SMALLPOX

Algeria:				
Algiers.....	May 21-June 30.....	14		
Do.....	July 1-Aug. 31.....	3		
Belgium:				
Antwerp.....	Aug. 1-7.....	1	1	
Bolivia:				
La Paz.....	May 1-June 30.....	14	7	
Do.....	July 1-31.....	2	4	
Brazil:				
Bahia.....	June 20-26.....	1		
Do.....	June 27-Aug. 21.....	52	25	
Manaos.....	Apr. 1-30.....		5	
Para.....	May 16-June 26.....	26	25	
Do.....	June 27-Aug. 14.....	18	11	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YF'LOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Brazil—Continued.				
Pernambuco	July 11–Aug. 2	43	7	
Rio de Janeiro	May 2–June 19	132	91	
Do	July 4–Sept. 4	1,823	897	
Santos	Mar. 1–7		1	
British East Africa:				
Mombasa	July 5–11	5	4	
Tanganyika	May 1–31	252	46	
Uganda	Mar. 1–May 31	3		
British South Africa:				
Northern Rhodesia	May 18–24	17	6	Natives.
Do	June 8–14	5		
Canada				May 30–June 12, 1926: Cases 46.
Alberta	May 30–June 12	3		
Do	June 27–Sept. 18	14		
Calgary	Sept. 5–11	1		
British Columbia—				
Vancouver	Aug. 16–22	2		
Manitoba				May 30–June 26, 1926: Cases, 24.
Winnipeg	June 6–12	5		June 27–Sept. 11, 1926: Cases, 19.
Do	July 4–Sept. 4	12		
Ontario				May 30–June 26, 1926: Cases, 36.
Port William	July 25–Aug. 7	2		June 27–Sept. 18: Cases, 78.
Kingston	May 23–June 26	5		
Do	July 11–17	2		
Kitchener	Apr. 26–May 29	3	1	
North Bay	May 2–22	5		
Do	July 25–31	2		
Orillia	Apr. 26–May 29	7		
Ottawa	July 18–24	1		
Packenham	do	10		
Toronto	July 18–Aug. 11	8		
Waterloo	July 18–24	6		
Saskatchewan				May 30–June 26, 1926: Cases, 16.
Regina	July 4–10	2		June 27–Sept. 18: Cases, 59.
Ceylon				Mar. 14–May 29, 1926: Cases, 44; deaths, 3.
Chile:				
Antofagasta	June 6–12	1		
China:				
Amoy	May 1–June 26	4	8	
Do	July 4–10	1		
Antung	May 17–June 19	5		
Do	July 4–18	2		
Canton	May 1–31	4	2	
Changsha	Aug. 8–14	1		
Chungking	May 2–Aug. 7			Present.
Foochow	do			Do.
Hongkong	May 2–June 26	19	10	
Do	June 27–July 3	1	1	
Manchuria	July 4–31	18		Railway stations.
An-shan	May 16–June 12	5		South Manchurian Railway.
Antung	May 16–June 19	5		
Changchun	May 16–June 26	6		Do.
Do	June 27–July 3	1		Do.
Dairen	Apr. 26–June 29	69	16	
Do	June 28–Aug. 8	5	3	
Fushun	May 16–June 5	4		Do.
Harbin	May 14–June 30	21		Do.
Do	July 1–28	14		
Kai-yuan	May 16–June 30	10		Do.
Kungohuling	June 13–19	1		Do.
Liaoyang	May 16–June 30	4		Do.
Mukden	do	4		Do.
Penhsiha	May 16–June 19	4		Do.
Sepingkai	May 16–June 30	2		Do.
Teshichiao	do	2		Do.
Wa-feng-tien	do	3		Do.
Nanking	May 8–Aug. 7			Present.
Shanghai	May 2–June 26	10	25	Cases, foreign: deaths, popula-
Do	June 27–July 24	3	3	tion of international conces-
Swatow	May 9–Aug. 14			sion, foreign and native.
Tientsin	June 2–26		1	Sporadic.
Wanshen	May 1			Reported by British munic-
				ipality.
				Prevalent.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Chosen				Mar. 1-May 31, 1926: Cases, 548; deaths, 121.
Fusan	May 1-31	1		
Seishun	do.	2	1	
Egypt:				
Alexandria	May 15-July 1	18	3	
Do.	July 23-Aug. 19	11	5	
Cairo	Jan. 29-Apr. 1	16	4	
Estonia				May 1-June 30, 1926: Cases, 3.
France				Mar. 1-June 30, 1926: Cases, 141.
St. Etienne	Apr. 18-June 15	7	3	
French Settlements in India	Mar. 7-June 26	282	282	
Gold Coast	Mar. 1-May 31	662	13	
Great Britain:				
England and Wales				May 23-June 26, 1926: Cases, 933.
Bradford	May 23-29	1		June 27-Aug. 28, 1926: Cases, 863.
Do.	Aug. 29-Sept. 4	1		
Newcastle-on-Tyne	June 6-12	1		
Do.	July 11-17	1		
Nottingham	May 2-June 5	7		
Do.	July 18-24	1		
Sheffield	June 13-19	1		
Do.	July 4-Aug. 7	2		
Greece:				
Athens	July 1-31	71	6	Including Piræus.
Saloniki	June 1-14		3	
Guatemala:				
Guatemala City	June 1-30		2	
India				Apr. 25-June 26, 1926: Cases, 54,851; deaths, 14,771. June 27-July 31, 1926: Cases, 14,494, deaths, 4,513.
Bombay	May 2-June 26	220	134	
Do.	June 27-Aug. 14	84	45	
Calcutta	Apr. 4-May 29	171	152	
Do.	June 13-26	24	18	
Do.	June 27-Aug. 21	30	25	
Karachi	May 16-June 26	44	18	
Do.	June 27-Aug. 21	13	7	
Madras	May 16-June 26	7	4	
Do.	June 27-Aug. 28	38	12	
Rangoon	May 9-June 26	10	5	
Do.	July 4-24	3		
Indo-China:				
Saigon	May 9-June 26	2		
Iraq:				
Bagdad	do.	8	3	
Do.	July 4-10	1	1	
Basra	Apr. 18-June 22	34	25	
Italy				Mar. 28-June 26, 1926: Cases, 34.
Catania	Aug. 9-15	2		June 27-July 10, 1926: Cases, 3.
Rome	June 14-20	4		Entire consular district, including island of Sardinia.
Jamaica				Apr. 25-June 26, 1926: Cases, 201.
Do.				(Reported as alastrim.)
Japan				June 27-Aug. 28, 1926: Cases, 147.
Kobe	May 30-June 5	1		(Reported as alastrim.)
Nagoya	May 16-22		1	Apr. 11-June 19, 1926: Cases, 641.
Do.	July 4-10	1		
Taiwan Island	May 11-20	24		
Do.	June 1-20	23		
Do.	July 11-Aug. 10	2		
Tokyo	June 26-July 17	3		
Yokohama	May 2-8	2		
Java:				
Batavia	May 15-June 25	2		Province.
Do.	July 24-Aug. 20	3		Do.
East Java and Madura	Apr. 11-July 3	100	6	
Do.	July 4-Aug. 7	43	1	
Malang	Apr. 4-10	6	1	Interior.
Surabaya	May 16-22	14	1	
Do.	July 15-24	13	1	
Latvia				Apr. 1-June 30, 1926: Cases, 5.
Mexico				Feb. 1-Apr. 30, 1926: Deaths, 982.
Agua Calientes	June 13-26		5	
Guadalajara	June 8-14		2	
Do.	June 29-Aug. 30		6	
Mexico City	May 16-June 5	3		Including municipalities in Federal District.
Do.	July 25-Aug. 28	4		Do.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Mexico—Continued.				
Saltillo	July 18-24		1	
San Antonio de Arenales	Jan. 1-June 30		7	Present: 100 miles from Chihuahua.
San Luis Potosi	June 13-26		7	
Do	July 4-Sept. 4		10	
Tampico	June 1-10		2	
Torreón	May 1-June 30		17	
Do	July 1-Aug. 31		9	
Netherlands:				
Amsterdam	July 18-24		9	
Nigeria				Feb. 1-Apr. 30, 1926: Cases, 404; deaths, 33.
Persia:				
Teheran	Apr. 21-June 22		7	
Peru:				
Arequipa	June 1-30		1	
Poland				Mar. 28-May 1, 1926: Cases, 12 deaths, 1. June 27-July 24, 1926: Cases, 2; deaths, 1.
Portugal:				
Lisbon	Apr. 26-June 19	10	3	
Do	July 11-Sept. 11	21	6	
Oporto	May 23-June 5	4		
Do	July 11-24	2		
Russia				Jan. 1-Mar. 31, 1926: Cases, 2, 103.
Siam				Aug. 1-7, 1926: Cases, 12; deaths, 8.
Bangkok	May 2-June 12	23	30	
Do	July 4-Aug. 7	43	39	
Spain:				
Valencia	Aug. 22-28	1		
Straits Settlements:				
Singapore	Apr. 25-May 1	1		
Do	July 11-17	1		
Switzerland:				
Lucerne Canton	June 1-30	1		
Do	July 1-31	2		
Tripolitania	Apr. 1-30	11		
Tunisia				Apr. 1-June 30, 1926: Cases, 17.
Tunis	Aug. 11-30	2		
Union of South Africa:				
Cape Province	June 1-30	8	1	
Idutya district	June 20-26			Outbreaks.
Orange Free State	May 23-29			Do.
Natal	June 20-July 3			Do.
Transvaal	May 30-June 5			Do.
Johannesburg	May 9-June 12	5		June 6-12, 1926: Outbreaks in Pietersburg and Rustenburg districts.
Do	July 11-17	1		Apr. 15-30, 1926: Cases, 2; deaths, 1.
Yugoslavia				
Zagreb	Aug. 9-15	2		
On vessels:				
S. S. Karapara				At Zanzibar, June 7, 1926: One case of smallpox landed. At Durban, Union of South Africa, June 16, 1926: One suspect case landed.
Steamship	July 2	1		Vessel from Glasgow, Scotland, for Canada. Patient from Glasgow; removed at quarantine on outward voyage.

TYPHUS FEVER

Algeria:				
Algiers	May 21-June 30	7	1	
Do	Aug. 1-31	2		
Argentina:				
Rosario	Feb. 1-28	2		
Bolivia:				
La Paz	June 1-30		1	
Bulgaria				Mar. 1-June 30, 1926: Cases, 57; deaths, 14.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Chile:				
Antofagasta	May 23-June 26	4		
Do.	June 27-July 3	1		
Concepcion	June 1-7		1	
Valparaiso	Apr. 29-May 8		1	
Do.	Aug. 14-28	3		
China:				
Antung	June 14-27	7	1	
Do.	June 28-Aug. 29	26	1	
Canton	May 1-31	1		
Ichang			1	Reported May 1, 1926. Occurring among troops.
Wanshien				Present among troops, May 1, 1926. Locality in Chungking consular district.
Chosen				Feb. 1-May 31, 1926: Cases, 837; deaths, 91.
Chemulpo	May 1-June 30	38	2	
Do.	July 1-31	7	2	
Gensan	June 1-30	1		
Seoul	do.	8	3	
Do.	July 1-31	7		
Czechoslovakia				Jan. 1-June 30, 1926: Cases, 156; deaths, 6.
Egypt:				
Alexandria	July 16-Aug. 19	3		
Cairo	Jan. 29-Mar. 4	74	17	
Do.	July 23-Aug. 5	1		
Port Said	June 4-24	4	1	
Do.	July 9-Aug. 19	4	1	
Great Britain:				
Scotland—				
Glasgow	July 30-Aug. 21	9	1	
Ireland (Irish Free State):				
Cobh (Queenstown)	May 30-June 5	1		
Do.	June 27-July 3	1	1	
Cork	June 5	1		
Kerr County—				
Dingle	June 27-July 3	1		
Italy				Mar. 28-May 8, 1926: Cases, 3.
Japan				Mar. 28-May 29, 1926: Cases, 37.
Latvia				May 1-June 30, 1926: Cases, 19.
Lithuania				Mar. 1-June 30, 1926: Cases, 199; deaths, 22.
Mexico				Feb. 1-Apr. 30, 1926: Deaths, 110.
Durango	July 1-31		1	
Mexico City	May 16-June 5	20		Including municipalities in federal district.
Do.	June 13-19	9		Do.
Do.	July 25-31	3		Do.
Do.	Aug. 15-Sept. 4	15		Do.
San Luis Potosi	June 13-26			Present, city and country.
Morocco				Mar. 1-June 30, 1926: Cases, 426.
Palestine				Mar. 1-June 30, 1926: Cases, 14; deaths, 1. Aug. 10-16, 1926: Cases, 2.
Gaza	July 6-12	1		
Haifa	July 13-Aug. 30	5		
Halalal	Aug. 17-23	1		
Jaffa district	June 15-28	5		
Majdal district	July 13-Aug. 2	2		
Nazareth district	do.	3		
Tiberias	Aug. 3-9	1		
Yavniel	Aug. 17-23	1		
Persia:				
Teheran	May 23-June 22		1	
Peru:				
Arequipa	Jan. 1-31		2	
Poland				Mar. 28-June 26, 1926: Cases, 1,272; deaths, 85. June 27-July 24, 1926: Cases, 147; deaths, 11.
Rumania				Mar. 1-May 31, 1926: Cases, 711; deaths, 69.
Russia				Jan. 1-Mar. 31, 1926: Cases, 14,814.
Tunisia				Apr. 1-June 30, 1926: Cases, 110.
Tunis	June 11-30	3		
Turkey:				
Constantinople	June 16-22	1		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Union of South Africa.....				Apr. 1-May 31, 1926: Cases, 153; deaths, 10.
Cape Province.....				Apr. 1-June 30, 1926: Cases, 202; deaths, 24 native.
Glengray district.....	June 27-July 3.....			Outbreaks.
Grahamstown.....	do.....	1		Apr. 1-June 30, 1926: Cases, 28.
Natal.....				July 25-31, 1926: Cases, 11. In native compounds.
Durban.....	July 25-Aug. 7.....	9	1	Apr. 1-June 30, 1926: Cases, 24; deaths, 4.
Orange Free State.....				Outbreaks.
Do.....	July 18-24.....			Apr. 1-June 30, 1926: Cases, 10; deaths, 5. Aug. 1-7, 1926: Outbreaks.
Transvaal.....				Outbreaks.
Walkkerstroom district	June 20-26.....			Do.
Wolmaransstad district	do.....			Apr. 15-June 30, 1926: Cases, 48; deaths, 7. July 1-31, 1926: Cases, 2; deaths, 1.
Yugoslavia.....				
Zagreb.....	May 15-21.....	1		

YELLOW FEVER

Brazil.....	Reported June 26.....			Present in interior of Bahia, Pira-pora, and Minas.
Bahia.....	May 9-June 26.....	10	7	
Do.....	July 4-10.....	1		
Gold Coast.....	Apr. 1-May 31.....	6	3	